

FIGURE 173

ACGCGCACGACTAGCCGCTCCCATACAGCACGCCCGGACTCTGTCGTCGCTTAAGGCCACTCC TATTCTACGGCTGACCCCTGGTGGTCACGTGGATCTGTTCGCCACGCAAGTCTGGGTCCTTCG GCGATTGACCGGGGTCCTTGCTGTTCGGGAGCCTCTCCTAAGCTGCCTGTTCGCGCGAGAGTT TGGAGGGGCGGTTTGGGGTCGGTGTCTGATTGGGGCTCGCACCGCAGCACGCTGGAGTCCCG CTTAGGTACCAGTTAGCGTCAGGGGAGCTGGGTCAGGCGGTCGCCGGGACACCCCGTGTGTGG CAGGCGGCGAAGCGCTCTGGAGAATCCCGGACAGCCCTGCTCCCTGCAGCCAGGTGTAGTTTC GGGAGCCACTGGGGCCAAAGTGAGAGTCCAGCGGTCTTCCAGCGCTTGGGCCACGGCGGCGC $\verb|CCTGGGAGCAGAGGTGGAGCGACCCCATTACGCTAAAG| \textbf{ATG} \texttt{AAAGGCTGGGGTTGGCCCC}$ TGCTTCTGGGGGCCCTGCTGGGAACCGCCTGGGCTCGGAGGAGCCAGGATCTCCACTGTGGAG CATGCAGGGCTCTGGTGGATGAACTAGAATGGGAAATTGCCCAGGTGGACCCCAAGAAGACCA CCCGCTCAGAGGCCCACCTCACAGAGCTGCTGGAGGAGATATGTGACCGGATGAAGGAGTATG AATCCAGTGAACTGGACCTACAAGGCATCCGAATCGACTCAGATATTAGCGGCACCCTCAAGT TTGCGTGTGAGAGCATTGTGGAGGAATACGAGGATGAACTCATTGAATTCTTTTCCCGAGAGG CTGACAATGTTAAAGACAAACTTTGCAGTAAGCGAACAGATCTTTGTGACCATGCCCTGCACA ${\tt TATCGCATGATGAGCTA} \underline{{\tt TGA}} {\tt ACCACTGGAGCAGCCCACACTGGCTTGATGGATCACCCCCAGG}$ AGGGGAAAATGGTGGCAATGCCTTTTATATATTATGTTTTTACTGAAATTAACTGAAAAAAA TGAAACCAAAAGT

FIGURE 174

MKGWGWLALLLGALLGTAWARRSQDLHCGACRALVDELEWEIAQVDPKKTIQMGSFRINPDGS QSVVEVPYARSEAHLTELLEEICDRMKEYGEQIDPSTHRKNYVRVVGRNGESSELDLQGIRID SDISGTLKFACESIVEEYEDELIEFFSREADNVKDKLCSKRTDLCDHALHISHDEL

Signal peptide:

amino acids 1-20

N-myristoylation sites.

amino acids 12-18, 16-22, 29-35

Endoplasmic reticulum targeting sequence.

amino acids 179-184



FIGURE 175

 $\tt CGCAGCGCGGCAGTCCTG{\color{blue} {\bf ATG}} GCCCGGCATGGGTTACCGCTGCTGCCCCTGCTGTCGCTCCTG$ GTCGGCGCGTGGCTCAAGCTAGGAAATGGACAGGCTACTAGCATGGTCCAACTGCAGGGTGGG AGATTCCTGATGGGAACAAATTCTCCAGACAGCAGAGATGGTGAAGGGCCTGTGCGGGAGGCG ACAGTGAAACCCTTTGCCATCGACATATTTCCTGTCACCAACAAGATTTCAGGGATTTTGTC GTCTCTGATGAGCTGAGAAACAAAGCCACCCAGCCAATGAAGTCTGTACTCTGGTGGCTTCCA CACCCAGTGTTACACGTGAGCTGGAATGACGCCCGTGCCTACTGTGCTTGGCGGGGAAAACGA CTGCCCACGGAGGAGAGTGGGAGTTTGCCGCCCGAGGGGGCTTGAAGGGTCAAGTTTACCCA TGGGGGAACTGGTTCCAGCCAAACCGCACCAACCTGTGGCAGGGAAAGTTCCCCAAGGGAGAC AAAGCTGAGGATGGCTTCCATGGAGTCTCCCCAGTGAATGCTTTCCCCGCCCAGAACAACTAC GGGCTCTATGACCTCCTGGGGAACGTGTGGGAGTGGACAGCATCACCGTACCAGGCTGCTGAG CAGGACATGCGCGTCCTCCGGGGGGCATCCTGGATCGACACAGCTGATGGCTCTGCCAATCAC CGGGCCCGGGTCACCACCAGGATGGGCAACACTCCAGATTCAGCCTCAGACAACCTCGGTTTC CGCTGTGCTGCAGACGCAGGCCGCCAGGGGAGCTGTAAGCAGCCGGGTGGTGACAAGGA GAAAAGCCTTCTAGGGTCACTGTCATTCCCTGGCCATGTTGCAAACAGCGCAATTCCAAGCTC GAGAGCTTCAGCCTCAGGAAAGAACTTCCCCTTCCCTGTCTCCCATCCCTCTGTGGCAGGCGC CTCTCACCAGGGCAGGAGGACTCAGCCTCCTGTGTTTTTGGAGAAGGGGCCCAATGTGTTT GACGATGGCTGGGGGCCAGGTGTTTCTGTTAGAGGCCAAGTATTATTGACACAGGATTGCAAA CACACAAACAGTTGGAACAGAGCACTCTGAAAGGCCATTTTTTAAGCATTTTAAAATCTATTC TCTCCCCCTTTCTCCCTGGATGATTCAGGAAGCTGACATTGTTTCCTCAAGGCAGAATTTTCC GTTTCGTGTCCCTCTGAAGGAAACTAGTTTCCACTGTGTAACAGGCAGACATGTAACTATTTA AAGCACAGTTCAGTCCTAAAAGGGTCTGGGAGAACCAGATGATGTACTAGGTGAAGCATTGCA TTGTGGGAATCACAAAGCAAATAGTACTCCAGAAAGACAAATATCAGAAGCTTCCTATTCTTT TTTTTTTTTTTTTTTTTTTTGAGACAGGGTCTTTCTCTGTTGCCCAGGCTAGAGTGCACTG GTGATCACGGCTCACTCTAGCCTTGAATTCCTGGGCCCAAGCAATTCTCCCACCTCAGCCTCC TGAGTAGCTGGGACTACAAGTGTGCACCACCATGCCTGGCTAATTTTTTGAATTTTTGTAGTG ATGGGATCTCGCTCTGTTGCCCAGGGTGGTCTCGAACTCCTGGCCTCAAGCGATCCTCCCACC TCGACCTCCCAAAGTGCTGGGATTACAGGTGTGAGCCACCTCGCCTGGGCCCCCTTCTCCATA TGCCTCCAAAAACATGTCCCTGGAGAGTAGCCTGCTCCCACACTGTCACTGGATGTCATGGGG AAAAAAAAAA

FIGURE 176

MARHGLPLLSLLVGAWLKLGNGQATSMVQLQGGRFLMGTNSPDSRDGEGPVREATVKPFA
IDIFPVTNKDFRDFVREKKYRTEAEMFGWSFVFEDFVSDELRNKATQPMKSVLWWLPVEKAFW
RQPAGPGSGIRERLEHPVLHVSWNDARAYCAWRGKRLPTEEEWEFAARGGLKGQVYPWGNWFQ
PNRTNLWQGKFPKGDKAEDGFHGVSPVNAFPAQNNYGLYDLLGNVWEWTASPYQAAEQDMRVL
RGASWIDTADGSANHRARVTTRMGNTPDSASDNLGFRCAADAGRPPGEL

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 191-195

N-myristoylation sites.

amino acids 23-29, 25-31, 175-181

Amidation site.

amino acids 159-163



FIGURE 177

GCCTTCTCGCGCCTGACCATGCACCCCTGCATCTTCCTGCTGGGCCACAGGCGAGCGCTTTAT ${\tt TTCTGGAGCTGAGGGCTAAAACTTTTTTGACTTTTCTCTCCTCAACATCTGAATC} {\tt ATG} {\tt CCAT}$ GTGCCCAGAGGAGCTGGCTTGCAAACCTTTCCGTGGTGGCTCAGCTCCTTAACTTTGGGGCGC TTTGCTATGGGAGACAGCCTCAGCCAGGCCCGGTTCGCTTCCCGGACAGGAGGCAAGAGCATT TTATCAAGGGCCTGCCAGAATACCACGTGGTGGGTCCAGTCCGAGTAGATGCCAGTGGGCATT TTTTGTCATATGGCTTGCACTATCCCATCACGAGCAGCAGGAGGAAGAGAGATTTGGATGGCT CAGAGGACTGGGTGTACTACAGAATTTCTCACGAGGAGAAGGACCTGTTTTTTAACTTGACGG TCAATCAAGGATTTCTTTCCAATAGCTACATCATGGAGAAGAGATATGGGAACCTCTCCCATG TTAAGATGATGGCTTCCTCTGCCCCCCTCTGCCATCTCAGTGGCACGGTTCTACAGCAGGGCA ACATCGTTTACAGGAGGCAGAAAGTTCCAGAAACCAAGGAGCCAACCTGTGGATTAAAGGGTA $\tt TTGTGACTCACATGTCCTCCTGGGTTGAAGAATCTGTTTTGTTCTTTTGG\underline{\textbf{TAG}} \texttt{TTTTATTAAA}$ TGACATTCAAATCTCTTCTGTATTCTCTTGCCAGAAAGTGTACATTCTTTTTGCTTGTATAAA CCCTTTCACTTGTC

178/550

FIGURE 178

MPCAQRSWLANLSVVAQLLNFGALCYGRQPQPGPVRFPDRRQEHFIKGLPEYHVVGPVRVDAS GHFLSYGLHYPITSSRRKRDLDGSEDWVYYRISHEEKDLFFNLTVNQGFLSNSYIMEKRYGNL SHVKMMASSAPLCHLSGTVLQQGTRVGTAALSACHGLTGFFQLPHGDFFIEPVKKHPLVEGGY HPHIVYRRQKVPETKEPTCGLKGIVTHMSSWVEESVLFFW

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 11-15, 105-109, 125-129

N-myristoylation site.

amino acids 149-155



FIGURE 179

CAGATTTAAAAAGAAAACCTTTACTGAATCAGCTGAGTGTTAATAATACGAATTTCCTTTTCT TGCCAATTCTGATCTGAACAGAAAATCCAAGAACAGGGATATGTGTGGATTACAGTTTTCTCT ACTTGGATGTTCGTCTGTTTGTCAGCTCTGCACTGGGAGACAAATTAACTGCCGTAACTTAGG CCTTTCGAGTATTCCTAAGAATTTTCCTGAAAGTACAGTTTTTCTGTATCTGACTGGGAATAA TATATCTTATATAAATGAAAGTGAATTAACAGGACTTCATTCTCTTGTAGCATTGTATTTGGA TAATTCTAACATTCTGTATGTATATCCAAAAGCCTTTGTTCAATTGAGGCATCTATATTTTCT ATTTCTAAATAATATTTCATCAAACGCTTAGATCCTGGAATATTTAAGGGACTTTTAAATCT TCGTAATTTATATTTACAGTATAATCAGGTATCTTTTGTTCCGAGAGGAGTATTTAATGATCT AGTTTCAGTTCAGTACTTAAATCTACAAAGGAATCGCCTCACTGTCCTTGGGAGTGGTACCTT TGTTGGTATGGTTGCTCTTCGGATACTTGATTTATCAAACAATAACATTTTGAGGATATCAGA ATCAGGCTTTCAACATCTTGAAAACCTTGCTTGTTTTGTATTTAGGAAGTAATAATTTAACAAA TATTGAAGCAATACAGCCCTTTGCATTTAAAGGACTTGCCAATCTGGAATACCTCCTCCTGAA AAATTCAAGAATTAGGAATGTTACTAGGGATGGGTTTAGTGGAATTAATAATCTTAAACATTT GATCTTAAGTCATAATGATTTAGAGAATTTAAATTCTGACACATTCAGTTTGTTAAAGAATTT AATTTACCTTAAGTTAGATAGAAACAGAATAATTAGCATTGATAATGATACATTTGAAAAATAT GGGAGCATCTTTGAAGATCCTTAATCTGTCATTTAATAATCTTACAGCCTTGCATCCAAGGGT CCTTAAGCCGTTGTCTTCATTGATTCATCTTCAGGCAAATTCTAATCCTTGGGAATGTAACTG CAAACTTTTGGGCCTTCGAGACTGGCTAGCATCTTCAGCCATTACTCTAAACATCTATTGTCA GAATCCCCCATCCATGCGTGGCAGAGCATTACGTTATATTAACATTACAAATTGTGTTACATC TTCAATAAATGTATCCAGAGCTTGGGCTGTTGTAAAATCTCCTCATATTCATCACAAGACTAC TGCGCTAATGATGGCCTGGCATAAAGTAACCACAAATGGCAGTCCTCTGGAAAATACTGAGAC TGAGAACATTACTTTCTGGGAACGAATTCCTACTTCACCTGCTGGTAGATTTTTTCAAGAGAA TGCCTTTGGTAATCCATTAGAGACTACAGCAGTGTTACCTGTGCAAATACAACTTACTACTTC TGTTACCTTGAACTTGGAAAAAAACAGTGCTCTACCGAATGATGCTGCTTCAATGTCAGGGAA AACATCTCTAATTTGTACACAAGAAGTTGAGAAGTTGAATGAGGCTTTTGACATTTTGCTAGC TTTTTTCATCTTAGCTTGTGTTTTAATCATTTTTTTGATCTACAAAGTTGTTCAGTTTAAACA AAAACTAAAGGCATCAGAAAACTCAAGGGAAAATAGACTTGAATACTACAGCTTTTATCAGTC AGCAAGGTATAATGTAACTGCCTCAATTTGTAACACTTCCCCAAATTCTCTAGAAAGTCCTGG CTTGGAGCAGATTCGACTTCATAAACAAATTGTTCCTGAAAATGAGGCACAGGTCATTCTTTT TGAACATTCTGCTTTA TAA CTCAACTAAATATTGTCTATAAGAAACTTCAGTGCCATGGACATGATTTAAACTGAAACCTCCTTATATAATTATATACTTTAGTTGGAAATATAATGAATTATATG

FIGURE 180

MCGLQFSLPCLRLFLVVTCYLLLLHKEILGCSSVCQLCTGRQINCRNLGLSSIPKNFPESTV
FLYLTGNNISYINESELTGLHSLVALYLDNSNILYVYPKAFVQLRHLYFLFLNNNFIKRLDPG
IFKGLLNLRNLYLQYNQVSFVPRGVFNDLVSVQYLNLQRNRLTVLGSGTFVGMVALRILDLSN
NNILRISESGFQHLENLACLYLGSNNLTKVPSNAFEVLKSLRRLSLSHNPIEAIQPFAFKGLA
NLEYLLLKNSRIRNVTRDGFSGINNLKHLILSHNDLENLNSDTFSLLKNLIYLKLDRNRIISI
DNDTFENMGASLKILNLSFNNLTALHPRVLKPLSSLIHLQANSNPWECNCKLLGLRDWLASSA
ITLNIYCQNPPSMRGRALRYINITNCVTSSINVSRAWAVVKSPHIHHKTTALMMAWHKVTTNG
SPLENTETENITFWERIPTSPAGRFFQENAFGNPLETTAVLPVQIQLTTSVTLNLEKNSALPN
DAASMSGKTSLICTQEVEKLNEAFDILLAFFILACVLIIFLIYKVVQFKQKLKASENSRENRL
EYYSFYQSARYNVTASICNTSPNSLESPGLEQIRLHKQIVPENEAQVILFEHSAL

Signal peptide:

amino acids 1-41

Transmembrane domain:

amino acids 530-547

N-glycosylation sites.

amino acids 71-75, 76-80, 215-219, 266-270, 317-321, 331-335, 336-340, 400-404, 410-414, 451-455, 579-583

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 231-235

N-myristoylation sites.

amino acids 3-9, 69-75, 126-132, 174-180

ATP/GTP-binding site motif A (P-loop).

amino acids 506-514

FIGURE 181

GGCCTGGCGCGCGCTCCGGTAAGGCGTGTGTGCGGCAGGGCGGGACAGAACCGTCCTCTCG GGCTCTGGGCGTGTCCGAGACCGCGCTCCCCGCCGAAATCAAGCTCCGAGTCATCCGTGTGGG GCATTCGTCCCCCCTGGCACAGTTGGCCTCTTTCCAGAAGCCCGTTTTGTTTTGTTTTACGTCT AAATTCGCGTCGGTTCTTATTTCTCTCCCTGGCAAGGTCTGAAGACGGGTAGGAAATAACCT GTGTCAGCGTGTTATGATGCCGTCCCGTACCAACCTGGCTACTGGAATCCCCAGTAGTAAAGT GAAATATTCAAGGCTCTCCAGCACAGACGATGGCTACATTGACCTTCAGTTTAAGAAAACCCC TCCTAAGATCCCTTATAAGGCCATCGCACTTGCCACTGTGCTGTTTTTGATTGGCGCCTTTCT CATTATTATAGGCTCCCTCCTGCTGTCAGGCTACATCAGCAAAGGGGGGGCAGACCGGGCCGT TCCAGTGCTGATCATTGGCATTCTGGTGTTCCTACCCGGATTTTACCACCTGCGCATCGCTTA CTATGCATCCAAAGGCTACCGTGGTTACTCCTATGATGACATTCCAGACTTTGATGACC**TAG**CA CCCACCCCATAGCTGAGGAGGAGTCACAGTGGAACTGTCCCAGCTTTAAGATATCTAGCAGAA ACTATAGCTGAGGACTAAGGAATTCTGCAGCTTGCAGATGTTTAAGAAAATAATGGCCAGATT TTTTGGGTCCTTCCCAAAGATGTTAAGTGAACCTACAGTTAGCTAATTAGGACAAGCTCTATT TTTCATCCCTGGGCCCTGACAAGTTTTTCCACAGGAATATGTATCATGGAAGAATAGAGGTTA TTCTGTAATGGAAAAGTGTTGCCTGCCACCACCCTCTGTAGAGCTGAGCATTTCTTTTAAATA GTCTTCATTGCCAATTTGTTCTTGTAGCAAATGGAACAATGTGGTATGGCTAATTTCTTATTA TTAAGTAGTTTATTTTAAAAATATCTGAGTATATTATCCTGTACACTTATCCCTACCTTCATG TGCTTTCTTACTGACAGCAACCAGGAATTTTTTTTATCCTGCAGAGCAAGTTTTCAAAATGTAA ATACTTCCTCTGTTTAACAGTCCTTGGACCATTCTGATCCAGTTCACCAGTAGGTTGGACAGC ATATAATTTGCATCATTTTGTCCCTTGTAAATCAAGATGTTCTGCAGATTATTCCTTTAACGG CCGGACTTTTGGCTGTTTCCTAATGAAACATGTAGTGGTTATTATTTAGAGTTTATAGCCGTA TTGCTAGCACCTTGTAGTATGTCATCATTCTGCTCATGATTCCAAGGATCAGCCTGGATGCCT AGAGGACTAGATCACCTTAGTTTGATTCTATTTTTTAGCTTGCAAAAAGTGACTTATATTCCA

182/550

FIGURE 182

MMPSRTNLATGIPSSKVKYSRLSSTDDGYIDLQFKKTPPKIPYKAIALATVLFLIGAFLIIIG SLLLSGYISKGGADRAVPVLIIGILVFLPGFYHLRIAYYASKGYRGYSYDDIPDFDD

Transmembrane domains:

amino acids 45-66, 79-95

N-myristoylation sites.

amino acids 11-17, 75-81

FIGURE 183

CTAAAAAATACAAAAATTAGCTGGGCGTGGTGTCATGTACCTGTAATCCCAGCTACTCAAGAGGCTGAGGCAGGA GAATCGCTTGAACCCAGGAGGCAGAGGTTGCAGTGAGCCAAGATTAAGTCACTGCACTCCAGCCTGGGTGACAGA GCAAGACTCTGTATCAAAATAAATAAATAAAGTACAACTCTGGATGGGCATGGTGGCTTATGTCTGTAATCCCAG CACTTTGGGAACTTGAGGCGGGTAGATTGCTTGAGTCCGGGAGTTTGAGACCAGTCTGGGTAATATGGTAACCCT AAAATTTAAAAAATAAAGTCCAACTCAGCGGTTTTCAGCATATTTACAGAGTTGTACAATCTTCACCACTATCTA CCTCTGGCAACCACTAATCTCTTTTTTGTCTCTATAGATTTGCCTATTTTGGACAGTTCATATACAAGGAATCAT ACCACATGTAGCCTTTTGTGTCCGGCTTCTTTGATTAATAGAATGTTTTCAAGGCTCATCTATGCTGTAGCCTGT ATCAGCACTTCATTCCTTTCTATGGCTGAATAATAGTCCACTGTAGGGATGTGCCATGTTTTTCCACTAGCTGAT GGACATTTGGGTTGTTTCCACCTTCTGGCTATTATAAATATTGCTGCTATAAATATTCACTTACAAGTTTTTGTG TGGACATATGTTTTTATTTCTTCTGGTATATCCTTCGGAGTGGAACTGCTGGATCAGGTGGTAACTCTAGGTCTA ACCTGGCAGTTAAACAGAATCCTATGCATGCTGTAGTCCATGAGTTGAAATAAACACTTGACCCATAGTAAGTGC CAGATCATCTTCATTTCACAGCAACCAGTAATTTCACAGATGAGGGAAATGAAGGCTCCCAGAGGTGAACTGGCTT TTCCCATTTGAGCAGTTCCAAGTCAGACAGTTAAAAAGTGGCAGGACCTGGAAGAAGCTAGTTCTTTCACCCT GGCATTCAGGGCTGCCTCCTGGGCTACGGGGCTGGCATTTAGAATAGAGCTAAGGTCTGCTGCCAAGGCAGGTGC CCCAGTCTGCCTCTGTGTCCTTATTCCACTTTCTCTGCAGCCCTCCAGGGGACCCCTCTCTCAGCCACCCTC TCTCTGGTG<u>ATG</u>TCACAGTGCTGCCGGAAGATCAAAGATACGGTGCAGAAACTGGCTTCGGACCATAAGGACATT CACAGCAGTGTATCCCGAGTGGGCAAAGCCATTGACAGGAACTTCGACTCTGAGATCTGTGGTGTTGTGTCAGAT GCGGTGTGGGACGCGCGGGAACAGCAGCAGCAGATCCTGCAGATGGCCATCGTGGAACACCTGTATCAGCAGGGC ATGCTCAGCGTGGCCGAGGAGCTGTGCCAGGAATCAACGCTGAATGTGGACTTGGATTTCAAGCAGCCTTTCCTA GAGTTGAATCGAATCCTGGAAGCCCTGCACGAACAAGACCTGGGTCCTGCGTTGGAATGGGCCGTCTCCCACAGG CAGCGCCTGCTGGAACTCAACAGCTCCCTGGAGTTCAAGCTGCACCGACTGCACTTCATCCGCCTCTTGGCAGGA GGCCCGCGAAGCAGCTGGAGGCCCTCAGCTATGCTCGGCACTTCCAGCCCTTTGCTCGGCTGCACCAGCGGGAG ATCCAGGTGATGATGGGCAGCCTGGTGTACCTGCGGCTGGGCTTGGAGAAGTCACCCTACTGCCACCTGCTGGAC AGCAGCCACTGGGCAGAGATCTGTGAGACCTTTACCCGGGACGCCTGTTCCCTGCTGGGGCTTTCTGTGGAGTCC CCCCTTAGCGTCAGCTTTGCCTCTGGCTGTGTGGCGCTGCCTGTGTTGATGAACATCAAGGCTGTGATTGAGCAG CGGCAGTGCACTGGGGTCTGGAATCACAAGGACGAGTTACCGATTGAGATTGAACTAGGCATGAAGTGCTGGTAC GCTCATCTGTGGCCATGTTATCTCCCGAGATGCACTCAATAAGCTCATTAATGGAGGAAACACTCCGTGTTCGCT TGCCCCATCCTCCGCCAGCAGACGTCAGATTCCAACCCTCCCATCAAGCTGAAGTGTCCCTACTGTCCCATGGAG CACCTGGCTCCATGGCATAAGGAAAGGGAGATGCTGGCCTCTGTGCTCCTGCTGTTTTCCTGTTTTGC GTTTGACTTAGTAGCAACCGACAGAGTGGCAAGGGATTTGGTCTTCAGCAGTAGACATCCTTCCACCCCTGCCCT CAGCCAAGTCTCTTGCTGCCATGCCAATGCTATGTCCACCCTTGCCCCTCGGCCCAAGAGTGTCCAGCGGTGGCC CACCTCTTCCTCCCACTACAGCCTCAACAGTATGTACCATCTCCCACTGTAAATAGTCCCAGTTAGAACGGAATG CCGTTGTTTTATAACTTTGAACAAATGTATTTACTGCCCTTCTCAAAA

184/550

FIGURE 184

QCCRKIKDTVQKLASDHKDIHSSVSRVGKAIDRNFDSEICGVVSDAVWDAREQQQQILQMAIV EHLYQQGMLSVAEELCQESTLNVDLDFKQPFLELNRILEALHEQDLGPALEWAVSHRQRLLEL NSSLEFKLHRLHFIRLLAGGPAKQLEALSYARHFQPFARLHQREIQVMMGSLVYLRLGLEKSP YCHLLDSSHWAEICETFTRDACSLLGLSVESPLSVSFASGCVALPVLMNIKAVIEQRQCTGVW NHKDELPIEIELGMKCWYHSVFACPILRQQTSDSNPPIKLICGHVISRDALNKLINGGKLKCP YCPMEQNPADGKRIIF

Transmembrane domain:

amino acids 222-241

N-glycosylation site.

amino acids 129-133

Tyrosine kinase phosphorylation site.

amino acids 151-159, 184-193

Amidation site.

amino acids 327-331

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 222-233

FIGURE 185

GAGCGACGCTGTCTCTAGTCGCTGATCCCAAATGCACCGGCTCATCTTTGTCTACACTCTAAT TTTGCGCAACGCCAACCTCAGGCGAGATGACTTGTACCGAAGAGATGAGACCATCCAGGTGAA AGGAAACGGCTACGTGCAGAGTCCTAGATTCCCGAACAGCTACCCCAGGAACCTGCTCCTGAC ATGGCGGCTTCACTCTCAGGAGAATACACGGATACAGCTAGTGTTTGACAATCAGTTTGGATT AGAGGAAGCAGAAAATGATATCTGTAGGTATGATTTTTGTGGAAGTTGAAGATATATCCGAAAC CAGTACCATTATTAGAGGACGATGGTGTGGACACAAGGAAGTTCCTCCAAGGATAAAATCAAG AACGAACCAAATTAAAATCACATTCAAGTCCGATGACTACTTTGTGGCTAAACCTGGATTCAA GATTTATTATTCTTTGCTGGAAGATTTCCAACCCGCAGCAGCTTCAGAGACCAACTGGGAATC TGTCACAAGCTCTATTTCAGGGGTATCCTATAACTCTCCATCAGTAACGGATCCCACTCTGAT TGCGGATGCTCTGGACAAAAAATTGCAGAATTTGATACAGTGGAAGATCTGCTCAAGTACTT CAATCCAGAGTCATGGCAAGAAGATCTTGAGAATATGTATCTGGACACCCCTCGGTATCGAGG CAGGTCATACCATGACCGGAAGTCAAAAGTTGACCTGGATAGGCTCAATGATGATGCCAAGCG TTACAGTTGCACTCCCAGGAATTACTCGGTCAATATAAGAGAAGAGCTGAAGTTGGCCAATGT GGTCTTCTTTCCACGTTGCCTCCTCGTGCAGCGCTGTGGAGGAAATTGTGGCTGTGGAACTGT CAACTGGAGGTCCTGCACATGCAATTCAGGGAAAACCGTGAAAAAGTATCATGAGGTATTACA GTTTGAGCCTGGCCACATCAAGAGGGGGGGTAGAGCTAAGACCATGGCTCTAGTTGACATCCA GTTGGATCACCATGAACGATGCGATTGTATCTGCAGCTCAAGACCACCTCGA<u>TAA</u>GAGAATGT GCACATCCTTACATTAAGCCTGAGAGAA

186/550

FIGURE 186

MHRLIFVYTLICANFCSCRDTSATPQSASIKALRNANLRRDDLYRRDETIQVKGNGYVQSPRF
PNSYPRNLLLTWRLHSQENTRIQLVFDNQFGLEEAENDICRYDFVEVEDISETSTIIRGRWCG
HKEVPPRIKSRTNQIKITFKSDDYFVAKPGFKIYYSLLEDFQPAAASETNWESVTSSISGVSY
NSPSVTDPTLIADALDKKIAEFDTVEDLLKYFNPESWQEDLENMYLDTPRYRGRSYHDRKSKV
DLDRLNDDAKRYSCTPRNYSVNIREELKLANVVFFPRCLLVQRCGGNCGCGTVNWRSCTCNSG
KTVKKYHEVLQFEPGHIKRRGRAKTMALVDIQLDHHERCDCICSSRPPR

Signal peptide:

amino acids 1-18

N-glycosylation site.

amino acids 270-274

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 262-266

Tyrosine kinase phosphorylation site.

amino acids 256-265

N-myristoylation sites.

amino acids 94-100, 186-192, 297-303, 298-304

TonB-dependent receptor proteins signature 1.

amino acids 1-56

FIGURE 187

 $\mathtt{C} \underline{\mathtt{ATG}}\mathtt{CCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCCTTGGGGGACGGGCAGTTCCCTG$ TGTCTCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGT CATATATGGGCAAAAGAATGGCTGAATAAATCAGAATGCAGAAATATCAATAGAACCTACTG TGATCTTTCTGCTGAAACTTCTGACTACGAACACCAGTATTATGCCAAAGTTAAGGCCATTTG GGGAACAAAGTGTTCCAAATGGGCTGAAAGTGGACGGTTCTATCCTTTTTTAGAAACACAAAT TGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCCTGACAGCTCC AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCT GAAGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAA CCACACGCTGGTGCTCACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCTT CGTCCCAGGGCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGA TCAATCATCAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGT GTTTCTTTTTTCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACA CCCAGCAAATTTGATTTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGA AAAAATCGTGATTAACTTTATCACCCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGA TATGAGTTTACTGGGAAAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAA CCTGAGGCCCCCTCAGGAGGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGA AATTTTTTGTGACTCTGAAGAAAACACGGAAGGTACTTCTCTCACCCAGCAAGAGTCCCTCAG CAGAACAATACCCCCGGATAAAACAGTCATTGAATATGAATATGATGTCAGAACCACTGACAT TTGTGCGGGGCCTGAAGAGCAGGAGCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATT ATTGGAGTCGCAGGCAGCGTTGGCAGTCTTGGGCCCGCAAACGTTACAGTACTCATACACCCC TCAGCTCCAAGACTTAGACCCCCTGGCGCAGGAGCACACAGACTCGGAGGAGGGCCCGGAGGA AGAGCCATCGACGACCCTGGTCGACTGGGATCCCCAAACTGGCAGGCTGTGTATTCCTTCGCT GTCCAGCTTCGACCAGGATTCAGAGGGCTGCGAGCCTTCTGAGGGGGATGGGCTCGGAGAGGA GGGTCTTCTATCTAGACTCTATGAGGAGCCGGCTCCAGACAGGCCACCAGGAGAAAATGAAAC CTATCTCATGCAATTCATGGAGGAATGGGGGTTATATGTGCAGATGGAAAAC<u>TGA</u>TGCCAACA CTTCCTTTTGCCTTTTGTTTCCTGTGCAAACAAGTGAGTCACCCCTTTGATCCCAGCCATAAA GTACCTGGGATGAAAGAAGTTTTTTCCAGTTTGTCAGTGTCTGTGAGAA

188/550

FIGURE 188

MPLPPLLLLLAAPWGRAVPCVSGGLPKPANITFLSINMKNVLQWTPPEGLQGVKVTYTVQYF
IYGQKKWLNKSECRNINRTYCDLSAETSDYEHQYYAKVKAIWGTKCSKWAESGRFYPFLETQI
GPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIYSNLKYNVSVLNTKSNRTWSQCVTN
HTLVLTWLEPNTLYCVHVESFVPGPPRRAQPSEKQCARTLKDQSSEFKAKIIFWYVLPISITV
FLFSVMGYSIYRYIHVGKEKHPANLILIYGNEFDKRFFVPAEKIVINFITLNISDDSKISHQD
MSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFCDSEENTEGTSLTQQESLS
RTIPPDKTVIEYEYDVRTTDICAGPEEQELSLQEEVSTQGTLLESQAALAVLGPQTLQYSYTP
QLQDLDPLAQEHTDSEEGPEEEPSTTLVDWDPQTGRLCIPSLSSFDQDSEGCEPSEGDGLGEE
GLLSRLYEEPAPDRPPGENETYLMQFMEEWGLYVQMEN

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 240-260

N-glycosylation sites.

amino acids 31-34, 72-75, 80-83, 171-174, 180-183, 189-192, 304-307, 523-526

Tyrosine kinase phosphorylation site.

amino acids 385-392, 518-526

N-myristoylation sites.

amino acids 53-58, 106-111, 368-373, 492-497

Tissue factor

amino acids 1-278

FIGURE 189

CAGCGGGCAGCCAGATCGCCTTCCGCCTCCAGGTGCGCACTGCAGGCTACGTGGGCTTCGGC TTCTCGCCCACCGGGGCCATGGCGTCCGCCGACATCGTCGTGGGCGGGGTGGCCCACGGGCGG CCCTACCTCCAGGATTATTTTACAAATGCAAATAGAGAGTTGAAAAAAGATGCTCAGCAAGAT TACCATCTAGAATATGCCATGGAAAATAGCACACACACAATAATTGAATTTACCAGAGAGCTG CATACATGTGACATAAATGACAAGAGTATAACGGATAGCACTGTGAGAGTGATCTGGGCCTAC CACCATGAAGATGCAGGAGAAGCTGGTCCCAAGTACCATGACTCCAATAGGGGCACCAAGAGT TTGCGGTTATTGAATCCTGAGAAAACTAGTGTGCTATCTACAGCCTTACCATACTTTGATCTG GTAAATCAGGACGTCCCCATCCCAAACAAAGATACAACATATTGGTGCCAAATGTTTAAGATT CCTGTGTTCCAAGAAAAGCATCATGTAATAAAGGTTGAGCCAGTGATACAGAGAGGCCATGAG AGTCTGGTGCACCACATCCTGCTCTATCAGTGCAGCAACAACTTTAACGACAGCGTTCTGGAG TCCGGCCACGAGTGCTATCACCCCAACATGCCCGATGCATTCCTCACCTGTGAAACTGTGATT TTTGCCTGGGCTATTGGTGGAGAGGGCTTTTCTTATCCACCTCATGTTGGATTATCCCTTGGC ACTCCATTAGATCCGCATTATGTGCTCCTAGAAGTCCATTATGATAATCCCACTTATGAGGAA GGCTTAATAGATAATTCTGGACTGAGGTTATTTTACACAATGGATATAAGGAAATATGATGCT GGGGTGATTGAGGCTGGCCTCTGGGTGAGCCTCTTCCATACCATCCCTCCAGGGATGCCTGAG TTCCAGTCTGAGGGTCACTGCACTTTGGAGTGCCTGGAAGAGGCTCTGGAAGCCGAAAAGCCA CGTCATTTTCGAAAAGGGAAGGAAATGAAATTACTTGCCTATGATGATGATTTTTGACTTCAAT TTCCAGGAGTTTCAGTATCTAAAGGAAGAACAACAATCTTACCAGGAGATAACCTAATTACT GAGTGTCGCTACAACACGAAAGATAGAGCTGAGATGACTTGGGGAGGACTAAGCACCAGGAGT GAAATGTGTCTCTCATACCTTCTTTATTACCCAAGAATTAATCTTACTCGATGTGCAAGTATT CCAGACATTATGGAACAACTTCAGTTCATTGGGGTTAAGGAGATCTACAGACCAGTCACGACC AAGTTTAAATGGACTAAAAAGGAAGGTCTCTCCTTCAACAAGCTGGTCCTCAGCCTGCCAGTG AATGTGAGATGTTCCAAGACAGACAATGCTGAGTGGTCGATTCAAGGAATGACAGCATTACCT CCAGATATAGAAAGACCCTATAAAGCAGAACCTTTGGTGTGTGGCACGTCTTCTTCCTCTTCC CTGCACAGAGATTTCTCCATCAACTTGCTTGTTTGCCTTCTGCTACTCAGCTGCACGCTGAGC ${\tt ACCAAGAGCTTG}$ ${\tt TGA}$ ${\tt TCAAAATTCTGTTGGACTTGACAATGTTTTCTATGATCTGAACCTGTC}$ ATTTGAAGTACAGGTTAAAGACTGTGTCCACTTTGGGCATGAAGAGTGTGGAGACTTTTCTTC CTCTTTCTTAGAAATACCTGATGTTATATATACATGGTCAATAAAATAAAACTGGCCTGACTT AAGATAACCATTTTAAAAAATTGGGCTGTCATGTGGGAATAAAAGAATTCTTTCCTAAA AAAAAAA

190/550

FIGURE 190

MCCWPLLLWGLLPGTAAGGSGRTYPHRTLLDSEGKYWLGWSQRGSQIAFRLQVRTAGYVGFG
FSPTGAMASADIVVGGVAHGRPYLQDYFTNANRELKKDAQQDYHLEYAMENSTHTIIEFTREL
HTCDINDKSITDSTVRVIWAYHHEDAGEAGPKYHDSNRGTKSLRLLNPEKTSVLSTALPYFDL
VNQDVPIPNKDTTYWCQMFKIPVFQEKHHVIKVEPVIQRGHESLVHHILLYQCSNNFNDSVLE
SGHECYHPNMPDAFLTCETVIFAWAIGGEGFSYPPHVGLSLGTPLDPHYVLLEVHYDNPTYEE
GLIDNSGLRLFYTMDIRKYDAGVIEAGLWVSLFHTIPPGMPEFQSEGHCTLECLEEALEAEKP
SGIHVFAVLLHAHLAGRGIRLRHFRKGKEMKLLAYDDDFDFNFQEFQYLKEEQTILPGDNLIT
ECRYNTKDRAEMTWGGLSTRSEMCLSYLLYYPRINLTRCASIPDIMEQLQFIGVKEIYRPVTT
WPFIIKSPKQYKNLSFMDAMNKFKWTKKEGLSFNKLVLSLPVNVRCSKTDNAEWSIQGMTALP
PDIERPYKAEPLVCGTSSSSSLHRDFSINLLVCLLLLSCTLSTKSL

Signal peptide:

amino acids 1-18

Transmembrane domains:

amino acids 56-73, 378-393, 583-602

N-glycosylation sites.

amino acids 114-118, 247-251, 476-480, 517-521

N-myristoylation sites.

amino acids 11-17, 15-21, 20-26, 45-51, 68-74, 79-85, 290-296, 316-322, 337-343, 342-348, 456-462, 534-540, 582-588

Copper type II, ascorbate-dependent monooxygenases proteins.

amino acids 271-321, 422-474

FIGURE 191

 ${\tt GCTTCAGCTGAAGAAGAGAGGGA} {\color{red} {\bf ATG}} {\color{black} {\bf AAGCGCCTTCTGCTTCTGTTTTTTTTATAACAT}$ TTTCTTCTGCATTTCCCTTAGTCCGGATGACGGAAAATGAAGAAAATATGCAACTGGCTCAGG CATATCTCAACCAGTTCTACTCTCTTGAAATAGAAGGGAATCATCTTGTTCAAAGCAAGAATA GGAGTCTCATAGATGACAAAATTCGGGAAATGCAAGCATTTTTTGGATTGACAGTGACTGGAA AACTGGACTCAAACACCCTTGAGATCATGAAGACACCCAGGTGTGGGGTGCCTGATGTGGGCC AGTATGGCTACACCCTCCCTGGGTGGAGAAAATACAACCTCACCTACAGAATAATAAACTATA CTCCGGATATGGCACGAGCTGCTGTGGATGAGGCTATCCAAGAAGGTTTAGAAGTGTGGAGCA AAGTCACTCCACTAAAATTCACCAAGATTTCAAAGGGGATTGCAGACATCATGATTGCCTTTA GGACTCGAGTCCATGGTCGGTGTCCTCGCTATTTTGATGGTCCCTTGGGAGTGCTTGGCCATG CCTTTCCTCCTGGTCCGGGTCTGGGTGGTGACACTCATTTTGATGAGGATGAAAACTGGACCA AGGATGGAGCAGGATTCAACTTGTTTCTTGTGGCTGCTCATGAATTTGGTCATGCACTGGGGC TCTCTCACTCCAATGATCAAACAGCCTTGATGTTCCCAAATTATGTCTCCCTGGATCCCAGAA AATACCCACTTTCTCAGGATGATATCAATGGAATCCAGTCCATCTATGGAGGTCTGCCTAAGG TACCTGCTAAGCCAAAGGAACCCACTATACCCCATGCCTGTGACCTGACTTGACTTTTGACG ATGATATCACGGATGTTGAGTTTGAATTAATTGCTTCATTCTGGCCATCTCTGCCAGCTGATC TGCAAGCTGCATACGAGAACCCCAGAGATAAGATTCTGGTTTTTAAAGATGAAAACTTCTGGA GACGTGTGAAGAAAATAGATGCAGCCGTCTGTGATAAGACCACAAGAAAAACCTACTTCTTTG TGGGCATTTGGTGCTGGAGGTTTGATGAAATGACCCAAACCATGGACAAAGGATTCCCGCAGA GAGTGGTAAAACACTTTCCTGGAATCAGTATCCGTGTTGATGCTGCTTTCCAGTACAAAGGAT TCTTCTTTTTCAGCCGTGGATCAAAGCAATTTGAATACAACATTAAGACAAAGAATATTACCC GAATCATGAGAACTAATACTTGGTTTCAATGCAAAGAACCAAAGAACTCCTCATTTGGTTTTG ATATCAACAAGGAAAAAGCACATTCAGGAGGCATAAAGATATTGTATCATAAGAGTTTAAGCT TGTTTATTTTTGGTATTGTTCATTTGCTGAAAAACACTTCTATTTATCAA<u>TAA</u>ATTCATAGAC CTAAAATAAACCTCAACAGGTCTTTTAATATAAATTCTGCTTCAAAATAGAATAAAACCATTC TTTAACAAC

192/550

FIGURE 192

MKRLLLLFLFFITFSSAFPLVRMTENEENMQLAQAYLNQFYSLEIEGNHLVQSKNRSLIDDKI REMQAFFGLTVTGKLDSNTLEIMKTPRCGVPDVGQYGYTLPGWRKYNLTYRIINYTPDMARAA VDEAIQEGLEVWSKVTPLKFTKISKGIADIMIAFRTRVHGRCPRYFDGPLGVLGHAFPPGPGL GGDTHFDEDENWTKDGAGFNLFLVAAHEFGHALGLSHSNDQTALMFPNYVSLDPRKYPLSQDD INGIQSIYGGLPKVPAKPKEPTIPHACDPDLTFDAITTFRREVMFFKGRHLWRIYYDITDVEF ELIASFWPSLPADLQAAYENPRDKILVFKDENFWMIRGYAVLPDYPKSIHTLGFPGRVKKIDA AVCDKTTRKTYFFVGIWCWRFDEMTQTMDKGFPQRVVKHFPGISIRVDAAFQYKGFFFFSRGS KQFEYNIKTKNITRIMRTNTWFQCKEPKNSSFGFDINKEKAHSGGIKILYHKSLSLFIFGIVH LLKNTSIYQ

Signal peptide:

amino acids 1-17

N-glycosylation sites.

amino acids 55-59, 110-114, 200-204, 452-456, 470-474, 508-512

N-myristoylation site.

amino acids 71-77, 205-211, 223-229

Hemopexin domain signature.

amino acids 171-202, 207-238, 318-334

Neutral zinc metallopeptidases, zinc-binding region signature.

amino acids 213-223

Matrixins cysteine switch.

amino acids 89-97, 207-238

193/550

FIGURE 193

194/550

FIGURE 194

MVLGNGGCHPVSSLPLLVHFLPLLVHFLPLLVYLLPLLGRFLPRLVYLLPLLVHFLPPLMHFL PLLVHFLALLAHFLPLLVHFLALLAHFPAPAGVFPAPAGVLPSPAGALPASAGALLASPGPT

Signal peptide:

amino acids 1-39

N-myristoylation sites.

amino acids 4-10, 109-115, 116-122

Leucine zipper pattern.

amino acids 14-36, 16-38, 17-39, 21-43, 24-46, 28-50, 31-53, 35-57, 38-60, 42-64, 45-67, 49-71, 52-74, 56-78, 59-81, 63-85, 65-87, 66-88

FIGURE 195

GGCAAGGCGGCGGCGGCGGCGCGCGCGCGGTGGCGGCGTGGGGAACATCTCGGCAGCCA CCGCGCTTCTCCCGCTGGAGCGGGCGTCCAGCTTGGCTGCCCTCGGTCCTTCCCTGCCACGTT TCGGGTCGCCCTGCACCCCACCCAGGCTCGCTTCTCTTCGAAGCGGGAAGGGCGCCTTGCA GGATCCTGCCGCCCCTCCAACCGGATCCTGGGTCTAGAGCTCCCCAGAGCGAGGCGCTCGCCA GGACTCCTGCCCGCCAACCCTGACCGCGGGGGGGTGCCCCCGGGACGTAGCGCCGCGGAGAG GAAGCGGCAAAGGGGACC**ATG**CGGCGCCTGACTCGTCGGCTGGTTCTGCCAGTCTTCGGGGTG CTCTGGATCACGGTGCTGCTTCTTCTGGGTAACCAAGAGGAAGTTGGAGGTGCCGACGGGA CCTGAAGTGCAGACCCCTAAGCCTTCGGACGCTGACTGGGACGACCTGTGGGACCAGTTTGAT GAGCGGCGGTATCTGAATGCCAAAAAGTGGCGCGTTGGTGACGACCCCTATAAGCTGTATGCT TTCAACCAGCGGGAGAGTGAGCGGATCTCCAGCAATCGGGCCATCCCGGACACTCGCCATCTG AACGAGGCCCGCTCCACGCTGCTCAGGACCATCCGCAGTGTATTAAACCGCACCCCTACGCAT CTGATCCGGGAAATCATATTAGTGGATGACTTCAGCAATGACCCTGATGACTGTAAACAGCTC ATCAAGTTGCCCAAGGTGAAATGCTTGCGCAATAATGAACGGCAAGGTCTGGTCCGGTCCCGG ATTCGGGGCGCTGACATCGCCCAGGGCACCACTCTGACTTTCCTCGACAGCCACTGTGAGGTG AACAGGGACTGGCTCCAGCCTCTGTTGCACAGGGTCAAAGAGGACTACACGCGGGTGGTGTGC CCTGTGATCGATATCATTAACCTGGACACCTTCACCTACATCGAGTCTGCCTCGGAGCTCAGA GGGGGGTTTGACTGGAGCCTCCACTTCCAGTGGGAGCAGCTCTCCCCAGAGCAGAAGGCTCGG CGCCTGGACCCCACGGAGCCCATCAGGACTCCTATCATAGCTGGAGGGCTCTTCGTGATCGAC AAAGCTTGGTTTGATTACCTGGGGAAATATGATATGGACATGGACATCTGGGGTGGGGAGAAC TTTGAAATCTCCTTCCGAGTGTGGATGTGCGGGGGCAGCCTAGAGATCGTCCCCTGCAGCCGA GTGGGGCACGTCTTCCGGAAGAAGCACCCCTACGTTTTCCCTGATGGAAATGCCAACACGTAT GCCCGGCCATTCGCCCTGGAGAGGCCCTTCGGGAATGTTGAGAGCAGATTGGACCTGAGGAAG AATCTGCGCTGCCAGAGCTTCAAGTGGTACCTGGAGAATATCTACCCTGAACTCAGCATCCCC AAGGAGTCCTCCATCCAGAAGGGCAATATCCGACAGAGACAGAAGTGCCTGGAATCTCAAAGG CAGAACAACCAAGAAACCCAAACCTAAAGTTGAGCCCCTGTGCCAAGGTCAAAGGCGAAGAT GCAAAGTCCCAGGTATGGGCCTTCACATACACCCAGCAGATCCTCCAGGAGGAGCTGTGCCTG TCAGTCATCACCTTGTTCCCTGGCGCCCCAGTGGTTCTTGTCCTTTGCAAGAATGGAGATGAC CGACAGCAATGGACCAAAACTGGTTCCCACATCGAGCACATAGCATCCCACCTCTGCCTCGAT ACAGATATGTTCGGTGATGGCACCGAGAACGGCAAGGAAATCGTCGTCAACCCATGTGAGTCC TCACTCATGAGCCAGCACTGGGACATGGTGAGCTCTTGAGGACCCCTGCCAGAAGCAGCAAGG CCACCTCAGACATCCTGGACTGGGAGGTGGAGGCAGAGCCCCCCAGGACAGGAGCAACTGTCT CAGGGAGGACAGAGGAAAACATCACAAGCCAATGGGCTCAAAGACAAATCCCACATGTTCTCA AGGCCGTTAAGTTCCAGTCCTGGCCAGTCATTCCCTGATTGGTATCTGGAGACAGAAACCTAA CCTTCTTTTTCACTAGGCCAGGACTACATTGAGAGATGAAGAATGGAGGTTGTTTCCAAAAGA AAAAAAAAAAAAAAA

196/550

FIGURE 196

MRRLTRRLVLPVFGVLWITVLLFFWVTKRKLEVPTGPEVQTPKPSDADWDDLWDQFDERRYLN
AKKWRVGDDPYKLYAFNQRESERISSNRAIPDTRHLRCTLLVYCTDLPPTSIIITFHNEARST
LLRTIRSVLNRTPTHLIREIILVDDFSNDPDDCKQLIKLPKVKCLRNNERQGLVRSRIRGADI
AQGTTLTFLDSHCEVNRDWLQPLLHRVKEDYTRVVCPVIDIINLDTFTYIESASELRGGFDWS
LHFQWEQLSPEQKARRLDPTEPIRTPIIAGGLFVIDKAWFDYLGKYDMDMDIWGGENFEISFR
VWMCGGSLEIVPCSRVGHVFRKKHPYVFPDGNANTYIKNTKRTAEVWMDEYKQYYYAARPFAL
ERPFGNVESRLDLRKNLRCQSFKWYLENIYPELSIPKESSIQKGNIRQRQKCLESQRQNNQET
PNLKLSPCAKVKGEDAKSQVWAFTYTQQILQEELCLSVITLFPGAPVVLVLCKNGDDRQQWTK
TGSHIEHIASHLCLDTDMFGDGTENGKEIVVNPCESSLMSQHWDMVSS

Transmembrane domain:

amino acids 475-493

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 2-6

Tyrosine kinase phosphorylation sites.

amino acids 68-75, 401-409

N-myristoylation sites.

amino acids 178-184, 186-192, 192-198, 346-352, 383-389, 526-532

197/550

FIGURE 197

 ${\tt GCAGCTCACCCTTCGCAGCCGCG}{\tt ATG}{\tt GGGGGAAGACGACGCCGCGCTTCGGGCTGGCAGCAGGGGGGCTCTCCGACC}$ CGTGGGCAGACTCAGTGGGAGTGCGACCCCGCACCACGGAGCGCCACATCGCCGTACACAAGCGGCTTGTGCTGG CCTTCGCTGTGTCCCTCGTGGCATTGCTCGCGGTCACAATGCTCGCTGTGCTCAGCCTGCGCTTCGACGAGT GCGGGGCGAGTGCCACGCCAGGCGCCGACGGTGGCCCCTCAGGCTTTCCGGAGCGCGGCGGCAACGGGAGCCTCC CTGGATCGGCCCGGCGCAACCACCACGCAGGCGGGGACTCCTGGCAGCCCGAGGCGGGTGGGGTGGCCAGTCCGG GGACCACGTCGGCCCAGCCGCCGTCGGAGGAGGAGCGGGAGCCGTGGAGCCGTGGACGCAGCTGCGCCTGTCGG GCCACCTGAAGCCGCTGCACTACAATCTGATGCTCACCGCCTTCATGGAGAACTTCACCTTCTCCGGGGAGGTCA ACGTGGAGATCGCGTGCCGGAACGCCACCCGCTACGTAGTGCTGCACGCTTCCCGAGTGGCGGTGGAGAAAGTGC AGCTGGCCGAGGACCGGGCGTTCGGGGCTGTCCCTGTAGCCGGTTTTTTCCTCTACCCGCAAACCCAGGTCTTAG TGGTGGTGCTGAATAGGACACTGGACGCGCAGAGGAATTACAATCTGAAGATTATCTACAACGCGCTCATCGAGA CGCCTACACATGCCAGAAAGGCATTTCCTTGTTTTGATGAGCCAATCTACAAGGCTACTTTCAAAATCAGCATCA CGGATCACTTTTCACAGACCCCTCTCATGTCCACATATTATTTAGCCTGGGCAATTTGCAACTTCACATACAGAG AAACTACCACCAAGAGTGGGGTTGTAGTACGATTATATGCAAGACCTGATGCTATCAGAAGAGGGATCCGGGGACT ATGCTCTCCATATAACAAAGAGATTAATAGAATTTTATGAAGACTACTTTAAAGTGCCCTATTCCTTGCCAAAAC TAGATCTTTTAGCTGTGCCTAAGCATCCGTATGCTGCTATGGAGAACTGGGGGACTAAGTATTTTTGTGGAACAAA GAATACTGCTGGATCCCAGTGTTTCATCTATTTCTTATTTGCTGGATGTCACCATGGTCATTGTTCATGAGATAT TGCATGAAGTGATGCTGCTGGACGGTTTGGCCAGTTCCCATCCAGTATCACAGGAAGTGCTGCAGGCAACAGATA TTGACAGGGTGTTTGACTGGATCGCATATAAAAAGGGTGCTGCTTTAATAAGAATGCTGGCTAATTTTATGGGCC ATTCAGTTTTCCAGAGGGGTTTGCAAGATTATTTAACCATTCATAAGTATGGTAATGCAGCCAGAAATGATCTCT GGAATACATTATCGGAGGCTTTAAAAAGAAATGGGAAATATGTAAATATACAAGAAGTAATGGATCAGTGGACAC TCCAGATGGGTTATCCTGTTATCACCATCTTGGGAAACACAACAGCAGAAAATAGAATAATAATTACCCAACAGC ATTTTATCTATGATATCAGTGCTAAAACTAAAGCACTTAAACTTCAGAATAACAGTTACCTGTGGCAGATTCCAT TAACTATTGTGGTAGGAAATAGAAGCCATGTGTCTTCAGAAGCAATTATTTGGGTGTCTAACAAATCAGAGCACC GATACCTGTCTGAGGAGAAGGATTTTCTTCCTTGGCATGCTGCCAGCCGAGCTCTTTATCCTCTAGATAAATTAC TGGACCGCATGGAAAACTACAACATTTTCAATGAATATATTTTAAAGCAAGTTGCAACAACATATATCAAGCTTG GGTGGCCGAAAAATAATTTTAATGGATCTCTTGTTCAAGCATCCTACCAACATGAAGAACTACGTAGAGAAGTTA TAATGCTGGCCTGCAGTTTTGGCAACAAGCACTGTCACCAACAGGCATCAACACTTATTTCAGATTGGATTTCCA GCAACAGGAACAGAATACCACTAAATGTTAGAGACATCGTATACTGTACAGGAGTGTCACTACTGGATGAGGATG TCTGGGAATTCATATGGATGAAATTCCATTCCACCACAGCAGTTTCTGAGAAGAAAATATTATTGGAAGCCTTAA CTTGCAGTGATGACAGGAATTTATTAAACAGGCTTCTAAATCTGTCACTGAATTCTGAGGTGGTGCTGGATCAAG ATGCAATTGATGTCATAATCCATGTAGCTCGAAATCCACATGGTCGAGACCTTGCCTGGAAGTTTTTCAGGGATA AATGGAAGATATTAAATACCAGGTATGGAGAAGCATTGTTTATGTATTCCAAACTCATCAGTGGTGTCACAGAAT TTCTTAATACTGAAGGTGAACTCAAAGAGCTCAAGAACTTCATGAAAAACTATGATGGGGTAGCTGCTTCTT TCTCACGAGCTGTGGAAACTGTCGAAGCCAATGTGCGCTGGAAAATGCTTTACCAAGACGAGCTTTTCCAATGGT TAGGAAAAGCTCTAAGACAC**TAA**TATATGTATCTTATAAACAAACAATTCAACTCAGAAGTTTATGAGAAGACAC GCTTTTTGTGGAATGAGGAAAATGTACCTAGAAAATGGCCAGATTTTCAGTGTTAACGTGTGGGAGGAATTT TGGGTGTTCCTCTCTAAAGAAACTCTTGCAAGTGAAACTAGCCATGATTGCTTCAGCTGTACATTCCTTGCTGTA CAGGACCAAATATGATAGTGATGCATGTTGATGTTACAGTCAATTTGGAAAAACATATTCAGAATATCTGTGCAT TAGGATGGGCATTATGCAAAAGCACAAAGATTATATATGACAATCAGTATTGCAATGAAAAGAAAAACTAAAAACA GAAATGATATTCTCAATTTTGGGCAATGTGAGAGGTAAAATAGCCCTTGACATGATGAACATCACTTATTTCAGC ACTTGGATTGTCTGGCAATGATTACTGTGTTGCTAACTCATTTTCTTTGAGTTAAAGCTGTGTATACATTTTAAA AGGCATATAGATAGTGTATGCATATGTATATGTACATAGGGAAGCCCCATATGTATATAGTATGTTGTACACTGC ACATGTACAAAGAATGTCTTCAGATCAAAGAAAATTTATCTCTTTTTATAAACTTAAGGACAGTTGCAAAAGGCT AAAAAAAAA

198/550

FIGURE 198

MGEDDAALRAGSRGLSDPWADSVGVRPRTTERHIAVHKRLVLAFAVSLVALLAVTMLAVLLSL RFDECGASATPGADGGPSGFPERGGNGSLPGSARRNHHAGGDSWQPEAGGVASPGTTSAQPPS EEEREPWEPWTQLRLSGHLKPLHYNLMLTAFMENFTFSGEVNVEIACRNATRYVVLHASRVAV EKVQLAEDRAFGAVPVAGFFLYPQTQVLVVVLNRTLDAQRNYNLKIIYNALIENELLGFFRSS YVLHGERRFLGVTQFSPTHARKAFPCFDEPIYKATFKISIKHQATYLSLSNMPVETSVFEEDG WVTDHFSQTPLMSTYYLAWAICNFTYRETTTKSGVVVRLYARPDAIRRGSGDYALHITKRLIE FYEDYFKVPYSLPKLDLLAVPKHPYAAMENWGLSIFVEQRILLDPSVSSISYLLDVTMVIVHE ICHQWFGDLVTPVWWEDVWLKEGFAHYFEFVGTDYLYPGWNMEKQRFLTDVLHEVMLLDGLAS SHPVSQEVLQATDIDRVFDWIAYKKGAALIRMLANFMGHSVFQRGLQDYLTIHKYGNAARNDL WNTLSEALKRNGKYVNIQEVMDQWTLQMGYPVITILGNTTAENRIIITQQHFIYDISAKTKAL KLQNNSYLWQIPLTIVVGNRSHVSSEAIIWVSNKSEHHRITYLDKGSWLLGNINQTGYFRVNY DLRNWRLLIDQLIRNHEVLSVSNRAGLIDDAFSLARAGYLPQNIPLEIIRYLSEEKDFLPWHA ASRALYPLDKLLDRMENYNIFNEYILKQVATTYIKLGWPKNNFNGSLVQASYQHEELRREVIM LACSFGNKHCHQQASTLISDWISSNRNRIPLNVRDIVYCTGVSLLDEDVWEFIWMKFHSTTAV SEKKILLEALTCSDDRNLLNRLLNLSLNSEVVLDQDAIDVIIHVARNPHGRDLAWKFFRDKWK ILNTRYGEALFMYSKLISGVTEFLNTEGELKELKNFMKNYDGVAAASFSRAVETVEANVRWKM LYQDELFQWLGKALRH

Transmembrane domain:

amino acids 44-63

N-glycosylation sites.

amino acids 89-93, 160-164, 175-179, 222-226, 338-342, 605-609, 634-638, 649-653, 663-667, 684-688, 800-804, 906-910

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 362-366

Tyrosine kinase phosphorylation site.

amino acids 520-528

N-myristoylation sites.

amino acids 78-84, 87-93, 90-96, 118-124, 501-507, 604-610, 825-831, 987-993

Neutral zinc metallopeptidases, zinc-binding region signature.

amino acids 437-447

199/550

FIGURE 199

GGCCCGCGCCTCCTCCCTCGCTCCCCTTTCTCGCTCACCGCCCCCTCCTTCCCCAGCTCCCTCGCC ACTCCGCGGGATCTCGCTGTTCCTCGCTCTGCTCCTGGGGAGCCCGGCGCAGCGCTGGAGCGAGATGCTCTTCC CGAGGGAGATGCTAGCCCTTTGGGTCCTTACCTCCTGCCCTCAGGAGCCCCGGAGAGAGGCAGTCCTGGCAAAGA GCACCCTGAAGAGAGAGTGGTAACAGCGCCCCCAGTTCCTCACAGTCGGCGGAAGTGCTGGGCGAGCTGGTGCT GCACGCCTTGCCCCCAAGAAGAAACTGCCTTCGCTCAAGCAGGTGAACTCTGCCAGGAAGCAGCTGAGGCCCAA GGCCACCTCCGCAGCCACTGTCCAAAGGGCAGGGTCCCAGCCGTCCCAGGGCCTAGATCTCCTCCTCCTC CACGGAGAAGCCTGGCCCACCGGGGGACCCGGACCCCATCGTGGCCTCCGAGGAGGCATCAGAAGTGCCCCTTTG GCTGGATCGAAAGGAGAGTGCGGTCCCTACAACACCCGCACCCCTGCAAATCTCCCCCTTCACTTCGCAGCCCTA TGTGGCCCACACACTCCCCAGAGGCCAGAACCCGGGGAGCCTGGGCCTGACATGGCCCAGGAGGCCCCCCAGGA GGACACCAGCCCCATGGCCCTGATGGACAAAGGTGAGAATGAGCTGACTGGGTCAGCCTCAGAGGAGAGCCAGGA CTCCAATCCTGAGGGGTACATTGACTCCAGCGACTACCCACTGCTGCCCCTCAACAACTTTCTGGAGTGCACATA CAACGTGACAGTCTACACTGGCTATGGGGTGGAGCTCCAGGTGAAGAGTGTGAACCTGTCCGATGGGGAACTGCT CTCCATCCGCGGGGTGGACGGCCCTACCCTGACCGTCCTGGCCAACCAGACACTCCTGGTGGAGGGGCAGGTAAT CCGAAGCCCCACCAACACCATCTCCGTCTACTTCCGGACCTTCCAGGACGACGGCCTTGGGACCTTCCAGCTTCA CTACCAGGCCTTCATGCTGAGCTGCAACTTTCCCCGCCGGCCTGACTCTGGGGGATGTCACGGTGATGGACCTGCA CTCAGGTGGGGTGGCCCACTTTCACTGCCACCTGGGCTATGAGCTCCAGGGCGCTAAGATGCTGACATCCAA TGCCTCCAAGCCGCACTGGAGCAGCCAGGAGCCCATCTGCTCAGCTCCTTGTGGAGGGGCAGTGCACAATGCCAC CATCGGCCGCGTCCTCTCCCCAAGTTACCCTGAAAACACAAATGGGAGCCAATTCTGCATCTGGACGATTGAAGC TCCAGAGGGCCAGAAGCTGCACCTGCACTTTGAGAGGCTGTTGCTGCATGACAAGGACAGGATGACGGTTCACAG CGGGCAGACCAACAAGTCAGCTCTTCTCTACGACTCCCTTCAAACCGAGAGTGTCCCTTTTGAGGGCCTGCTGAG CGAAGGCAACACCATCCGCATCGAGTTCACGTCCGACCAGGCCCGGGCGGCCTCCACCTTCAACATCCGATTTGA AGCGTTTGAGAAAGGCCACTGCTATGAGCCCTACATCCAGAATGGGAACTTCACTACATCCGACCCGACCTATAA CATTGGGACTATAGTGGAGTTCACCTGCGACCCCGGCCACTCCCTGGAGCAGGGCCCGGCCATCATCGAATGCAT CAATGTGCGGGACCCATACTGGAATGACACAGAGCCCCTGTGCAGAGCCATGTGTGGTGGGGGAGCTCTCTGCTGT GGCTGGGGTGGTATTGTCCCCAAACTGGCCCGAGCCCTACGTGGAAGGTGAAGATTGTATCTGGAAGATCCACGT GGGAGAAGAGAAACGGATCTTCTTAGATATCCAGTTCCTGAATCTGAGCAACAGTGACATCTTGACCATCTACGA TGGCGACGAGGTCATGCCCCACATCTTGGGGCAGTACCTTGGGAACAGTGGCCCCCAGAAACTGTACTCCTCCAC GCCAGACTTAACCATCCAGTTCCATTCGGACCCTGCTGGCCTCATCTTTGGAAAGGGCCAGGGATTTATCATGAA CTACATAGAGGTATCAAGGAATGACTCCTGCTCGGATTTACCCGAGATCCAGAATGGCTGGAAAACCACTTCTCA CACGGAGTTGGTGCGGGGAGCCAGAATCACCTACCAGTGTGACCCCGGCTATGACATCGTGGGGAGTGACACCCT CACCTGCCAGTGGGACCTCAGCTGGAGCAGCGACCCCCCATTTTGTGAGAAAATTATGTACTGCACCGACCCCGG AGAGGTGGATCACTCGACCCGCTTAATTTCGGATCCTGTGCTGCTGGTGGGGACCACCATCCAATACACCTGCAA CCCCGGTTTTGTGCTTGAAGGGAGTTCTCTTCTGACCTGCTACAGCCGTGAAACAGGGACTCCCATCTGGACGTC TCGCCTGCCCCACTGCGTTTCGGAGGAGTCCCTGGCATGTGACAACCCAGGGCTGCCTGAAAATGGATACCAAAT CCTGTACAAGCGACTCTACCTGCCAGGAGAGTCCCTCACCTTCATGTGCTACGAAGGCTTTGAGCTCATGGGTGA AGTGACCATCCGCTGCATCCTGGGACAGCCATCCCACTGGAACGGGCCCCTGCCCGTGTGTAAAGTTAATCAAGA CAGTTTTGAACATGCTTTAGAAGCAGAAGCGGCAGCAGAGACGTCGCTGGAAGGGGGGAACATGGCCCTGGCTAT CTTCATCCCGGTCCTCATCTCCTTACTGCTGGGAGGAGCCTACATTTACATCACAAGATGTCGCTACTATTC CAACCTCCGCCTGCCTCTGATGTACTCCCACCCCTACAGCCAGATCACCGTGGAAACCGAGTTTGACAACCCCAT TTACGAGACAGGGGAAACCAGAGAGTATGAGGTTTCTATC<u>TAA</u>AGAGAGCTACACTTGAGAAGGGGACTTGTGAA ААААААААА

200/550

FIGURE 200

MPAARPPAAGLRGISLFLALLLGSPAAALERDALPEGDASPLGPYLLPSGAPERGSPGKEHPE ERVVTAPPSSSQSAEVLGELVLDGTAPSAHHDIPALSPLLPEEARPKHALPPKKKLPSLKQVN SARKQLRPKATSAATVQRAGSQPASQGLDLLSSSTEKPGPPGDPDPIVASEEASEVPLWLDRK ESAVPTTPAPLQISPFTSQPYVAHTLPQRPEPGEPGPDMAQEAPQEDTSPMALMDKGENELTG SASEESQETTTSTIITTTVITTEQAPALCSVSFSNPEGYIDSSDYPLLPLNNFLECTYNVTVY TGYGVELQVKSVNLSDGELLSIRGVDGPTLTVLANQTLLVEGQVIRSPTNTISVYFRTFQDDG LGTFQLHYQAFMLSCNFPRRPDSGDVTVMDLHSGGVAHFHCHLGYELQGAKMLTCINASKPHW SSQEPICSAPCGGAVHNATIGRVLSPSYPENTNGSQFCIWTIEAPEGQKLHLHFERLLLHDKD RMTVHSGQTNKSALLYDSLQTESVPFEGLLSEGNTIRIEFTSDQARAASTFNIRFEAFEKGHC YEPYIQNGNFTTSDPTYNIGTIVEFTCDPGHSLEQGPAIIECINVRDPYWNDTEPLCRAMCGG ELSAVAGVVLSPNWPEPYVEGEDCIWKIHVGEEKRIFLDIQFLNLSNSDILTIYDGDEVMPHI LGQYLGNSGPQKLYSSTPDLTIQFHSDPAGLIFGKGQGFIMNYIEVSRNDSCSDLPEIQNGWK TTSHTELVRGARITYQCDPGYDIVGSDTLTCQWDLSWSSDPPFCEKIMYCTDPGEVDHSTRLI SDPVLLVGTTIQYTCNPGFVLEGSSLLTCYSRETGTPIWTSRLPHCVSEESLACDNPGLPENG YQILYKRLYLPGESLTFMCYEGFELMGEVTIRCILGQPSHWNGPLPVCKVNQDSFEHALEAEA AAETSLEGGNMALAIFIPVLIISLLLGGAYIYITRCRYYSNLRLPLMYSHPYSQITVETEFDN-PIYETGETREYEVSI

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 893-915

N-glycosylation sites.

amino acids 311-315, 328-332, 350-354, 435-439, 458-462, 474-478, 514-518, 576-580, 618-622, 674-678, 742-746

cAMP- and cGMP-dependent protein kinase phosphorylation site.
amino acids 188-192

N-myristoylation sites.

amino acids 23-29, 87-93, 146-152, 454-460, 475-481, 575-581, 629-635, 695-701, 723-729, 766-772, 877-883, 953-959

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 383-394

201/550

FIGURE 201

 $ext{G} ext{ATG} ext{GCTACGGCAGGGGGTGGCTCTGGGGCTGACCCGGGAAGTCGGGGTCTCCTTCGCCTTCT}$ CCCCTTAAATAAAACAGCTCCCTGTGTTCGCCTGCTCAACGCCACTCATCAGATTGGCTGCCA GTCTTCAATTAGTGGAGACACAGGGGTTATCCACGTAGTAGAGAAAGAGGAGGACCTACAGTG GGATTTAATGGAGAAGCTGAAAGGGAGAACCAGCCGAATTGCTGGTCTTGCAGTGTCCTTGAC CAAGCCCAGTCCTGCCTCAGGCTTCTCTCCTAGTGTACAGTGCCCAAATGATGGGTTTGGTGT TTACTCCAATTCCTATGGGCCAGAGTTTGCTCACTGCAGAGAAATACAGTGGAATTCGCTGGG CAAAGTCATCAAGCAGTGCTATCAAGATCACAACCTGAGTCAGAATGGCTCAGCACCAACCTT CCCACTATGTGCCATGCAGCTCTTTTCACACATGCATGCTGTCATCAGCACTGCCACCTGCAT GCGGCGCAGCTCCAAAGCACCTTCAGCATCAACCCAGAAATCGTCTGTGACCCCCTGTC TGATTACAATGTGTGGAGCATGCTAAAGCCTATAAATACAACTGGGACATTAAAGCCTGACGA CAGGGTTGTGGTTGCTGCCACCCGGCTGGATAGTCGTTCCTTTTTCTGGAATGTGGCCCCAGG ACCTGATGTGACCACCCTGCCCCGCAATGTCATGTTTGTCTTCTTTCAAGGGGAAACTTTTGA CTACATTGGCAGCTCGAGGATGGTCTACGATATGGAGAAGGGCAAGTTTCCCGTGCAGTTAGA GAATGTTGACTCATTTGTGGAGCTGGGACAGGTGGCCTTAAGAACTTCATTAGAGCTTTGGAT GCACACAGATCCTGTTTCTCAGAAAAATGAGTCTGTACGGAACCAGGTGGAGGATCTCCTGGC CACATTGGAGAAGAGTGGTGCTGGTGTCCCTGCTGTCATCCTCAGGAGGCCAAATCAGTCCCA GCCTCTCCCACCATCTTCCCTGCAGCGATTTCTTCGAGCTCGAAACATCTCTGGCGTTGTTCT GGCTGACCACTCTGGTGCCTTCCATAACAAATATTACCAGAGTATTTACGACACTGCTGAGAA CATTAATGTGAGCTATCCCGAATGGCTGAGCCCTGAAGAGGACCTGAACTTTGTAACAGACAC TGCCAAGGCCCTGGCAGATGTGGCCACGGTGCTGGGACGTGCTCTGTATGAGCTTGCAGGAGG AACCAACTTCAGCGACACAGTTCAGGCTGATCCCCAAACGGTTACCCGCCTGCTCTATGGGTT GGGTGACGGGCCTCTTCAACATTACATCGCTGTCTCCAGCCCCACCAACACCACTTATGTTGT ACAGTATGCCTTGGCAAATTTGACTGGCACAGTGGTCAACCTCACCCGAGAGCAGTGCCAGGA TCCAAGTAAAGTCCCAAGTGAAAACAAGGATCTGTATGAGTACTCATGGGTCCAGGGCCCTTT GCATTCTAATGAGACGGACCGACTCCCCCGGTGTGTGCGTTCTACTGCACGATTAGCCAGGGC CTTGTCTCCTGCCTTTGAACTGAGTCAGTGGAGCTCTACTGAATACTCTACATGGACTGAGAG CCGCTGGAAAGATATCCGTGCCCGGATATTTCTCATCGCCAGCAAAGAGCTTGAGTTGATCAC CCTGACAGTGGGCTTCGGCATCCTCATCTTCTCCCTCATCGTCACCTACTGCATCAATGCCAA AGCTGATGTCCTTTTCATTGCTCCCCGGGAGCCAGGAGCTGTGTCATAC<u>TGA</u>GGAGGACCCCA GCTTTTCTTGCCAGNTCAGCAGTTCACTTCCTAGAGCATCTGTCCCACTGGGACACAACCACT AATTTGTCACTGGAACCTCCCTGGGCCTGTCTCAGATTGGGATTAACATAAAAGAGTGGAACT ATCCAAAAGAGACAGGGAGAAATAAATAAATTGCCTCCCTTCCTCCGCTCCCCTTTCCCATCA CCCCTTCCCCATTTCCTCTTCTCTACTCATGCCAGATTTTGGGATTACAAATAGAAGCT TCTTGCTCCTGTTTAACTCCCTAGTTACCCACCCTAATTTGCCCTTCAGGACCCTTCTACTTT TTCCTTCCTGCCCTGTACCTCTCTCTCTCTCCTCACCCCCACCCCTGTACCCAGCCACCTTCCT GACTGGGAAGGACATAAAAGGTTTAATGTCAGGGTCAAACTACATTGAGCCCCTGAGGACAGG GGCATCTCTGGGCTGAGCCTACTGTCTCCTTCCCACTGTCCTTTCTCCAGGCCCTCAGATGGC ACATTAGGGTGGGCGTGCGGGTGGGTATCCCACCTCCAGCCCACAGTGCTCAGTTGTACT TTTTATTAAGCTGTAATATCTATTTTTGTTTTTTGTCTTTTTCCTTTATTCTTTTTTGTAAATAT ATATATAATGAGTTTCATTAAAATAGATTATCCC

202/550

FIGURE 202

MATAGGGSGADPGSRGLLRLLSFCVLLAGLCRGNSVERKIYIPLNKTAPCVRLLNATHQIGCQ
SSISGDTGVIHVVEKEEDLQWVLTDGPNPPYMVLLESKHFTRDLMEKLKGRTSRIAGLAVSLT
KPSPASGFSPSVQCPNDGFGVYSNSYGPEFAHCREIQWNSLGNGLAYEDFSFPIFLLEDENET
KVIKQCYQDHNLSQNGSAPTFPLCAMQLFSHMHAVISTATCMRRSSIQSTFSINPEIVCDPLS
DYNVWSMLKPINTTGTLKPDDRVVVAATRLDSRSFFWNVAPGAESAVASFVTQLAAAEALQKA
PDVTTLPRNVMFVFFQGETFDYIGSSRMVYDMEKGKFPVQLENVDSFVELGQVALRTSLELWM
HTDPVSQKNESVRNQVEDLLATLEKSGAGVPAVILRRPNQSQPLPPSSLQRFLRARNISGVVL
ADHSGAFHNKYYQSIYDTAENINVSYPEWLSPEEDLNFVTDTAKALADVATVLGRALYELAGG
TNFSDTVQADPQTVTRLLYGFLIKANNSWFQSILRQDLRSYLGDGPLQHYIAVSSPTNTTYVV
QYALANLTGTVVNLTREQCQDPSKVPSENKDLYEYSWVQGPLHSNETDRLPRCVRSTARLARA
LSPAFELSQWSSTEYSTWTESRWKDIRARIFLIASKELELITLTVGFGILIFSLIVTYCINAK
ADVLFIAPREPGAVSY

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 671-692

N-glycosylation sites.

amino acids 45-49, 55-59, 187-191, 200-204, 204-208, 264-268, 387-391, 417-421, 435-439, 464-468, 506-510, 530-534, 562-566, 573-577, 580-584, 612-616

Glycosaminoglycan attachment site.

amino acids 404-408

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 232-236

N-myristoylation site.

amino acids 5-11, 6-12, 9-15, 29-35, 61-67, 120-126, 146-152, 168-174, 205-211, 294-300, 438-444, 446-452, 504-510, 576-582

203/550

FIGURE 203

GCTAGACCGAGCCCTGGGAGGCTACGGGCTCCCCCGGAAACCCTGCCAGGGGAGCCGGGTTTT GAGCTCAGGCGCCTCTAGCGGCGCCCCCAGAAATCTGACTCGCGAGGCCAGAGTTGCAGGGA CTGAATAGCAAACTGAGGCTGAGTAGGGAACAGACCATGAGGTCAGTGCAGATCTTCCTCTCC CAATGCCGTTTGCTCCTTCTACTAGTTCCGACAATGCTCCTTAAGTCTCTTGGCGAAGATGTA ATTTTTCACCCTGAAGGGGAGTTTGACTCGTATGAAGTCACCATTCCTGAGAAGCTGAGCTTC CACGTCCTCCATTTGTGGCCCAAGAGACTTCTGTTGCCCCGACATCTGCGCGTTTTCTCCTTC ACAGAACATGGGGAACTGCTGGAGGATCATCCTTACATACCAAAGGACTGCAACTACATGGGC GTATTTAACATTGATGCCAAACATTACCAAATTGAGCCCCTCAAGGCCTCTCCCAGTTTTGAA CATGTCGTCTATCTCCTGAAGAAGAGCAGTTTGGGAATCAGGTTTGTGGCTTAAGTGATGAT GAAATAGAATGGCAGATGGCCCCTTATGAGAATAAGGCGAGGCTAAGGGACTTTCCTGGATCC TATAAACACCCAAAGTACTTGGAATTGATCCTACTCTTTGATCAAAGTAGGTATAGGTTTGTG AACAACAATCTTTCTCAAGTCATACATGATGCCATTCTTTTGACTGGGATTATGGACACCTAC TTTCAAGATGTTCGTATGAGGATACACTTAAAGGCTCTTGAAGTATGGACAGATTTTAACAAA GTATTAAATGCTCGCCTGTCATCAGATTGGGCACATTTATATCTTCAAAGAAAATATAATGAT GCTCTTGCATGGTCGTTTGGAAAAGTGTGTTCTCTAGAATATGCTGGATCAGTGAGTACTTTA CTAGATACAAATATCCTTGCCCCTGCTACCTGGTCTGCTCATGAGCTGGGTCATGCTGTAGGA ATGTCACATGATGAACAATACTGCCAATGTAGGGGTAGGCTTAATTGCATCATGGGCTCAGGA TGTCTAAATAATATCCCAGGACTAGGTTATGTGCTTAAGAGATGTGGAAACAAAATTGTGGAG GACAATGAGGAATGTGACTGTGGTTCCACAGAGGAGTGTCAGAAAGATCGGTGTTGCCAATCA AATTGTAAGTTGCAACCAGGTGCCAACTGTAGCATTGGACTTTGCTGTCATGATTGTCGGTTT GGGAATTCAAGTTCCTGCCCAAATGACGTTTATAAGCAGGATGGAACCCCTTGCAAGTATGAA GGCCGTTGTTTCAGGAAGGGGTGCAGATCCAGATATATGCAGTGCCAAAGCATTTTTGGACCT GATGCCATGGAGGCTCCTAGTGAGTGCTATGATGCAGTTAACTTAATAGGTGATCAATTTGGT AACTGTGAGATTACAGGAATTCGAAATTTTAAAAAGTGTGAAAGTGCAAATTCAATATGTGGC AGGCTACAGTGTATAAATGTTGAAACCATCCCTGATTTGCCAGAGCATACGACTATAATTTCT ACTCATTTACAGGCAGAAAATCTCATGTGCTGGGGCACAGGCTATCATCTATCCATGAAACCC ATGGGAATACCTGACCTAGGTATGATAAATGATGGCACCTCCTGTGGAGAAGGCCGGGTATGT TTTAAAAAAAATTGCGTCAATAGCTCAGTCCTGCAGTTTGACTGTTTGCCTGAGAAATGCAAT TGTGAGGAAGTGGGGTATGGAGGAAGCATTGACAGTGGGCCTCCAGGACTGCTCAGAGGGGCG ATTCCCTCGTCAATTTGGGTTGTGTCCATCATAATGTTTCGCCTTATTTTATTAATCCTTTCA GTGGTTTTTGTGTTTTTCCGGCAAGTGATAGGAAACCACTTAAAACCCAAACAGGAAAAAATG CCACTATCCAAAGCAAAAACTGAACAGGAAGAATCTAAAACAAAAACTGTACAGGAAGAATCT AAAACAAAAACTGGACAGGAAGAATCTGAAGCAAAAACTGGACAGGAAGAATCTAAAGCAAAA ACTGGACAGGAAGAATCTAAAGCAAACATTGAAAGTAAACGACCCAAAGCAAAGAGTGTCAAG GCTAATCATTTATCCAAAGGCTTTCCATTCTTCTCCCAATATTTTTTTACTTTAATTTTTCCC ACAAGTTTTGATCAGCAAATAAACAGCATTCTTGTTTTTGGAAACAAAAA

204/550

FIGURE 204

MRSVQIFLSQCRLLLLLVPTMLLKSLGEDVIFHPEGEFDSYEVTIPEKLSFRGEVQGVVSPVS
YLLQLKGKKHVLHLWPKRLLLPRHLRVFSFTEHGELLEDHPYIPKDCNYMGSVKESLDSKATI
STCMGGLRGVFNIDAKHYQIEPLKASPSFEHVVYLLKKEQFGNQVCGLSDDEIEWQMAPYENK
ARLRDFPGSYKHPKYLELILLFDQSRYRFVNNNLSQVIHDAILLTGIMDTYFQDVRMRIHLKA
LEVWTDFNKIRVGYPELAEVLGRFVIYKKSVLNARLSSDWAHLYLQRKYNDALAWSFGKVCSL
EYAGSVSTLLDTNILAPATWSAHELGHAVGMSHDEQYCQCRGRLNCIMGSGRTGFSNCSYISF
FKHISSGATCLNNIPGLGYVLKRCGNKIVEDNEECDCGSTEECQKDRCCQSNCKLQPGANCSI
GLCCHDCRFRPSGYVCRQEGNECDLAEYCDGNSSSCPNDVYKQDGTPCKYEGRCFRKGCRSRY
MQCQSIFGPDAMEAPSECYDAVNLIGDQFGNCEITGIRNFKKCESANSICGRLQCINVETIPD
LPEHTTIISTHLQAENLMCWGTGYHLSMKPMGIPDLGMINDGTSCGEGRVCFKKNCVNSSVLQ
FDCLPEKCNTRGVCNNRKNCHCMYGWAPPFCEEVGYGGSIDSGPPGLLRGAIPSSIWVVSIIM
FRLILLILSVVFVFFRQVIGNHLKPKQEKMPLSKAKTEQEESKTKTVQEESKTKTGQEESEAK
TGOEESKAKTGQEESKANIESKRPKAKSVKKQKK

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 684-705

N-glycosylation sites.

amino acids 222-226, 372-376, 438-442, 473-477, 625-629

N-myristoylation sites.

amino acids 131-137, 168-174, 235-241, 319-325, 364-370, 436-442, 472-478, 609-615, 642-648, 668-674, 676-680, 680-686, 749-755, 758-764, 767-773

Amidation site.

amino acids 69-73

Disintegrins proteins

amino acids 429-479

EGF-like domain proteins

amino acids 650-662

Neutral zinc metallopeptidases, zinc-binding region proteins amino acids 335-345

205/550

FIGURE 205

AGGGTGACGGGGCTGGGAAGGGGCAGCTCATGTTCAGGTTTCCAGGAGGGGCTACCTGTTGA CTGTCTTTGCAGGAAGAAGAAACACCTGAGTGACCAGATGTCCCAGCTCCAGGTGCCTTGCC AGATGGCCAGAACCACACCTCTTGAAGAGTGACAGTGCTGTGGAGCATGGTTTCTGCACACCT GGAATGACTGGAACCCCAAAGACTCAAGAAGGAGCTAAAGATCTTGAAGTAGACATGAATAAA ACAGAAGGCTGTGGACCACCTGTCGAGATGGAGAAGTCCTTCTGAGGCTATCCAAACACGGAC CTTATCCAGCCCTCCCATCCAAGAATGGCAAAAAGTGGGAAATTCTGAATTTCAACCAGTACT ATGAGGCTTGTCGGAAGGCTGCAAAATCCTTGATCAAGCTGGGTTTGGAGCGTTTCCACGGAG TTGGTATCCTGGGGTTTAACTCTGCAGAGTGGTTTATCACTGCTGTTGGTGCCATCCTAGCCG GGGGTCTTTGTGTTGGTATTTATGCCACCAACTCTGCCGAGGCTTGTCAATATGTCATCACTC ATGCCAAAGTGAACATCTTGCTGGTTGAGAATGATCAACAGTTACAGAAAATCCTTTCGATTC CACAGAGCAGCCTAGAGCCCCTAAAAGCGATCATCCAGTACAGACTGCCAATGAAGAAGAACA ACAACTTGTACTCTTGGGATGATTTCATGGAACTTGGCAGAAGTATCCCTGACACCCAACTGG AGCAGGTCATCGAGAGCCAGAAGGCGAATCAATGCGCAGTGCTCATCTACACTTCAGGGACCA CAGGCATACCCAAGGGAGTGATGCTCAGTCATGACAACATCACGTGGATTGCAGGAGCAGTGA CAAAGGACTTTAAACTGACAGACAAGCATGAGACGGTGGTTAGCTACCTCCCACTCAGCCATA TTGCAGCACAGATGATGGACATCTGGGTACCCATAAAGATTGGGGCGCTCACATACTTTGCTC AAGCAGATGCTCTCAAGGGCACCTTGGTAAGTACTCTAAAGGAGGTAAAACCTACTGTCTTCA TTGGAGTGCCTCAAATTTGGGAGAAGATACATGAGATGGTGAAGAAAAATAGTGCCAAGTCCA TGGGCTTGAAGAAGAAGCATTCGTGTGGGCAAGAAACATTGGCTTCAAGGTCAACTCAAAAA AGATGTTGGGGAAATATAATACTCCCGTGAGCTACCGCATGGCTAAGACTCTCGTGTTCAGCA AAGTCAAGACATCCCTTGGCTTGGATCACTGTCACTCTTTTATCAGTGGGACTGCGCCCCTCA ACCAAGAGACTGCCGAGTTCTTTCTAAGCTTGGACATACCTATAGGCGAGTTGTATGGGTTGA GTGAGAGCTCGGGACCCCACACGATATCCAACCAGAATAACTACAGGCTTCTAAGCTGTGGCA AGATCTTGACTGGGTGTAAGAATATGCTGTTCCAGCAGAACAAGGATGGCATTGGGGAGATCT GCCTCTGGGGTAGGCACATCTTCATGGGCTATCTGGAAAGTGAGACTGAAACTACAGAGGCCA TCGATGATGAAGGCTGGCTACACTCTGGGGATCTGGGCCAGCTGGACGGTCTGGGTTTCCTCT ATGTCACCGGCCACATCAAAGAAATCCTTATCACTGCTGGTGGTGAAAATGTGCCCCCCATTC CTGTTGAGACCTTGGTTAAGAAGAAGATCCCCATCATCAGTAACGCCATGTTAGTAGGAGATA AACTGAAGTTTCTGAGCATGTTGCTGACGCTGAAGTGTGAGATGAATCAGATGAGCGGAGAAC CTCTGGACAAGCTGAACTTCGAGGCCATCAACTTCTGTCGGGGTCTGGGCAGCCAGGCATCCA CCGTGACTGAGATTGTGAAGCAGCAAGACCCCCTGGTCTACAAGGCCATCCAGCAAGGCATCA ATGCTGTGAACCAGGAAGCCATGAACAATGCACAGAGGATTGAAAAAGTGGGTCATCTTGGAGA AGGACTTTTCCATCTATGGTGGAGAGCTAGGTCCAATGATGAAACTTAAGAGACATTTTGTAG CCCAGAAATACAAAAACAAATTGATCACATGTACCAC**TGA**CTGCTTTGATGGAGCTGCTCTC AGCTGTTCTGATGCCTTCAGCAGGAAGACCTCATTGCAATAAGTGAAATGCTGCTCTAGGTAG AAGCTCTCCCTGCTGTTTTTAAGAAGCCACATTCCTCATTGGTCAGTTTCTTGATTGTTCGTC TGTTGGAGAGGTGCTCCCTAGAAGAACCTGCCATACGTTTCAAAGCAATAAAATCACTGTATA TCTTTCTAAGGACCTTCAAGTCATGACTCCAGGGAAGCCTATTGGGAAGTCTACTAAAAACTG CCTGATTTACAAGAAGACCTGAACTTGTGGGCTCCCATTTGATTTTTTTCTCCTCAGGGGAC TCAGACATTAGAAAGAAAAGCCTCACAGATTTGAAGAACTGGACCCCCAAATCAACTCACCT GCCTGGAAGCAACTGGGAAACCCTTCCAATAAGTCCTGATAATAAAGCACTTCAGGGTCCCAA AAAAAAAA

206/550

FIGURE 206

MTIPEFFRESVNRFGTYPALPSKNGKKWEILNFNQYYEACRKAAKSLIKLGLERFHGVGILGF
NSAEWFITAVGAILAGGLCVGIYATNSAEACQYVITHAKVNILLVENDQQLQKILSIPQSSLE
PLKAIIQYRLPMKKNNNLYSWDDFMELGRSIPDTQLEQVIESQKANQCAVLIYTSGTTGIPKG
VMLSHDNITWIAGAVTKDFKLTDKHETVVSYLPLSHIAAQMMDIWVPIKIGALTYFAQADALK
GTLVSTLKEVKPTVFIGVPQIWEKIHEMVKKNSAKSMGLKKKAFVWARNIGFKVNSKKMLGKY
NTPVSYRMAKTLVFSKVKTSLGLDHCHSFISGTAPLNQETAEFFLSLDIPIGELYGLSESSGP
HTISNQNNYRLLSCGKILTGCKNMLFQQNKDGIGEICLWGRHIFMGYLESETETTEAIDDEGW
LHSGDLGQLDGLGFLYVTGHIKEILITAGGENVPPIPVETLVKKKIPIISNAMLVGDKLKFLS
MLLTLKCEMNQMSGEPLDKLNFEAINFCRGLGSQASTVTEIVKQQDPLVYKAIQQGINAVNQE
AMNNAQRIEKWVILEKDFSIYGGELGPMMKLKRHFVAQKYKKQIDHMYH

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 65-86

N-glycosylation site.

amino acids 196-200

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 282-286

Tyrosine kinase phosphorylation sites.

amino acids 547-555, 608-616

N-myristoylation sites.

amino acids 15-21, 74-80, 80-86, 84-90, 185-191, 189-195, 253-259, 337-343, 371-377, 448-454, 536-542

Amidation site.

amino acids 24-28

Putative AMP-binding domain signature.

amino acids 177-189

Putative AMP-binding domain proteins.

amino acids 173-190

207/550

FIGURE 207

CCGTCCGGTCCACCCGCCAGCCCGCACAGCCGCCGCCGCCGAGCGTTTCGTGAGCGGCGCT CCGAGGATCAGGAATGGGGCTTCGGGCGCTGGGCGCGCTCCGAACCCGGCGCACGTAAGAGCC TGGGAGCGCCGAGCCGCCCGGCTGCCCGGAGCCCCATCGCCTAGGACCGGGAGATGCTGGAA ATGCAACCGCCTGTTCCCCGAGGAGCCGCTGCCCCCGGGACCCCCTGGCACTGTGCGCACCCT GGTCAGCAGCCCCGGAGAAGACGGCGCCCCCAACGCCCGACCCGCGTGGCCGTGGCAGCGCCC ACGCGAGCCCTCTAGGCGACCGCAGGGCCACAGCAGCTCAGCCGCCGGTGCCCCCTCGGAAAC CATGACCCCGGCGCGGGCCCATGGAGCCATGGCCTATAGGGTCCTGGGCCGCGCGGGGCCAC CTCAGCCGCGGAGGCGCGCAGGCTGCTCTTCGCCTTCACGCTCTCGCTCTCCTGCACTTACC TGTGTTACAGCTTCCTGTGCTGCTGCGACGACCTGGGTCGGAGCCGCCTCCTCGGCGCGCCTC GCTGCCTCCGCGGCCCCAGCGGGGGGGCCAGAAACTTCTCCAGAAGTCCCGCCCCTGTGATC CTCGCCTCTCCGGTTCCAACCACTCCGGCTCACCCAAGCTGGGTACCAAGCGGTTGCCCCAAG CCCTCATTGTGGGCGTGAAGAAGGGGGGGCACCCGGGCCGTGCTGGAGTTTATCCGAGTACACC CGGACGTGCGGGCCTTGGGCACGGAACCCCACTTCTTTGACAGGAACTACGGCCGCGGGCTGG ATTGGTACAGGAGCCTGATGCCCAGGACCCTCGAGAGCCAGATCACGCTGGAGAAGACGCCCA GCTACTTTGTCACTCAAGAGGCTCCTCGACGCATCTTCAACATGTCCCGAGACACCAAGCTGA TCGTGGTTGTGCGGAACCCTGTGACCCGTGCCATCTCTGATTACACGCAGACACTCTCCAAGA AGCCCGACATCCCGACCTTTGAGGGCCTCTCCTTCCGCAACCGCACCCTGGGCCTGGTGGACG TGGGGCGAGTCCAGGACTTCCTGGGCATTAAGAGATTCATCACGGACAAGCACTTCTATTTCA ACAAGACCAAAGGATTCCCTTGCTTGAAAAAAACAGAATCGAGCCTCCTGCCTCGATGCTTGG GCAAATCAAAAGGGAGAACTCATGTACAGATTGATCCTGAAGTGATAGACCAGCTCCGAGAAT TTTATAGACCGTATAATATCAAATTTTATGAAACCGTTGGGCAGGACTTCAGGTGGGAA**TAA**G CCCACGAAAGGAAAGGGCTCTCAAGGGCTCTTCTGCTCATCTTCTCCGTGAGATTTGCTCCCA GACCCTCTGATCTCCCTCCAACAAACCCTGGCTCCAGCCCCCTTTCCCAACTTGAGTTGCATC ATCTTGGAACCAGGAAGCCCAGCTAAAGCCAAGAGACCAGAGAGTCCCTGCCACTAGTTTTCA TCAGTCTGTTCAAGCAAAGTTGATCTGCTCCTGGCACGTCCAGTAAATTCCAGAATCATTCTC CTTTCTGCCCATAAAGGGCCTTGGAGAATTGCTTTAAGAAGAGTGAATGTTCCAATGATGATA GATATTATAAGCGATGATGGTTCTGTTGCTATGAACACAGCAGTCGGTCCCTGTCATTGTCCA CCCAGGAGTGGCCTTGTTAATTCCAAGTGGCATGTATCTTCCCTCTGAGCTTCATTTCTTCAA GATGCTCTGGGTGGGATGGGAGACCATCCTCAGCCCTCCTCAGACCTTATCAATTCATTG TAAACCAGTGACTTCAGAGCCTATGGTCTCAACTGTGCTTGAAAAACACTGTCTCTGAAAAACA ACTTTGTGATTCTCCCTGCTCCCTGTGGACAAAAGCACATAATTCTGCTGTTACGGGTACTTT GGCTCTCTCGTGTCCTTAATGCTGGGCTTTTCTCTGTAAGCTGGTTCTGCAGCACAATTCATT AATTAAACTTCTCCCAGTGCAAGAAGGCAGCTGGTGCTGGGGGGTGGTCTGGGGGGTCAGGGAG GAGGGCAAGGACTACATGGGGCAGAGGCAAGGCGGTGGTGGAGATGAGGAAAGAAGTTCTTCT TGGCAGAAGCTGGGGCAGAAAGATCACATGAGATCTGTGGGGACACCCTCTATCTGAAACATA AGTCTGTGTTCATTCTCTGCTTAGAAATTTTAGATCTGAAGTGCTACACTGAAGGTCCGAAGG TTGATGGGGCATCAGATATCTTTTTGGTTGGCCAGCATGATATTTTGAAATAACTGTCAACAG AAAAAAAAA

208/550

FIGURE 208

MAYRVLGRAGPPQPRRARRLLFAFTLSLSCTYLCYSFLCCCDDLGRSRLLGAPRCLRGPSAGG
QKLLQKSRPCDPSGPTPSEPSAPSAPAAAVPAPRLSGSNHSGSPKLGTKRLPQALIVGVKKGG
TRAVLEFIRVHPDVRALGTEPHFFDRNYGRGLDWYRSLMPRTLESQITLEKTPSYFVTQEAPR
RIFNMSRDTKLIVVVRNPVTRAISDYTQTLSKKPDIPTFEGLSFRNRTLGLVDVSWNAIRIGM
YVLHLESWLQYFPLAQIHFVSGERLITDPAGEMGRVQDFLGIKRFITDKHFYFNKTKGFPCLK
KTESSLLPRCLGKSKGRTHVQIDPEVIDQLREFYRPYNIKFYETVGQDFRWE

Signal peptide:

amino acids 1-33

N-glycosylation sites.

amino acids 102-106, 193-197, 235-239, 306-310

Tyrosine kinase phosphorylation site.

amino acids 296-305

N-myristoylation sites.

amino acids 51-57, 100-106, 121-127, 125-131

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 20-31

209/550

FIGURE 209

CTTTCCTTATCTGTGTGTACTCTTATCTCACTGTTCTATTTTTTCTCCTCATTTATATTAACT CTTTCTTACCTTTTTTCTGAACTTCTAGGCCTTCTCTTTCCAGAACTGGTGGAAGACAAATG AAACGGCCAAGATGGTAAGAAACAAGCCGCATTTCTCCTTGGGGAGACTGATAATTTAAAAGG GAGACCACTTACATCCCGAAGCGGACGCGGCAGCTGAAGTCAGGAAACCATGCATCACATTAG CAGGAGCCAACTGCAGACTTTAAACTCCGTTCAACATGTGGATGCGGCAGAGAA**ATG**ACCTGT CCAGACAAGCCGGGGCAGCTCATAAACTGGTTCATCTGCTCCCTGTGCGTCCCGCGGGTGCGT AAGCTCTGGAGCAGCCGGCGTCCAAGGACCCGGAGAAACCTTCTGCTGGGCACTGCGTGTGCC ATCTACTTGGGCTTCCTGGTGAGCCAGGTGGGGAGGGCCTCTCTCCAGCATGGACAGGCGGCT GAGAAGGGCCACATCGCAGCCGCGACACCGCCGAGCCATCCTTCCCTGAGATACCCCTGGAT GGTACCCTGGCCCCTCCAGAGTCCCAGGGCAATGGGTCCACTCTGCAGCCCAATGTGGTGTAC ATTACCCTACGCTCCAAGCGCAGCAAGCCGGCCAATATCCGTGGCACCGTGAAGCCCAAGCGC AGGAAAAAGCATGCAGTGGCATCGGCTGCCCCAGGGCAGGAGGCTTTGGTCGGACCATCCCTT CAGCCGCAGGAAGCGCAAGGGAAGCTGATGCTGTAGCACCTGGGTACGCTCAGGGAGCAAAC CTGGTTAAGATTGGAGAGCGACCCTGGAGGTTGGTGCGGGGTCCGGGAGTGCGAGCCGGGGGC CCAGACTTCCTGCAGCCCAGCTCCAGGGAGAGCAACATTAGGATCTACAGCGAGAGCGCCCCC TCCTGGCTGAGCAAAGATGACATCCGAAGAATGCGACTCTTGGCGGACAGCGCAGTGGCAGGG CTCCGGCCTGTGTCCTCTAGGAGCGGAGCCCGTTTGCTGGTGCTGGAGGGGGGGCGCACCTGGC GTGTTTGCCTTCCACCTAGACAGGATCCTGGGGCTCAACAGGACCCTGCCGTCTGTGAGCAGG AAAGCAGAGTTCATCCAAGATGGCCGCCCATGCCCCATCATTCTTTGGGATGCATCTTTATCT TCAGCAAGTAATGACACCCATTCTTCTGTTAAGCTCACCTGGGGAACTTATCAGCAGTTGCTG AAACAGAAATGCTGGCAGAATGGCCGAGTACCCAAGCCTGAATCAGGTTGTACTGAAATACAT ACAAATTGCTGTGGATTCAGACCTCGCAAGGAAGATGCCTGTGTACAGAATGGATTGAGGCCA AAATGTGATGACCAAGGTTCTGCGGCTCTAGCACACATTATCCAGCGAAAGCATGACCCAAGG CATTTGGTTTTTATAGACAACAAGGGTTTCTTTGACAGGAGTGAAGATAACTTAAACTTCAAA TTGTTAGAAGGCATCAAAGAGTTTCCAGCTTCTGCAGTTTCTGTTTTGAAGAGCCAGCACTTA CGGCAGAAACTTCTTCAGTCTCTGTTTCTTGATAAAGTGTATTGGGAAAGTCAAGGAGGTAGA CAAGGAATTGAAAAGCTTATCGATGTAATAGAACACAGAGCCAAAATTCTTATCACCTATATC AATGCACACGGGGTCAAAGTATTACCTATGAATGAA<mark>TGA</mark>CAAAAGAATCTTCTGGCTAGGGTG TTAGATATATTTATGCATTTTTGGTTTTGTTTTTAAATCAAGCACATCAACCTCAAGCCCGTT TAGCAATGAGGCAGTGTAGATGAATACGTAAAATAAATGACTTTAACCAAGTAGCTATAAAGG TTATATTTTTCTCTAACATCATGCTATGTGTCAGTCTGAACATCTGACAACAGAAATTTCAGT TATTATTCTAGCTAAGTTTTGAAAACATTTGTCATGCTGTTTAATAGAAAACTGCAAACCAGA GATACTGACTCCATTAATAAACCATATTTTGTGCCGTTTTGACTGTTCTGACCAAATACTAAT GGGAACAATTCTTGACGTTTTTCTGTTGCTGATTGTTAACATAGAGCAGTCTCTACACTACCC TGAGGCAACTCTACATTGGAACACTGAGGCTTACAGCCTGCAAGAGCATCAGAGCTGACCATA CATTTAAACAGAAATGCTGGTTTATTTGCAAAATCACCAGTATATTTTCTATTGTGTCTATAA GGTCCAATTTGTATCTAGTGGCTGAGAAATTAAATAATTCTAAAGTATGAAGTTACCTATCTG AAAATGTACTTACAGAGTATCATTTTAAAATGGATGTCTCTTTAAAAATTTTGTTACTTTTAC CAACAATGTAATATAATTTATGTATATTTATTAATAATAGTGAATTCCTTAAAATTTGTTCT ATGTACTTATATTTAATTTGATTTAATGGTTACTGCCCAGATATTGAGAAATGGTTCAAATAT TGAGTGTGTTTCAATAA

210/550

FIGURE 210

MTCPDKPGQLINWFICSLCVPRVRKLWSSRRPRTRRNLLLGTACAIYLGFLVSQVGRASLQHG
QAAEKGPHRSRDTAEPSFPEIPLDGTLAPPESQGNGSTLQPNVVYITLRSKRSKPANIRGTVK
PKRRKKHAVASAAPGQEALVGPSLQPQEAAREADAVAPGYAQGANLVKIGERPWRLVRGPGVR
AGGPDFLQPSSRESNIRIYSESAPSWLSKDDIRRMRLLADSAVAGLRPVSSRSGARLLVLEGG
APGAVLRCGPSPCGLLKQPLDMSEVFAFHLDRILGLNRTLPSVSRKAEFIQDGRPCPIILWDA
SLSSASNDTHSSVKLTWGTYQQLLKQKCWQNGRVPKPESGCTEIHHHEWSKMALFDFLLQIYN
RLDTNCCGFRPRKEDACVQNGLRPKCDDQGSAALAHIIQRKHDPRHLVFIDNKGFFDRSEDNL
NFKLLEGIKEFPASAVSVLKSQHLRQKLLQSLFLDKVYWESQGGRQGIEKLIDVIEHRAKILI
TYINAHGVKVLPMNE

Transmembrane domain:

amino acids 40-56

N-glycosylation sites.

amino acids 98-102, 289-293, 322-326

N-myristoylation sites.

amino acids 8-14, 41-47, 97-103, 187-193, 251-257, 252-258, 287-293, 484-490

211/550

FIGURE 211

TGCTGCTGTGGCTGCTCGCGGTTCCCGGCGCTAACGCGGCCCCGCGGTCGGCGCTCTATTCGCCTTCCGACCCGC TGACGCTGCTGCAGGCGGACACGGTGCGGGGCGCGGTGCTGGGCTCCCGCAGCGCCTGGGCCGTGGAGTTCTTCG CGGCCCTGTATCTCGCCGCCCTGGACTGTGCTGAGGAGACCAACAGTGCAGTCTGCAGAGACTTCAACATCCCTG GCTTCCCGACTGTGAGGTTCTTCAAGGCCTTTACCAAGAACGGCTCGGGAGCAGTATTTCCAGTGGCTGCTG ACGTGCAGACGCTGCGGGAGAGGCTCATTGACGCCCTGGAGTCCCATCATGACACGTGGCCCCCAGCCTGTCCCC CACTGGAGCCTGCCAAGCTGGAGGAGATTGATGGATTCTTTGCGAGAAATAACGAAGAGTACCTGGCTCTGATCT TTGAAAAGGGAGGCTCCTACCTGGGTAGAGAGGTGGCTCTGGACCTGTCCCAGCACAAAGGCGTGGCGGTGCGCA GGGTGCTGAACACAGAGGCCAATGTGGTGAGAAAGTTTGGTGTCACCGACTTCCCCTCTTGCTACCTGCTGTTCC GGAATGGCTCTGTCTCCCGAGTCCCCGTGCTCATGGAATCCAGGTCCTTCTATACCGCTTACCTGCAGAGACTCT AATTGGCAGATCGCTCCAAGATCTACATGGCTGACCTGGAATCTGCACTGCACTACATCCTGCGGATAGAAGTGG GCAGGTTCCCGGTCCTGGAAGGGCAGCGCCTGGTGGCCCTGAAAAAGTTTGTGGCAGTGCTGGCCAAGTATTTCC CCTACAGTTTCTTTAAAACTGCCCTGGACGACAGGAAAGAGGGTGCCGTTCTTGCCAAGAAGGTGAACTGGATTG GCTGCCAGGGGAGTGAGCCGCATTTCCGGGGCTTTCCCTGCTCCCTGTGGGTCCTCTTCCACTTCTTGACTGTGC AGGCAGCTCGGCAAAATGTAGACCACTCACAGGAAGCAGCCAAGGCCAAGGAGGTCCTCCCAGCCATCCGAGGCT ACGTGCACTACTTCTTCGGCTGCCGAGACTGCGCTAGCCACTTCGAGCAGATGGCTGCCTCCATGCACCGGG TGGGGAGTCCCAACGCCGCTGTCCTCTGGCTCTGGTCTAGCCACAACAGGGTCAATGCTCGCCTTGCAGGTGCCC TGGATGTGCCCGTGTGGGACGTGGAAGCCACCCTCAACTTCCTCAAGGCCCCACTTCTCCCCAAGCAACATCATCC TGGACTTCCCTGCAGCTGGGTCAGCTGCCCGGAGGGATGTGCAGAATGTGGCAGCCGCCCCAGAGCTGGCGATGG GAGCCCTGGAGCTGGAAAGCCGGAATTCAACTCTGGACCCTGGGAAGCCTGAGATGATGAAGTCCCCCACAAACA CCACCCACATGTGCCGGCTGAGGGACCTGAGGCAAGTCGACCCCGAAGCTGCACCCTGGCCTCAGAGCTGCAC CAGGCCAGGAGCCTCCTGAGCACATGGCAGAGCTTCAGAGGAATGAGCAGGAGCAGCCGCTTGGGCAGTGGCACT TGAGCAAGCGAGACACAGGGGCTGCATTGCTGGCTGAGTCCAGGGCTGAGAAGAACCGCCTCTGGGGCCCTTTGG AGGTCAGGCGCGTGGGCCGCAGCTCCAAGCAGCTGGTCGACATCCCTGAGGGCCAGCTGGAGGCCCGAGCTGGAC GGGGCCGAGGCCAGTGCTGCAGGTGCTGGGAGGGGGCTTCTCTTACCTGGACATCAGCCTCTGTGTGGGGCTCT ATTCCCTGTCCTTCATGGGCCTGCTGGCCATGTACACCTACTTCCAGGCCAAGATAAGGGCCCTGAAGGGCCATG CCTGACCCCATTCCCTCCCCTCCCACCCCTTGCTCCTGTCTGGCCTAGAAGTGTGGGAAAATTCAGGAAAACGAG TTGCTCCAGTGAAGCTTCTTGGGGTTGCTAGGACAGAGAGCTCCTTTGACACAAAAGACAGGAGCAGGGTCCAGG TTCCCCTGCTGTGCAGGGGGGGGCAGCCCCGGGCAGTGGGCATAGGGCAGCTCAGTCCCTGGCCTCTTAGCACCAC ATTCCTGTTTTTCAGCTTATTTGAAGTCCTGCCTCATTCTCACTGGAGCCTCAGTCTCTCCTGCTTGGTCTTGGC GGGACCTGACGAGTTGGTGGCATGGGAAGGATGTGGGTCTCTAGTGCCTTGCCCTGGCTTAGCTGCAGGAGAAGA TGGCTGCTTTCACTTCCCCCCATTGAGCTCTGCTCCCTCTGAGCCTGGTCTTTTGTCCTTTTTATTTTGGTCTC CTTCCAGTGTGCAGAAGTTAGAAGGGTCTGGCGGGGGCAGTGCCTTACACATGCTTGATTCCCACGCTACCCCCT GCCTTGGGAGGTGTGGGAATAAATTATTTTTGTTAAGGCA

212/550

FIGURE 212

MRRCNSGSGPPPSLLLLLWLLAVPGANAAPRSALYSPSDPLTLLQADTVRGAVLGSRSAWAV
EFFASWCGHCIAFAPTWKALAEDVKAWRPALYLAALDCAEETNSAVCRDFNIPGFPTVRFFKA
FTKNGSGAVFPVAGADVQTLRERLIDALESHHDTWPPACPPLEPAKLEEIDGFFARNNEEYLA
LIFEKGGSYLGREVALDLSQHKGVAVRRVLNTEANVVRKFGVTDFPSCYLLFRNGSVSRVPVL
MESRSFYTAYLQRLSGLTREAAQTTVAPTTANKIAPTVWKLADRSKIYMADLESALHYILRIE
VGRFPVLEGQRLVALKKFVAVLAKYFPGRPLVQNFLHSVNEWLKRQKRNKIPYSFFKTALDDR
KEGAVLAKKVNWIGCQGSEPHFRGFPCSLWVLFHFLTVQAARQNVDHSQEAAKAKEVLPAIRG
YVHYFFGCRDCASHFEQMAAASMHRVGSPNAAVLWLWSSHNRVNARLAGAPSEDPQFPKVQWP
PRELCSACHNERLDVPVWDVEATLNFLKAHFSPSNIILDFPAAGSAARRDVQNVAAAPELAMG
ALELESRNSTLDPGKPEMMKSPTNTTPHVPAEGPEASRPPKLHPGLRAAPGQEPPEHMAELQR
NEQEQPLGQWHLSKRDTGAALLAESRAEKNRLWGPLEVRRVGRSSKQLVDIPEGQLEARAGRG
RGQWLQVLGGGFSYLDISLCVGLYSLSFMGLLAMYTYFQAKIRALKGHAGHPAA

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 705-728

N-glycosylation sites.

amino acids 130-134, 243-247, 575-579

Glycosaminoglycan attachment site.

amino acids 6-10

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 644-648

N-myristoylation sites.

amino acids 52-58, 56-62, 196-202, 381-387, 392-398, 448-454, 468-474, 684-690, 702-708

Cytochrome c family heme-binding site signature.

amino acids 509-515

Thioredoxin family proteins

amino acids 62-78

213/550

FIGURE 213

GCACGAGGCCGACTTCCAGACCATCTACAACTGCACGGCCTGGAACAGCTTCGGCTCCGACAC TGAGATCATCCGGCTCAAGGAGCAAGGTTCGGAAATGAAGTCGGGAGCCGGGCTGGAAGCAGA GTCTGTGCCG**ATG**GCCGTCATCATTGGGGTGGCCGTAGGAGCTGGTGTGGCCTTCCTCGTCCT TATGGCAACCATCGTGGCGTTCTGCTGTGCCCGTTCCCAGAGAAATCTCAAAGGTGTTGTGTC AGCCAAAAATGATATCCGAGTGGAAATTGTCCACAAGGAACCAGCCTCTGGTCGGGAGGGTGA GGAGCACTCCACCATCAAGCAGCTGATGATGGACCGGGGTGAATTCCAGCAAGACTCAGTCCT GAAACAGCTGGAGGTCCTCAAAGAAGAGGAGAAAGAGTTTCAGAACCTGAAGGACCCCACCAA TGGCTACTACAGCGTCAACACCTTCAAAGAGCACCACTCAACCCCGACCATCTCCCTCTCCAG CTGCCAGCCCGACCTGCGTCCTGCGGGTAAGCAGCGTGTGCCCACAGGCATGTCCTTCACCAA CATCTACAGCACCCTGAGCGGCCAGGGCCGCCTCTACGACTACGGCAGCGGTTTGTGCTGGG CATGGGCAGCTCGTCCATCGAGCTTTGTGAGCGGGAGTTCCAGAGAGGCTCCCTCAGCGACAG CAGCTCCTTCCTGGACACGCAGTGTGACAGCAGCGTCAGCAGCAGCGGCAAGCAGGATGGCTA TGTGCAGTTCGACAAGGCCAGCAAGGCTTCTGCTTCCTCCCACCACTCCCAGTCCTCGTC CCAGAACTCTGACCCCAGTCGACCCCTGCAGCGGCGGATGCAGACTCACGTC<u>TAA</u>GGATCACA CACCGCGGGTGGGGACGGGCCAGGGAAGAGGTCAGGGCACGTTCTGGTTGTCCAGGGACGAGG GGTACTTTGCAGAGGACACCAGAATTGGCCACTTCCAGGACAGCCTCCCAGCGCCTCTGCCAC TGCCTTCCTTCGAAGCTCTGATCAAGCACAAATCTGGGTCCCCAGGTGCTGTGTGCCAGAGGT GGGCGGGTGGGGAGACAGACAGAGGCTGCGGCTGAGTGCGCTGTGCTTAGTGCTGGACACCCG TGTCCCCGGCCCTTTCCTGGAGGCCCCTCTACCACCTGCTCTGCCCACAGGCACAAGTGGCAG CTATAACTCTGCTTTCATGAAACTGCGGTCCACTCTCTGGTCTCTCTGTGGGCTCTACCCCTC ACTGACCACAAGCTCTACCTACCCTGTGCCTGTGCTCCCATACAGCCCTGGGGAGAAGGGGA TGACGTCTTCCCAGCACTGAGCTGCCCCAGAAACCCCGGCTCCCCACTGCTGCTCATAGCCCA GCCGGGAGCCCACCCCCAATTTGTTTGGTGTTTTTGTGTCCATACTCTTGCAGTTCTGTCCTTG GACTTGATGCCGCTGAACTCTGCGGTGGGACCGGTCCCGTCAGAGCCTGGTGTACTGGGGGGA GGGAGGAGGAGGAGCCTGTGCTGACGGAGCACCTCGCCGGGTGTGCCCCTCCTGGGCTGTG TGACCCCAGCCTCCCACCCACCTCCTGCTTTGTGTACTCCTCCCCTCCCCCTCAGCACAATC GGAGTTCATATAAGAAGTGCGGGAGCTTCTCTGGTCAGGGTTCTCTGAACACTTATGGAGAGA GTGCTTCCTGGGAAGTGTGGCGTTTGAAGGGGCTGGAGGGCAGGTCTTTAAGATGGCGAGACT GCCCTTCTCAGCTGATAAACACAAGAACGGCGATCCTGTCTTCAGTAAGGCTCCACGAGAAGA

214/550

FIGURE 214

MAVIIGVAVGAGVAFLVLMATIVAFCCARSQRNLKGVVSAKNDIRVEIVHKEPASGREGEEHS TIKQLMMDRGEFQQDSVLKQLEVLKEEEKEFQNLKDPTNGYYSVNTFKEHHSTPTISLSSCQP DLRPAGKQRVPTGMSFTNIYSTLSGQGRLYDYGQRFVLGMGSSSIELCEREFQRGSLSDSSSF LDTQCDSSVSSSGKQDGYVQFDKASKASASSSHHSQSSSQNSDPSRPLQRRMQTHV

Signal peptide:

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 150-154

N-myristoylation sites.

amino acids 6-12, 10-16, 36-42, 139-145, 165-171

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 114-125

215/550

FIGURE 215

CAGCCTTCCTCCCCAGCCTGAGTGACTACTCTATTCCTTGGTCCCTGCTATTGTCGGGGACG ATTGCATGGGCTACGCCAGGAAAGTAGGCTGGGTGACCGCAGGCCTGGTGATTGGGGCTGGCG CCTGCTATTGCATTTATAGACTGACTAGGGGAAGAAAACAGAACAAGGAAAAAATGGCTGAGG GTGGATCTGGGGATGTGGATGATGCTGGGGGACTGTTCTGGGGCCAGGTATAATGACTGGTCTG ATGATGATGACAGCAATGAGAGCAAGAGTATAGTATGGTACCCACCTTGGGCTCGGATTG GGACTGAAGCTGGAACCAGAGCTAGGGCCAGGGCAAGGGCCAGGGCTACCCGGGCACGTCGGG CTGTCCAGAAACGGGCTTCCCCCAATTCAGATGATACCGTTTTGTCCCCTCAAGAGCTACAAA AGGTTCTTTGCTTGAGATGTCTGAAAAGCCTTATATTCTTGAAGCAGCTTTAATTGCTC TGGGTAACAATGCTGCTTATGCATTTAACAGAGATATTATTCGTGATCTGGGTGGTCTCCCAA TTGTCGCAAAGATTCTCAATACTCGGGATCCCATAGTTAAGGAAAAGGCTTTAATTGTCCTGA ATAACTTGAGTGTGAATGCTGAAAATCAGCGCAGGCTTAAAGTATACATGAATCAAGTGTGTG ATGACACAATCACTTCTCGCTTGAACTCATCTGTGCAGCTTGCTGGACTGAGATTGCTTACAA ATATGACTGTTACTAATGAGTATCAGCACATGCTTGCTAATTCCATTTCTGACTTTTTTCGTT TATTTTCAGCGGGAAATGAAGAAACCAAACTTCAGGTTCTGAAACTCCTTTTGAATTTGGCTG AAAATCCAGCCATGACTAGGGAACTGCTCAGGGCCCAAGTACCATCTTCACTGGGCTCCCTCT TTAATAAGAAGGAGAACAAAGAAGTTATTCTTAAACTTCTGGTCATATTTGAGAACATAAATG ATAATTTCAAATGGGAAGAAATGAACCTACTCAGAATCAATTCGGTGAAGGTTCACTTTTTT TCTTTTTAAAAGAATTTCAAGTGTGTGCTGATAAGGTTCTGGGAATAGAAAGTCACCATGATT TTTTGGTGAAAGTAAAAGTTGGAAAATTCATGGCCAAACTTGCTGAACATATGTTCCCAAAGA GCCAGGAATAACACCTTGATTTTGTAATTTAGAAGCAACACACATTGTAAACTATTCATTTTC TCCACCTTGTTTATATGGTAAAGGAATCCTTTCAGCTGCCAGTTTTGAATAATGAATATCATA TTGTATCATCAATGCTGATATTTAACTGAGTTGGTCTTTAGGTTTAAGATGGATAAATGAATA TCACTACTTGTTCTGAAAACATGTTTGTTGCTTTTTTTTCTCGCTGCCTAGATTGAAATATTTT GCTATTTCTTCTGCATAAGTGACAGTGAACCAATTCATCATGAGTAAGCTCCCTTCTGTCATT TTCATTGATTTAATTTGTGTATCATCAATAAAATTGTATGTTAATGCTGGAAAGA

216/550

FIGURE 216

MGYARKVGWVTAGLVIGAGACYCIYRLTRGRKQNKEKMAEGGSGDVDDAGDCSGARYNDWSDD DDDSNESKSIVWYPPWARIGTEAGTRARARARATRARRAVQKRASPNSDDTVLSPQELQKV LCLVEMSEKPYILEAALIALGNNAAYAFNRDIIRDLGGLPIVAKILNTRDPIVKEKALIVLNN LSVNAENQRRLKVYMNQVCDDTITSRLNSSVQLAGLRLLTNMTVTNEYQHMLANSISDFFRLF SAGNEETKLQVLKLLLNLAENPAMTRELLRAQVPSSLGSLFNKKENKEVILKLLVIFENINDN FKWEENEPTQNQFGEGSLFFFLKEFQVCADKVLGIESHHDFLVKVKVGKFMAKLAEHMFPKSQE

Signal peptide:

amino acids 1-20

N-glycosylation sites.

amino acids 68-72, 189-193, 217-221, 230-234

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 107-111

N-myristoylation sites.

amino acids 13-19, 17-23, 19-25, 54-60, 83-89, 147-153, 255-261, 290-296

Amidation site.

amino acids 29-33

217/550

FIGURE 217

GAGACACAAAGGCAGGCGGGATGCGGGGGGGGCAAAGGGGAAAGCCGAAAGCCGCGCGCCCGGC CGGTGACTGGGTGAAGGCGCCGCGCAGCTTTCCCGACGCCGGCTGTACCCGGACCTCCTGGTC ${\tt GAGCCTGGCGCGCGCAGCC} {\tt ATG} {\tt GCCATCGCTCAACTGGCCACGGAGTACGTGTTCTCGGATT}$ AGATGGTCACGTGCATTGCGGTGGGGCTGCCCCTGCTGCTCATCTCGCTGGCCTTCGCGCAGG CCTTTGTGGATTCATATTGCTGGGCGGCTGTTCAGCAGAAGAACTCACTGCAGAGCGAGTCTG GAAACCTCCCACTGTGGCTGCATAAGTTTTTCCCCTACATCCTGCTGCTCTTTGCGATCCTCC TGTACCTGCCCCGCTGTTCTGGCGTTTCGCAGCTGCTCCTCATATTTGCTCAGACTTGAAGT TTATCATGGAAGAACTTGACAAAGTTTACAACCGTGCAATTAAGGCTGCAAAGAGTGCGCGTG ACCTTGACATGAGAGATGGAGCCTGCTCAGTTCCAGGTGTTACCGAGAACTTAGGGCAAAGTT TGTGGGAGGTATCTGAAAGCCACTTCAAGTACCCAATTGTGGAGCAGTACTTGAAGACAAAGA AAAATTCTAATAATTTAATCATCAAGTACATTAGCTGCCGCCTGCTGACACTCATCATTATAC TGTTAGCGTGTATCTACCTGGGCTATTACTTCAGCCTCTCCTCACTCTCAGACGAGTTTGTGT GCAGCATCAAATCAGGGATCCTGAGAAACGACAGCACCGTGCCCGATCAGTTTCAGTGCAAAC TCATTGCCGTGGGCATCTTCCAGTTGCTCAGTGTCATTAACCTTGTGGTTTATGTCCTGCTGG CTCCCGTGGTTGTCTACACGCTGTTTGTTCCATTCCGACAGAAGACAGATGTTCTCAAAGTGT ACGAAATCCTCCCCACTTTTGATGTTCTGCATTTCAAATCTGAAGGGTACAACGATTTGAGCC TCTACAATCTCTTCTTGGAGGAAAATATAAGTGAGGTCAAGTCATACAAGTGTCTTAAGGTAC TGGAGAATATTAAGAGCAGTGGTCAGGGGATCGACCCAATGCTACTCCTGACAAACCTTGGCA TGATCAAGATGGATGTTGTTGATGGCAAAACTCCCATGTCTGCAGAGATGAGAGAGGAGCAGG GGAACCAGACGCAGAGCTCCAAGGTATGAACATAGACAGTGAAACTAAAGCAAATAATGGAG AAATCTGTGACTTCTGCGACATGGGATTTAATTTGGCTAAAGCACCCCTGTTGGTTTCACAGC

218/550

FIGURE 218

MAIAQLATEYVFSDFLLKEPTEPKFKGLRLELAVDKMVTCIAVGLPLLLISLAFAQEISIGTQ ISCFSPSSFSWRQAAFVDSYCWAAVQQKNSLQSESGNLPLWLHKFFPYILLLFAILLYLPPLF WRFAAAPHICSDLKFIMEELDKVYNRAIKAAKSARDLDMRDGACSVPGVTENLGQSLWEVSES HFKYPIVEQYLKTKKNSNNLIIKYISCRLLTLIIILLACIYLGYYFSLSSLSDEFVCSIKSGI LRNDSTVPDQFQCKLIAVGIFQLLSVINLVVYVLLAPVVVYTLFVPFRQKTDVLKVYEILPTF DVLHFKSEGYNDLSLYNLFLEENISEVKSYKCLKVLENIKSSGQGIDPMLLLTNLGMIKMDVV DGKTPMSAEMREEQGNQTAELQGMNIDSETKANNGEKNARQRLLDSSC

Transmembrane domains:

amino acids 37-55, 108-126, 216-232, 273-290

N-glycosylation sites.

amino acids 255-259, 338-342, 394-398

Glycosaminoglycan attachment site.

amino acids 357-361

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 203-207

N-myristoylation sites.

amino acids 61-67, 174-180, 251-257, 393-399

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 218-229

219/550

FIGURE 219

CTGTGAGTGACACACGCTGAGTGGGGTGAAGGGAAATGCTGGTGAATTTCATTTTGAGGTGTG GTTGTTACCCAAGGGGAACATTGTCCCAAGCTGTTGACGCTCTCTATATCAAAGCAGCATGGC TCAAAGCAACGATTCCAGAAGACCGCATAAAAAATATACGATTATTAAAAAAGAAAACAAAAA AGCAGTTTATGAAAAACTGTCAATTTCAAGAACAGCTTCTGTCCTTCTTCATGGAAGACGTTT TTGGTCAACTGCAATTGCAAGGCTGCAAGAAAATACGCTTTGTGGAGGACTTTCATAGCCTTA GGCAGAAATTGAGCCACTGTATTTCCTGTGCTTCATCAGCTAGAGAGATGAAATCCATTACCA GGATGAAAAGAATATTTTATAGGATTGGAAACAAAGGAATCTACAAAGCCATCAGTGAACTGG TTGATTTTACAGTTATTTTGAAATACAATAAGAACTGCTAGAAATATGTTTATAACAGTCTAT TTCTTTTAAAAACTTTTTAACATAATACTGACGGCATGTTAGGTGATTCAGAATAGACAAGAA GGATTTAGTAAATTAACGTTTTGGATATAAGTTGTCACTAATTTGCACATTTTCTGTGTTTTTC AAATAATGTTTCCATTCTGAACATGTTTTGTCATTCACAAGTACATTGTGTCAACTTAATTTA GGGGAATGACAGATTTCTGGAATGCAATGTAATGTTACTGAGACTTAAATAGATGTTATGTAT ATGATTGTCTGTTTAAGTGTTTGAAAATTGTTAATTATGCCCAGTGTGAACTTAGTACTTAAC AAAAA

220/550

FIGURE 220

MLVNFILRCGLLLVTLSLAIAKHKQSSFTKSCYPRGTLSQAVDALYIKAAWLKATIPEDRIKN IRLLKKKTKKQFMKNCQFQEQLLSFFMEDVFGQLQLQGCKKIRFVEDFHSLRQKLSHCISCAS SAREMKSITRMKRIFYRIGNKGIYKAISELDILLSWIKKLLESSQ

Signal sequence:

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 68-71

N-myristoylation site.

amino acids 148-153

Interleukin-10 proteins.

amino acids 58-94, 74-102, 128-170

221/550

FIGURE 221

 ${\tt GACCACGGCCCTGCGCCCAGCCAGGCCTGAGGAC} {\tt ATG} {\tt AGGCGGCCGGCGGCGGTGCCGCTCC}$ TGCTGCTGCTGTTTTTGGGTCTCAGAGGGCCAAGGCAGCAACAGCCTGTGGTCGCCCCAGGA TGCTGAACCGAATGGTGGGCGGGCAGGACACGCAGGAGGGCGAGTGGCCCTGGCAAGTCAGCA TCCAGCGCAACGGAAGCCACTTCTGCGGGGGCAGCCTCATCGCGGAGCAGTGGGTCCTGACGG CTGCGCACTGCTTCCGCAACACCTCTGAGACGTCCCTGTACCAGGTCCTGCTGGGGGCAAGGC AGCTAGTGCAGCCGGACCACACGCTATGTATGCCCGGGTGAGGCAGGTGGAGAGCCACCCCC TGTACCAGGGCACGGCCTCCAGCGCTGACGTGGCCCTGGTGGAGCTGGAGGCACCAGTGCCCT TCACCAATTACATCCTCCCCGTGTGCCTGCCTGACCCCTCGGTGATCTTTGAGACGGGCATGA ACTGCTGGGTCACTGGCTGGGGCAGCCCCAGTGAGGAAGACCTCCTGCCCGAACCGCGGATCC TGCAGAAACTCGCTGTGCCCATCATCGACACCCCAAGTGCAACCTGCTCTACAGCAAAGACA CCGAGTTTGGCTACCAACCCAAAACCATCAAGAATGACATGCTGTGCGCCGGCTTCGAGGAGG GCAAGAAGGATGCCTGCAAGGGCGACTCGGGGCGCCCCCTGGTGTGCCTCGTGGGTCAGTCGT GGCTGCAGGCGGGGTGATCAGCTGGGGTGAGGGCTGTGCCCGCCAGAACCGCCCAGGTGTCT ACATCCGTGTCACCGCCCACCACAACTGGATCCATCGGATCATCCCCAAACTGCAGTTCCAGC ${\tt CAGCGAGGTTGGGCGGCCAGAAG{\color{red}{\bf TGA}}GACCCCCGGGGCCAGGAGCCCCTTGAGCAGAGCTCTG}$ CACCCAGCCTGCCCGCCCACACCATCCTGCTGGTCCTCCCAGCGCTGCTGTTGCACCTGTGAG CCCCACCAGACTCATTTGTAAATAGCGCTCCTTCCTCCCCTCTCAAATACCCTTATTTTATTT

222/550

FIGURE 222

MRRPAAVPLLLLCFGSQRAKAATACGRPRMLNRMVGGQDTQEGEWPWQVSIQRNGSHFCGGS LIAEQWVLTAAHCFRNTSETSLYQVLLGARQLVQPGPHAMYARVRQVESNPLYQGTASSADVA LVELEAPVPFTNYILPVCLPDPSVIFETGMNCWVTGWGSPSEEDLLPEPRILQKLAVPIIDTP KCNLLYSKDTEFGYQPKTIKNDMLCAGFEEGKKDACKGDSGGPLVCLVGQSWLQAGVISWGEG CARONRPGVYIRVTAHHNWIHRIIPKLQFQPARLGGQK

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation sites.

amino acids 55-58, 79-82

Casein kinase II phosphorylation sites.

amino acids 121-124, 165-168, 167-170, 248-251

Tyrosine kinase phosphorylation sites.

amino acids 78-86, 197-203

N-myristoylation sites.

amino acids 16-21, 37-42, 56-61, 62-67, 118-123

Amidation site.

amino acids 219-222

Serine proteases, trypsin family, histidine active site.

amino acids 71-76

223/550

FIGURE 223

 ${\tt CAAG} \underline{\textbf{ATG}} \\ \texttt{TGGACAGCTCTTGTGCTCATTTGGATTTTCTCCTTGTCCTTATCTGAAAGCCATGC}$ GGCATCCAACGATCCACGCAACTTTGTCCCTAACAAAATGTGGAAGGGATTAGTCAAGAGGAA TGCATCTGTGGAAACAGTTGATAATAAAACGTCTGAGGATGTAACCATGGCAGCAGCTTCTCC TGTCACATTGACCAAAGGGACTTCGGCAGCCCACCTCAACTCTATGGAAGTCACAACAGAGGA CACAAGCAGGACAGATGTGAGTGAACCAGCAACTTCAGGAGTTGCAGCTGATGGTGTGACCTC CATTGCTCCCACGGCTGTGGCCTCCAGTACGACTGCGGCCTCCATTACGACTGCGGCCTCCAG TATGACTGTGGCCTCCAGTGCTCCACGACTGCAGCCTCCAGTACAACTGTGGCCTCCATTGC TCCCACGACTGCAGCCTCCAGTATGACTGCGGCCTCCAGCACTCCCATGACACTTGCACTCCC CAGCACAGCCCTCGCACAAGTGCCAAAGAGCAGCGCGTTGCCAAGAACAGCAACCCTGGCCAC ATTGGCCACACGTGCTCAGACTGTAGCGACCACAGCAAACACAAGCAGCCCCATGAGCACTCG TCCAAGTCCTTCCAAGCACATGCCCAGTGACACCGCGGCAAGCCCTGTACCCCCTATGCGTCC CCAAGCACAAGGTCCCATTAGCCAGGTGTCAGTGGACCAGCCTGTGGTTAACACAACAAATAA CACCAAGGCACAAGCCAGGGAGCCAACTGCCAGCCCAGTGCCAGTACCTCACACCAGCCCAAT CCCTGAGATGGAGGCCATGTCCCCCACGACACACCCAAGCCCATGCCATATACCCAGAGGGC CGCTGGGCCAGGCACCTCCCAGGCACCGGAGCAGGTAGAGACTGAAGCCACACCAGGTACTGA GCCCAGCACCCAAGGCCAGTACATGGTGGTCACCACTGAGCCCCTCACCCAGGCCGTGGTAGA CAAAACTCTCCTTCTGGTGGTGCTGTTACTCGGGGTGACCCTTTTCATCACAGTCTTGGTTTT GTTTGCCCTGCAGGCCTATGAGAGCTACAAGAAGAAGAAGACTACACCCAGGTGGACTACTTAAT ATTGAGGAGATATGCCAGATGCTTAAACACATTTAATTGCTGTCAGATTAATTCCATGATCAC TAAAGAGTTGCTGCTTTTTTCATATTTATTTTTGTAAATGATTCTGTGCCCAGGAGCAGCTGG GGGTTCCACCTCAGGGTGGGGCGGGCAGGACCCCGTCTCCCCAGGTGTCGGAGCCTGACCTGA ATTAAAGTACTGACTGCTCGCCA

224/550

FIGURE 224

MWTALVLIWIFSLSLSESHAASNDPRNFVPNKMWKGLVKRNASVETVDNKTSEDVTMAAASPV
TLTKGTSAAHLNSMEVTTEDTSRTDVSEPATSGVAADGVTSIAPTAVASSTTAASITTAASSM
TVASSAPTTAASSTTVASIAPTTAASSMTAASSTPMTLALPAPTSTSTGRTPSTTATGHPSLS
TALAQVPKSSALPRTATLATLATRAQTVATTANTSSPMSTRPSPSKHMPSDTAASPVPPMRPQ
AQGPISQVSVDQPVVNTTNKSTPMPSNTTPEPAPTPTVVTTTKAQAREPTASPVPVPHTSPIP
EMEAMSPTTQPSPMPYTQRAAGPGTSQAPEQVETEATPGTDSTGPTPRSSGGTKMPATDSCQP
STQGQYMVVTTEPLTQAVVDKTLLLVVLLLGVTLFITVLVLFALQAYESYKKKDYTQVDYLIN
GMYADSEM

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 396-420

N-glycosylation sites.

amino acids 41-44, 49-52, 222-225, 268-271, 271-274

Casein kinase II phosphorylation sites.

amino acids 14-17, 51-54, 80-83, 85-88, 280-283, 434-437

N-myristoylation sites.

amino acids 68-73, 354-359

Aldo/keto reductase family putative active site signature.

amino acids 195-210

225/550

FIGURE 225

GGAAGGCGCTCAAGGTGCGCGGCCCCGGGGCGCGCTACTGGGGGCGCCCTCCGCGGTGGGCAGC GCGCCAGGGATCGGCCTGGGCAGCCGCGGGGGCGCGCAAGGCTGCGCTTTCCCTACGGCCCCC CTCGCTTCCTCCGGCACGGCGACGACGAGATTTCCTCTCGGGGAAACTACGCGGATCCTTTT CGGGGATCCTCGCCCGCCCCAGTTCTCCGCCCCCTCCCCTTTGCTGGGGCGCCTGGGCTGGC GGCCATCGATTCTCCCCGCCATGTGACGCCGTCCTTAGCCCTGCGACCCCCAGCGCGTCCCGG GCCTGCGCCTCCGCCCGCCGCGCGCGCACGATGCTTCTGCCGGGACGCGCACGCCAACCGC $\tt CGACGCCCAGCCCGTGCAGCATCCCGGCCTCCGCCGGCAGGTAGAGCCGCCGGGGCAGCTCC$ TGCGCCTCTTCTACTGCACTGTCCTGGTCTGCTCCAAAGAGATCTCAGCGCTCACCGACTTCT CTGGTTACCTAACCAAACTCCTGCAAAACCACCACCTATGCCTGTGATGGGGACTATTTGA ATCTACAGTGCCCTCGGCATTCTACGATAAGTGTCCAATCGGCATTTTATGGGCAAGATTACC AAATGTGTAGTTCCCAGAAGCCTGCCTCCCAGAGGGAAGACAGCTTAACCTGTGTGGCAGCCA CCACCTTCCAGAAGGTGCTGGACGAATGCCAGAACCAGCGGGCCTGCCACCTCCTGGTCAATA GCCGTGTTTTTGGACCTGACCTTTGTCCAGGAAGCAGTAAATACCTCCTGGTCTCCTTTAAAT GCCAACCTAATGAATTAAAAAACAAAACCGTGTGTGAAGACCAGGAGCTGAAACTGCACTGCC ATGAATCCAAGTTCCTCAACATCTACTCTGCGACCTACGGCAGGAGGACCCAGGAAAGGGACA TCTGCTCCTCCAAGGCAGAGCGGCTCCCCCCTTTCGATTGCTTGTCTTACTCAGCTTTGCAAG TCCTATCCCGAAGGTGCTATGGGAAGCAGAGATGCAAAATCATCGTCAACAATCACCATTTTG GAAGCCCCTGTTTGCCAGGCGTGAAAAAATACCTCACTGTGACCTACGCATGTGTTCCCAAGA ACATACTCACAGCGATTGATCCAGCCATTGCTAATCTAAAACCTTCTTTGAAGCAGAAAGATG GTGAATATGGTATAAACTTCGACCCAAGCGGATCGAAGGTTCTGAGGAAAGATGGAATTCTTG TCGTGTCCAGTGTCTGCATCGGCCTGGCCCTCACACTGTGCGCCCTGGTCATCAGAGAGTCCT GTGCCAAGGACTTCCGCGACTTGCAGCTGGGGAGGGAGCAGCTGGTGCCAGGAAGTGACAAGG TCGAGGAGGACAGCGAGGATGAAGAAGAGGAGGAGGACCCCTCTGAGTCTGATTTCCCAGGGG AACTGTCGGGGTTCTGTAGGACTTCATATCCTATATACAGTTCCATAGAAGCTGCAGAGCTCG CAGAAAGGATTGAGCGCAGGGAGCAAATCATTCAGGAAATATGGATGAACAGTGGTTTGGACA CCTCGCTCCCAAGAAACATGGGCCAGTTCTAC**TGA**AAACCACATGCATCTTGATGCGATCGCA CTTTCTGAAGAAGGAAGGATCCCAAATGCCCCTCCAGTTCTGGTTCACCTGTACCTTCTATGA AGGAGAATTCGTCATGTCATCAACACTCGTGAGGCCAGGAAGCTATTAAAGGGATGTTTCAA AAAAAAAAAAAAAA

226/550

FIGURE 226

MLLPGRARQPPTPQPVQHPGLRRQVEPPGQLLRLFYCTVLVCSKEISALTDFSGYLTKLLQNH
TTYACDGDYLNLQCPRHSTISVQSAFYGQDYQMCSSQKPASQREDSLTCVAATTFQKVLDECQ
NQRACHLLVNSRVFGPDLCPGSSKYLLVSFKCQPNELKNKTVCEDQELKLHCHESKFLNIYSA
TYGRRTQERDICSSKAERLPPFDCLSYSALQVLSRRCYGKQRCKIIVNNHHFGSPCLPGVKKY
LTVTYACVPKNILTAIDPAIANLKPSLKQKDGEYGINFDPSGSKVLRKDGILVSNSLAAFAYI
RAHPERAALLFVSSVCIGLALTLCALVIRESCAKDFRDLQLGREQLVPGSDKVEEDSEDEEEE
EDPSESDFPGELSGFCRTSYPIYSSIEAAELAERIERREQIIQEIWMNSGLDTSLPRNMGQFY

Transmembrane domains:

amino acids 32-49, 322-343

N-glycosylation sites.

amino acids 62-66, 165-169

Tyrosine kinase phosphorylation site.

amino acids 280-287

N-myristoylation site.

amino acids 302-308, 333-339, 428-434

Amidation site.

amino acids 191-195

227/550

FIGURE 227

GGCACGAGGTGGAAGGGCTTTTACAAACAGATTGCTGGCCCCACCCCCAGAATTTCTCATCA
GGAGTGGGCAAGACCAATCATTTGCATTTCTGACAAGTTCCCAGGAGCTGCAGCTGCTGGCCC
TGGAACCACACTTTGAGAACCACTGCTTTAGACCAAACACCAAAGGAAGATGCAGCCACCCTC
CTTTACATGTCACAACGCTCAGGGTCCATGAGTACCTCAGGCTGTCCAGCTGAGCTCCACCTG
CAGCAGCCGAGATTCCCGACTCGCTCCACCATTGGGGGGCTAGGAGTGAAGCGTGTCACCATGG
TCAGCTCATGGCCAGCCAGGAAAGCCTCTCTGCTGTGCGTCTGTGCAGTTCTTGTTCTTCCCT
GGAGGACTCTTGGATCGCCTGTGATCTTGGCCAGGAGACCAGGTGCCTGGGTCCCTTCCTGGA
AGGGGACAAGTTACACACCCCAGCCCCATTTTCCCACCAACTTCTACATGCCTTGGGAGAACC
TTCTACATGTTGGCTGCCCCCTTCCCCTATTTCAGCAGTGCCCAGTCCTGCTTATAAACCTGA
GGCCTGCTCCCCATACCTTCCCTGTGCAAGTGCCAGCCGTTATTCCAGGCAGCCCAATGTTGT
TGAGGCCAGATGGATTCCTGGAAGCAGCTGGCCCATGGATGTTCTACACAGTATTCTAGA
AACAGAGAAGAGGGTCTTAACCTAATGCGCATAGAGAAATTGTTCTCATTGTAAACATACCCCT
GTCCTTAGCTGATCTAGGTGGAAGCCCAGCTTCATGTGCTAGGGGGCCATGATAATGATAATAA
AGGAATTGTATCTAGGACTAA

228/550

FIGURE 228

MVSSWPARKASLLCVCAVLVLPWRTLGSPVILARRPGAWVPSWKGTSYTPQPHFPTNFYMPWE NLLHVGCPLPLFQQCPVLLINLRPAPHTFPVQVPAVIPGSPMLLRPDGFLEAAGPWM

Signal peptide:

amino acids 1-27

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 8-12

229/550

FIGURE 229

GGGAAGGGATGCAAGGAAGCCCTCCGGCGCTGCGCTCCGAGGCGGAGACAGCGTCCCGCTGA AAATGTGTGTCTGACATGCAAGCTCAGTGGGGCAGAGACCCGTGGATTGCTGTGCCCTGCCCT ${\tt CCGGACCTGGATC}$ AAGGTGTTGGGAAGAAGCTTCTTCTGGGTGCTGTTTCCCGTCCTTCC GCGAGGGTGGCTGCCATGCAGAGCCGGCAGTGGGTCCGGGACAGCTGCAGGAAGCTCTCAGG GCTTCTCCGCCAGAAGAATGCAGTTCTGAACAAACTGAAAACTGCAATTGGAGCAGTGGAGAA AGACGTGGGCCTGTCGGATGAAGAGAAACTGTTTCAGGTGCACACGTTTGAAATTTTCCAGAA AGAGCTGAATGAAAGTGAAAATTCCGTTTTCCAAGCTGTCTACGGACTGCAGAGAGCCCTGCA GGGGGATTACAAAGATGTCGTGAACATGAAGGAGAGCAGCCGGCAGCGCCTGGAGGCCCTGAG AGAGGCTGCAATAAAGGAAGAACAGAATATATGGAACTTCTGGCAGCAGAAAAACATCAAGT TGAAGCCCTTAAAAATATGCAACATCAAAACCAAAGTTTATCCATGCTTGACGAGATTCTTGA AGATGTAAGAAAGGCAGCGGATCGTCTGGAGGAAGAGATAGAGGAACATGCTTTTGACGACAA TAAATCAGTCAAGGGGGTCAATTTTGAGGCAGTTCTGAGGGTGGAGGAAGAAGAGGCCAATTC TAAGCAAAATATAACAAAACGAGAAGTGGAGGATGACTTGGGTCTTAGCATGCTGATTGACTC CCAGAACAACCAGTATATTTTGACCAAGCCCAGAGATTCAACCATCCCACGTGCAGATCACCA CATAGGATTGCCTACAATGTTTGGTTATATTATTTGTGGTGTACTTCTGGGACCTTCAGGACT AAATAGTATTAAGTCTATTGTGCAAGTGGAGACATTAGGAGAATTTGGGGTGTTTTTTACTCT TTTTCTTGTTGGCTTAGAATTTTCTCCAGAAAAGCTAAGAAAGGTGTGGAAGATTTCCTTACA AGGGCCGTGTTACATGACACTGTTAATGATTGCATTTGGCTTGCTGTGGGGGCATCTCTTGCG GTCCAGGTTCCTCATGGGCAGTGCTCGGGGTGACAAAGAAGCGACATTGACTACAGCACCGT GCTCCTCGGCATGCTGGTGACGCAGGACGTGCAGCTCGGGCTCTTCATGGCCGTCATGCCGAC TCTCATACAGGCGGCGCCAGTGCATCTTCTAGCATTGTCGTGGAAGTTCTCCGAATCCTGGT TTTGATTGGTCAGATTCTTTTTTCACTAGCGGCGGTTTTTCTTTTATGTCTTGTTATAAAGAA GTATCTCATTGGACCCTATTATCGGAAGCTGCACATGGAAAGCAAGGGGAACAAAGAAATCCT GATCTTGGGAATATCTGCCTTTATCTTCTTAATGTTAACGGTCACGGAGCTGCTGGACGTCTC CATGGAGCTGGGCTGTTTCCTGGCTGGAGCGCTCGTCTCCTCTCAGGGCCCCGTGGTCACCGA GGAGATCGCCACCTCCATCGAACCCATCCGCGACTTCCTGGCCATCGTTTTCTTCGCCTCCAT AGGGCTCCACGTGTTCCCCACGTTTGTGGCGTACGAGCTCACGGTGCTGGTGTTCCTCACCTT GTCAGTGGTGGTGATGAAGTTTCTCCTGGCGGCGCTGGTCCTGTCTCATTCTGCCGAGGAG CAGCCAGTACATCAAGTGGATCGTCTCTGCGGGGCTTGCCCAGGTCAGCGAGTTTTCCTTTGT CCTGGGGAGCCGGGCGCGAAGAGCGGGCGTCATCTCTCGGGAGGTGTACCTCCTTATACTGAG TGTGACCACGCTCAGCCTCTTGCTCGCCCCGGTGCTGTGGAGAGCTGCAATCACGAGGTGTGT GCCCAGACCGGAGAGACGGTCCAGCCTC<u>TGA</u>TGGCTCGGAGATGATGGACCGTGGAAGGGAAG CGTCTGTGGGGAGTGAGCGCTTAGATGGCCAGCAGCTGCTCCTTCTGGGAAGCTCGCACCTTG GCAACAGAACAGCCCTCTAGCAGAGCGTCAGTGCAGTCGTGTTATCCCGGCTTTTACAGAATA TTCTTGTCCTATTTTAGAATTTTCCGGAGTAGTTTATTTGCAGTCTGTTGATTATGTGCAGTA TTTCCCTGAAATTATTATTAATTTTCTATTGTGAGTTCATCAGTTCATAGTTTTTTTAGTAAA GAAGCAAAATTAAAAGGCTTTTAAAAATGTACAACTTCAGAATTATAATCTGTTAGTCAAATA TTTGTTATTAAACATTTCTGTAATATGAAGTTGTAATCCTGGCCGTGAGCTTGGAAGCTTACT TTTGATTCTTAAAGCCTATGTTTTCTAAAATGAGACAAATACGGATGTCTATTTGCCTTTTAT TGTAACTTTTAAATGAAATAATTTCATGTCAATTTCTATTAGATATATCACTTAAAATATTTG

230/550

FIGURE 230

MKVLGRSFFWVLFPVLPWAVQAVEHEEVAQRVIKLHRGRGVAAMQSRQWVRDSCRKLSGLLRQ
KNAVLNKLKTAIGAVEKDVGLSDEEKLFQVHTFEIFQKELNESENSVFQAVYGLQRALQGDYK
DVVNMKESSRQRLEALREAAIKEETEYMELLAAEKHQVEALKNMQHQNQSLSMLDEILEDVRK
AADRLEEEIEEHAFDDNKSVKGVNFEAVLRVEEEEANSKQNITKREVEDDLGLSMLIDSQNNQ
YILTKPRDSTIPRADHHFIKDIVTIGMLSLPCGWLCTAIGLPTMFGYIICGVLLGPSGLNSIK
SIVQVETLGEFGVFFTLFLVGLEFSPEKLRKVWKISLQGPCYMTLLMIAFGLLWGHLLRIKPT
QSVFISTCLSLSSTPLVSRFLMGSARGDKEGDIDYSTVLLGMLVTQDVQLGLFMAVMPTLIQA
GASASSSIVVEVLRILVLIGQILFSLAAVFLLCLVIKKYLIGPYYRKLHMESKGNKEILILGI
SAFIFLMLTVTELLDVSMELGCFLAGALVSSQGPVVTEEIATSIEPIRDFLAIVFFASIGLHV
FPTFVAYELTVLVFLTLSVVVMKFLLAALVLSLILPRSSQYIKWIVSAGLAQVSEFSFVLGSR
ARRAGVISREVYLLILSVTTLSLLLAPVLWRAAITRCVPRPERRSSL

Signal peptide:

amino acids 1-22

Transmembrane domains:

amino acids 282-304, 322-337, 354-370, 379-395, 445-474, 501-520, 576-598, 641-660

N-glycosylation sites.

amino acids 104-108, 174-178, 206-210, 230-234

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 55-59, 673-677

Tyrosine kinase phosphorylation site.

amino acids 407-414

N-myristoylation sites.

amino acids 116-122, 327-333, 366-372, 401-407, 419-425, 429-435, 442-448, 525-531, 530-536

Cell attachment sequence.

amino acids 404-407

231/550

FIGURE 231

GAGAAAAACAACAGGAAGCAGCTTACAAACTCGGTGAACAACTGAGGGAACCAAACCAGAGAC GCGCTGAACAGAGAATCAGGCTCAAAGCAAGTGGAAGTGGCCAGAGATTCCACCAGGACTG GTGCAAGGCGCAGAGCCAGCCAGATTTGAGAAGAAGCCAAAAAGATGCTGGGGAGCAGAGCTG TAATGCTGCTGTTGCTGCCCTGGACAGCTCAGGGCAGAGCTGTGCCTGGGGGCAGCAGCC CTGCCTGGACTCAGTGCCAGCAGCTTTCACAGAAGCTCTGCACACTGGCCTGGAGTGCACATC CACTAGTGGGACACATGGATCTAAGAGAAGAGGGGAGATGAAGAGACTACAAATGATGTTCCCC AAAGGATCCACCAGGGTCTGATTTTTTATGAGAAGCTGCTAGGATCGGATATTTTCACAGGGG AGCCTTCTCTGCTCCCTGATAGCCCTGTGGGCCAGCTTCATGCCTCCCTACTGGGCCTCAGCC AACTCCTGCAGCCTGAGGGTCACCACTGGGAGACTCAGCAGATTCCAAGCCTCAGTCCCAGCC AGCCATGGCAGCGTCTCCTTCTCCGCTTCAAAATCCTTCGCAGCCTCCAGGCCTTTGTGGCTG TAGCCGCCCGGGTCTTTGCCCATGGAGCAGCCAGCCTGAGTCCCTAAAGGCCAGCAGCTCAAGG ATGGCACTCAGATCTCCATGGCCCAGCAAGGCCAAGATAAATCTACCACCCCAGGCACCTGTG AGCCAACAGGTTAATTAGTCCATTAATTTTAGTGGGACCTGCATATGTTGAAAATTACCAATA

232/550

FIGURE 232

MLGSRAVMLLLLLPWTAQGRAVPGGSSPAWTQCQQLSQKLCTLAWSAHPLVGHMDLREEGDEE TTNDVPHIQCGDGCDPQGLRDNSQFCLQRIHQGLIFYEKLLGSDIFTGEPSLLPDSPVGQLHA SLLGLSQLLQPEGHHWETQQIPSLSPSQPWQRLLLRFKILRSLQAFVAVAARVFAHGAATLSP

Important features of the protein:

Signal peptide:

amino acids 1-21

Casein kinase II phosphorylation site.

amino acids 64-67

N-myristoylation sites.

amino acids 25-30, 81-86, 122-127

233/550

FIGURE 233

 ${\tt CATTAATGGGCCGCTGACATGAATATGGAGTAGTTTTCTCTAGCAAAGAGTA}{\tt ATG}{\tt TGGGCCATGGAGTCAGGCCA}$ GGGCATCCGGGATGTGCAGTGGAACTATGCTCCCAAGGGAAGAAATGTCATCACGAACCAGCCTCTGGACAGTGA CATAGTGGCTTCCAGCTTCTTAAAGTCTGACAAGAACCGGATAGGGGGAACCTACAAGAAGACCATCTATAAAGA TGAAGTGGGGGATGTCATTCTTATTCACCTGAAGAATTTTGCCACTCGTCCCTATACCATCCACCCTCATGGTGT CTTCTACGAGAAGGACTCTGAAGGTTCCCTATACCCAGATGGCTCCTCTGGGCCACTGAAAGCTGATGACTCTGT CCTCACCTGGATCTACCATTCTCATGTAGATGCTCCACGAGACATTGCAACTGGCCTAATTGGGCCTCTCATCAC CTGTAAAAGAGGAGCCCTGGATGGGAACTCCCCTCCTCAACGCCAGGATGTAGACCATGATTTCTTCCTCCTCTT CAGTGTGGTAGATGAGAACCTCAGCTGGCATCTCAATGAGAACATTGCCACTTACTGCTCAGATCCTGCTTCAGT TGAGCTGAACATGTGTGCACAGAAACGTGTGGCCTGGCACTTGTTTGGCATGGGCAATGAAATTGATGTCCACAC AGCATTTTTCCATGGACAGATGCTGACTACCCGTGGACACCACACTGATGTGGCTAACATCTTTCCAGCCACCTT TGTGACTGCTGAGATGGTGCCCTGGGAACCTGGTACCTGGTTAATTAGCTGCCAAGTGAACAGTCACTTTCGAGA TGGCATGCAGGCACTCTACAAGGTCAAGTCTTGCTCCATGGCCCCTCCTGTGGACCTGCTCACAGGCAAAGTTCG ACAGTACTTCATTGAGGCCCATGAGATTCAATGGGACTATGGCCCGATGGGGGCATGATGGGAGTACTGGGAAGAA TTTGAGAGAGCCAGGCAGTATCTCAGATAAGTTTTTCCAGAAGAGCTCCAGCCGAATTGGGGGCACTTACTGGAA AGTGCGATATGAAGCCTTTCAAGATGAGACATTCCAAGAGAAGATGCATTTGGAGGAAGATAGGCATCTTGGAAT CCTGGGGCCAGTGATCCGGGCTGAGGTGGCTGACACCATTCAGGTGGTCTTCTACAACCGTGCCTCCCAGCCATT CAGCATGCAGCCCCATGGGGTCTTTTATGAGAAAGACTATGAAGGCACTGTGTACAATGATGGCTCATCTTACCC TGGCTTGGTTGCCAAGCCCTTTGAGAAAGTAACATACCGCTGGACAGTCCCCCCTCATGCCGGTCCCACTGCTCA GGATCCTGCTTGTCTCACTTGGATGTACTTCTCTGCTGCAGATCCCATAAGAGACACAAATTCTGGCCTGGTGGG TCTCTTCACTGTGTTGGATGAGAACAAGAGCTGGTACAGCAATGCCAATCAAGCAGCTGCTATGTTGGATTTCCG ACTGCTTTCAGAGGATATTGAGGGCTTCCAAGACTCCAATCGGATGCCATGCCATTAATGGGTTTCTGTTCTCTAA CCTGCCCAGGCTGGACATGTGCAAGGGTGACACAGTGGCCTGGCACCTGCTCGGCCTGGGCACAGAGACTGATGT GCATGGAGTCATGTTCCAGGGCAACACTGTGCAGCTTCAGGGCATGAGGAAGGGTGCAGCTATGCTCTTTCCTCA AGAAGCAGGGATGAGGGCAATCTATAATGTCTCCCAGTGTCCTGGCCACCAAGCCACCCCTCGCCAACGCTACCA AGCTGCAAGAATCTACTATATCATGGCAGAAGAAGTAGAGTGGGACTATTGCCCTGACCGGAGCTGGGAACGGGA ATGGCACAACCAGTCTGAGAAGGACAGTTATGGTTACATTTTCCTGAGCAACAAGGATGGGCTCCTGGGTTCCAG ATACAAGAAAGCTGTATTCAGGGAATACACTGATGGTACATTCAGGATCCCTCGGCCAAGGACTGGACCAGAAGA ACACTTGGGAATCTTGGGTCCACTTATCAAAGGTGAAGTTGGTGATATCCTGACTGTGGTATTCAAGAATAATGC CAGCCGCCCCTACTCTGTGCATGCTCATGGAGTGCTAGAATCTACTGTCTGGCCACTGGCTGAGCCTGG TGAGGTGGTCACTTATCAGTGGAACATCCCAGAGAGGTCTGGCCCTGGGCCCAATGACTCTGCTTGTGTTTCCTG GATCTATTATTCTGCAGTGGATCCCATCAAGGACATGTATAGTGGCCTGGTGGGGCCCTTGGCTATCTGCCAAAA GGGCATCCTGGAGCCCCATGGAGGACGGAGTGACATGGATCGGGAATTTGCATTGTTGTTCTTGATTTTTGATGA AAATAAGTCTTGGTATTTGGAGGAAAATGTGGCAACCCATGGGTCCCAGGATCCAGGCAGTATTAACCTACAGGA GTACCAAGGAGAACGAGTGGCCTGGTACATGCTGGCCATGGGCCAAGATGTGGATCTACACACCATCCACTTTCA TGCAGAGAGCTTCCTCTATCGGAATGGCGAGAACTACCGGGCAGATGTGGTGGATCTGTTCCCAGGGACTTTTGA AAAAGTGCCCCCAGAGACATTGAAGAAGGCAATGTGAAGATGCTGGGCATGCAGATCCCCATAAAGAATGTTGA GATGCTGGCCTCTGTTTTGGTTGCCATTAGTGTCACCCTTCTGCTCGTTGTTCTGGCTCTTGGTGGAGTGGTTTG GTACCAACATCGACAGAGAAAGCTACGACGCAATAGGAGGTCCATCCTGGATGACAGCTTCAAGCTTCTGTCTTT CAAACAG<u>TAA</u>CATCTGGAGCCTGGAGATATCCTCAGGAAGCACATCTGTAGTGCACTCCCAGCAGGCCATGGACT AGTCACTAACCCCACACTCAAAGGGGCATGGGTGGTGGAGAAGCAGAAGGAGCAATCAAGCTTATCTGGATATTT CTTTCTTTATTTTACATGGAAATAATATGATTTCACTTTTTCTTTAGTTTCTTTGCTCTACGTGGGCACCT GGCACTAAGGGAGTACCTTATTATCCTACATCGCAAATTTCAACAGCTACATTATATTTCCTTCTGACACTTGGA ACTTCTTTCAAGGACTCAGGAAATTTCACTTTGAACTGAGGCCAAGTGAGCTGTTAAGATAACCCACACTTAAAC TAAAGGCTAAGAATATAGGCTTGATGGGAAATTGAAGGTAGGCTGAGTATTGGGAATCCAAATTGAATTTTGATT CTCCTTGGCAGTGAACTACTTTGAAGAAGTGGTCAATGGGTTGTTGCTGCCATGAGCATGTACAACCTCTGGAGC TAGAAGCTCCTCAGGAAAGCCAGTTCTCCAAGTTCTTAACCTGTGGCACTGAAAGGAATGTTGAGTTACCTCTTC

234/550

FIGURE 234

MWAMESGHLLWALLFMQSLWPQLTDGATRVYYLGIRDVQWNYAPKGRNVITNQPLDSDIVASS FLKSDKNRIGGTYKKTIYKEYKDDSYTDEVAQPAWLGFLGPVLQAEVGDVILIHLKNFATRPY TIHPHGVFYEKDSEGSLYPDGSSGPLKADDSVPPGGSHIYNWTIPEGHAPTDADPACLTWIYH SHVDAPRDIATGLIGPLITCKRGALDGNSPPQRQDVDHDFFLLFSVVDENLSWHLNENIATYC SDPASVDKEDETFQESNRMHAINGFVFGNLPELNMCAQKRVAWHLFGMGNEIDVHTAFFHGQM LTTRGHHTDVANIFPATFVTAEMVPWEPGTWLISCQVNSHFRDGMQALYKVKSCSMAPPVDLL TGKVRQYFIEAHEIQWDYGPMGHDGSTGKNLREPGSISDKFFQKSSSRIGGTYWKVRYEAFQD ETFQEKMHLEEDRHLGILGPVIRAEVGDTIQVVFYNRASQPFSMQPHGVFYEKDYEGTVYNDG SSYPGLVAKPFEKVTYRWTVPPHAGPTAQDPACLTWMYFSAADPIRDTNSGLVGPLLVCRAGA LGADGKQKGVDKEFFLLFTVLDENKSWYSNANQAAAMLDFRLLSEDIEGFQDSNRMHAINGFL FSNLPRLDMCKGDTVAWHLLGLGTETDVHGVMFQGNTVQLQGMRKGAAMLFPHTFVMAIMQPD NLGTFEIYCQAGSHREAGMRAIYNVSQCPGHQATPRQRYQAARIYYIMAEEVEWDYCPDRSWE REWHNQSEKDSYGYIFLSNKDGLLGSRYKKAVFREYTDGTFRIPRPRTGPEEHLGILGPLIKG EVGDILTVVFKNNASRPYSVHAHGVLESTTVWPLAAEPGEVVTYQWNIPERSGPGPNDSACVS WIYYSAVDPIKDMYSGLVGPLAICOKGILEPHGGRSDMDREFALLFLIFDENKSWYLEENVAT HGSQDPGSINLQDETFLESNKMHAINGKLYANLRGLTMYQGERVAWYMLAMGQDVDLHTIHFH AESFLYRNGENYRADVVDLFPGTFEVVEMVASNPGTWLMHCHVTDHVHAGMETLFTVFSRTEH LSPLTVITKETEKVPPRDIEEGNVKMLGMQIPIKNVEMLASVLVAISVTLLLVVLALGGVVWY QHRQRKLRRNRRSILDDSFKLLSFKQ

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 1109-1130

N-glycosylation sites.

amino acids 167-171, 239-243, 591-595, 717-721, 761-765, 832-836, 876-880, 934-938

Glycosaminoglycan attachment site.

amino acids 871-875

Tyrosine kinase phosphorylation sites.

amino acids 82-90, 137-145, 494-502, 513-521

N-myristoylation sites.

amino acids 212-218, 313-319, 498-504, 566-572, 672-678, 778-784, 843-849

Multicopper oxidases signature 1.

amino acids 344-365, 696-717, 1043-1064

Multicopper oxidases signature 2.

amino acids 1048-1060

235/550

FIGURE 235

GGAAAGAGTGCTGGTACTACAACCAGGAAGTGACAGATAATGTGCTTTAAACTACATTAGAAAAAGCTTCTCATAG CAAAACTGAGAGATTGAAGCAGTGATTATTTTTACATAGTTGTCATTAAATATTTTGGAGCTCTGCTGTGCATAGA GATGGCAACATACTTAGAATACACAGCTTTCTGGGCCAGAAATTGATCTTCTGACTTTTGAGCCTTATCTGATTA CTGCTTGGTTCATCTTTATTTTGTTAAACTACTCTGTAGGCTGAAAGGGAGAGACTCTCCTTGGTTTGCAGAGCC ${\tt TGACTAGACAGGAATTCTGGCAACTGCTCCAGCAGAACTATGGCACTGAGCTAGGTTTAAATGCTGAGGAG\underline{\textbf{ATG}}\textbf{G}$ AAAACTTGTCACTGTCGATTGAGGATGTGCAGCCAAGAAGTCCAGGAAGAAGCAGCTTGGATGACTCTGGGGAGA GAGATGAAAAATTATCCAAGTCAATCAGTTTTACCAGTGAATCAATTAGTCGGGTTTCAGAAACAGAGTCATTCG ATGGAAATTCATCAAAAGGAGGATTAGGCAAAGAGGAGTCCCAAAATGAGAAACAGACCAAAAAGAGTCTCTTAC CAACTTTGGAAAAGAAGTTAACTAGAGTGCCATCAAAGTCACTGGACTTGAATAAAAATGAATATCTTTCTCTGG ACAAAAGCAGCACTTCAGATTCTGTTGATGAAGAAAATGTTCCTGAGAAAGATCTTCATGGAAGACTTTTTATCA ACCGTATTTTCATATCAGTGCTGACAGAATGTTTGAATTGCTCTTTACCAGTTCACGCTTTATGCAGAAATTTG CCAGTTCTAGAAATATAATAGATGTAGTATCTACCCCTTGGACTGCAGAACTTGGAGGTGATCAGCTGAGAACGA TGACCTACACTATAGTCCTTAATAGTCCACTTACTGGAAAATGCACTGCTGCCACTGAAAAGCAGACACTGTATA AAGAAAGTCGGGAAGCACGATTTTATTTGGTAGATTCAGAAGTACTGACACATGATGTCCCCTACCATGATTACT TCTATACCGTGAACAGATACTGTATCATCCGATCTTCAAAACAGAAATGCAGGCTAAGAGTTTCCACAGATTTGA AATACAGAAAACAGCCATGGGGCCTTGTCAAATCTTTAATTGAAAAGAATTCCTGGAGTTCTTTGGAGGACTATT TCAAACAGCTTGAATCAGATTTGTTAATTGAAGAATCTGTATTAAATCAGGCCATTGAAGACCCTGGAAAACTTA CTGGCCTACGAAGGAGAAGGCGAACCTTCAACCGAACAGCAGAAACAGTTCCTAAACTTTCCTCTCAGCATTCCT TAGAACATGCTGCTCAGTCCTTTTACCGTCTCCGCCTCCAAGAAGAGAAATCTTTAAATTTAGCCTCTGATATGG TGTCAAGAGCAGAAACTATTCAGAAGAATAAAGATCAGGCCCATCGTTTAAAGGGAGTGCTCCGAGACTCCATAG TGATGCTTGAACAGCTGAAGAGCTCACTCATTATGCTTCAGAAAACGTTTGATCTACTAAATAAGAATAAGACTG $\texttt{GCATGGCTGTTGAAAGC} \underline{\textbf{TAG}} \texttt{TGATCTGAAGGACTAAAACCGCAGAGATACTTGGAACTTAAAGAAAATACCTGGA}$ AGAAAACCAGACGAATGAAGGATTTTGGCATAGAACATTTCTATGTTTTTTCATTATTGAGATTTCTAATATGAA TATTTTTAAGCTGTGAATTTCTTCAGTGAACCATGAAATATATTATAGAACTGAATTTCTCTGATACAAAAAGAA AATGACACCCTGAATTGAGTGGTATGGTCTCATTTCTACAGTGAAGTCTGATGCTTTGTTAGCACAGAATCCG TACATGTCCAATAGGTCGCTTTTGTAACTGAGATAAGACCAAGAGGATAAACAGGACAATATAAGAAGAAACCTC TATGTCATTACTGATTTTAAAGGTTCTGTTTTCAGGCATATAACATTTCCAGGTTTGTGTACTGTAAAGATTATA ${\tt ATGTCTTCATTTATCTAGCATGCAAATTTAATAGTCAAACTTTTTGAATCTGCATGTTGATGATGATTATCAGAA}$ ${\tt AGGGTCTTCTGCCATGCTGTATCTTTATGAAAGAAATAGTTGTTTTTTCTTAAGGTAACTATCAGAGGTGGGATT}$ ATCTTGCCTCCTCACTTAGAATACCAACAGTCAAAAGGAAGAACCATCCTCTGAGTTTTAAAAAACCAGAAGGTTA TGTTAAAATCTGGGCATTTAGTGACAGATCAAATGCATACTTGAACTAAGATTGGCTTCAGCTTAGCAGTCTTTC ATGTGTGTGACTTGTTTAATTGGTAAGTTATAAGCCAGACATAGATTTTAGCTCTTTAATAAAAACTTCAGGGG CACGTATGTCCCAGTACAAGTGTACTGACTATCAAGTTTTAACTCAGATGCAAGCTTTGGCTCTTTCATAAAAAG TTTTTATGCATATGTGTCTCCATACAAGTGGCTCATTAAAATAAGAACTTTGTAAACTGACTTAAAATCAGATAT TTTTTCAAGAGTTAGGGAAAGTTGAAGTGTTTTACTGTTTTGTCTCTTGAGCCCTTTCTCTGGGGAAAAAATACA TTTCATTTTTCTCCAGAGTCCCCAAAGCCACATGGCATTATTATAGTCATTTTTGAGATGCCTGTAGAGAATGAA AGTATTGACTCCGTTAGAGGGAAAATGGGTTTCTCTGGGTGAATTCCAACGAAGCATACCTAGGGGTAACAGTGA ACCTACCTGGGTTTGTTTTGGTAAGGATTTATGTAGTGTCTGGCTGTAAGCAAGAATGAGTGGATTATAA ATTTTATAACATACTTCAAGGAAGAGTATCGAAGTAAGTTGCTTTATAAATTAAGACTAAATTCGTATGGATGCA GAATTCAATTAAAAATTTGAGCCTGTTACGTAAATTGAATATTAATAAAATTGAAAATTCAAAA

236/550

FIGURE 236

MENLSLSIEDVQPRSPGRSSLDDSGERDEKLSKSISFTSESISRVSETESFDGNSSKGGLGKE
ESQNEKQTKKSLLPTLEKKLTRVPSKSLDLNKNEYLSLDKSSTSDSVDEENVPEKDLHGRLFI
NRIFHISADRMFELLFTSSRFMQKFASSRNIIDVVSTPWTAELGGDQLRTMTYTIVLNSPLTG
KCTAATEKQTLYKESREARFYLVDSEVLTHDVPYHDYFYTVNRYCIIRSSKQKCRLRVSTDLK
YRKQPWGLVKSLIEKNSWSSLEDYFKQLESDLLIEESVLNQAIEDPGKLTGLRRRRRTFNRTA
ETVPKLSSQHSSGDVGLGAKGDITGKKKEMENYNVTLIVVMSIFVLLLVLLNVTLFLKLSKIE
HAAQSFYRLRLQEEKSLNLASDMVSRAETIQKNKDQAHRLKGVLRDSIVMLEQLKSSLIMLQK
TFDLLNKNKTGMAVES

Transmembrane domain:

amino acids 352-371

N-glycosylation sites.

amino acids 3-7, 54-58, 312-316, 349-353, 367-371, 449-453

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 81-85, 307-311

Tyrosine kinase phosphorylation sites.

amino acids 202-211, 246-254, 341-349

N-myristoylation site.

amino acids 259-265

Amidation site.

amino acids 339-343

237/550

FIGURE 237

CAGGGGCTGGAGGGCAGGGGAGGGGATGATGTCATTCCTGCTCGGCGCAATCCTGACCCTGCT
CTGGGCGCCCACGGCTCAGGCTGAGGTTCTGCTGCAGCCTGACTTCAATGCTGAAAAGTTCTC
AGGCCTCTGGTACGTGGTCTCCATGGCATCTGACTGCAGGGTCTTCCTGGGCAAGAAGGACCA
CCTGTCCATGTCCACCAGGGCCATCAGGCCCACAGAGGAGGGGCGCCTCCACGTCCACATGGA
GTTCCCGGGGGCGGACGGCTGTAACCAGGTGGATGCCGAGTACCTGAAGGTGGGCTCCGAGGG
ACACTTCAGAGTCCCGGCCTTGGGCTACCTGGACGTGCGCATCGTGGACACAGACTACAGCTC
CTTCGCCGTCCTTTACATCTACAAGGAGCTGGAGGGGGCCCTCAGCACCATGGTGCAGCTCTA
CAGCCGGACCCAGGATGTGAGTCCCCAGGCTCTGAAGTCCTTCCAGGACTTCTACCCGACCCT
GGGGCTCCCCAAGGACATGATGGTCATGCTGCCCCAGTCAGATGCATCCACCCTGAGAGCAA
GGAGGCGCCCTGACACCTCCGGAGCCCCACCCCCGCCCTTCCCAGGTGGAGCCAAAGCAGCAG
GCGCCTTTGCCCCTGGAGTCAAGACCCACAGCCCTCGGGGACCACCTGGAGTCTCTCCATCCT
CCACCCCCCGCCTGTGGGATGCCTTGTGGGACGTCTTTTCTATTCAATAAACAGATGCTGCA
GCCTCA

238/550

FIGURE 238

MMSFLLGAILTLLWAPTAQAEVLLQPDFNAEKFSGLWYVVSMASDCRVFLGKKDHLSMSTRAI
RPTEEGGLHVHMEFPGADGCNQVDAEYLKVGSEGHFRVPALGYLDVRIVDTDYSSFAVLYIYK
ELEGALSTMVQLYSRTQDVSPQALKSFQDFYPTLGLPKDMMVMLPQSDACNPESKEAP

Signal peptide:

amino acids 1-20

Tyrosine kinase phosphorylation site.

amino acids 110-117

N-myristoylation sites.

amino acids 7-13, 79-85, 130-136

Amidation site.

amino acids 50-54

239/550

FIGURE 239

CGTAAAGACAGCGAGATCCTGAGGGCCAGCCGGGAAGGAGGCGTGGATATGGAGCTGCT GCCAAGTCCGGGGCCCGCGCCGCTGCCTAGCGCGTCCTGGGGACTCTGTGGGGACGCGCCCCG GCTCACCCTCCTGCTCCTCATGGCCGCTGTTGTCAGGTGCCAGGAGCAGGCCCAGACCAC CGACTGGAGAGCCACCCTGAAGACCATCCGGAACGGCGTTCATAAGATAGACACGTACCTGAA CGCCGCCTTGGACCTCCTGGGAGGCGAGGACGGTCTCTGCCAGTATAAATGCAGTGACGGATC TAAGCCTTTCCCACGTTATGGTTATAAACCCTCCCCACCGAATGGATGTGGCTCTCCACTGTT CTATGAGACCTGTGGCAAAAGCAAGAATGACTGTGATGAAGAATTCCAGTATTGCCTCTCCAA GATCTGCCGAGATGTACAGAAAACACTAGGACTAACTCAGCATGTTCAGGCATGTGAAACAAC AGTGGAGCTCTTGTTTGACAGTGTTATACATTTAGGTTGTAAACCATATCTGGACAGCCAACG AGCCGCATGCAGGTGTCATTATGAAGAAAAAACTGATCTT**TAA**AGGAGATGCCGACAGCTAGT GACAGATGAAGATGGAAGAACATAACCTTTGACAAATAACTAATGTTTTTACAACATAAAACT GTCTTATTTTTGTGAAAGGATTATTTTGAGACCTTAAAATAATTTATATCTTGATGTTAAAAC CTCAAAGCAAAAAAGTGAGGGAGATAGTGAGGGGAGGGCACGCTTGTCTTCTCAGGTATCTT CCCCAGCATTGCTCCCTTACTTAGTATGCCAAATGTCTTGACCAATATCAAAAACAAGTGCTT GTTTAGCGGAGAATTTTGAAAAGAGGAATATATAACTCAATTTTCACAACCACATTTACCAAA AAAAGAGATCAAATATAAAATTCATCATAATGTCTGTTCAACATTATCTTATTTGGAAAATGG GGAAATTATCACTTACAAGTATTTGTTTACTATGAAATTTTAAATACACATTTATGCCTAGAA GGAACGGACTTTTTTTTTCTATTTTAATTACACATAATATGTAATTAAAGTACAACATAATAT GTTGTTTCTCTGTAGCCCGTTGAGCATATGAGTAAGTCACATTTCTATTAGGACTACTTACAA GGACAAGGTTTCCATTTTTCCAGTTGTAAAATTGGAACCATCAGCTGATAACCTCGTAGGGAG CAACCCCAGGATAGCTAAGTGTTATGTAATATGCCTAGAAGGTGATGTGAATGCGATTCAGAA GCATAGCCACTCCCATTTTATGAGCTACTCACATGACAAATGTCATCTTTTGCTATAACCTTT AAAAAAAAAAAAAAAA

240/550

FIGURE 240

MALLSRPALTLLLLLMAAVVRCQEQAQTTDWRATLKTIRNGVHKIDTYLNAALDLLGGEDGLC QYKCSDGSKPFPRYGYKPSPPNGCGSPLFGVHLNIGIPSLTKCCNQHDRCYETCGKSKNDCDE EFQYCLSKICRDVQKTLGLTQHVQACETTVELLFDSVIHLGCKPYLDSQRAACRCHYEEKTDL

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites:

amino acids 57-63,93-99

Phospholipase A2 histidine active site:

amino acids 106-114

Neuraxin and MAP1B proteins repeat proteins Block:

amino acids 109-137

241/550

FIGURE 241

CCCTGAGAGTCTGAGCGCTCGCCGCACCCCTTCCGAGCTTCTATTGGCCGTAGCAGACGTCC GTCTGCCGCTATCTCCGCCCCAATACGGAAGCGGCCTAGTCCTCCGGCTCCGACAGCTGGGTG TCGTGCTCACCGCGCTGTGGGCCGCGGCCGTGGGCCTGGAGCTGGCTTACGTGCTGGTGCTCG GTCCCGGGCCGCCGCTGGGACCCCTGGCCCGGGCCTTGCAGCTGGCGCTGGCCGCCTTCC AGCTGCTCAACCTGCTGGGCAACGTGGGGCTCTTCCTGCGCTCGGATCCCAGCATCCGTGGCG TGATGCTGGCCGGCCGCGTCTGGGCCAGGGCTGGGCTTACTGCTACCAATGCCAAAGCCAGG TGCCGCCACGCAGCGGACACTGCTCTGCCTGCCGCGTCTGCATCCTGCGTCGGGACCACCACT GCCGCCTGCTGGGCCGCTGCGTGGGCTTCGGCAACTACCGGCCCTTCCTGTGCCTGCTTC ATGCCGCCGGCGTCCTGCTCCACGTCTCTGTGCTGCTGGGCCCTGCACTGTCGGCCCTGCTGC GAGCCCACACGCCCTCCACATGCTTCCTCCTCCTTCCTTGCTCATGTTTGCTCACAG TGCTGTGCGGGGCTGCTCTTCCATGGGATGCTGCTGCTGCGGGGCCAGACCACATGGG GGCCCGCTGGGCCCTCGTCTGGCCCTTCCTGGCCTCCCCATTGCCTGGGGATGGGA TCACCTTCCAGACCACAGCAGATGTGGGACACACAGCCTCCTGACTCCAGGAAGAGCCAGAGC TGTGCAGGGAGGAGGGGTGAGAGGGGGGCCCCCACACCTAGACTCAGTAAGGAAGTCGGGTT CTCCTACGTGTCCAGGGCTTGGGCCGTGACTTAGGCAGAGGAGTGCAGAGGAGGGTCTGGCAG GGGCTGCTCAGGCCGCCTAGCTGCCCCTTTGCCAGGTTAATAAAGCACTGACTTGTTAA

242/550

FIGURE 242

MGQPWAAGSTDGAPAQLPLVLTALWAAAVGLELAYVLVLGPGPPPLGPLARALQLALAAFQLL
NLLGNVGLFLRSDPSIRGVMLAGRGLGQGWAYCYQCQSQVPPRSGHCSACRVCILRRDHHCRL
LGRCVGFGNYRPFLCLLLHAAGVLLHVSVLLGPALSALLRAHTPLHMAALLLLPWLMLLTGRV
SLAQFALAFVTDTCVAGALLCGAGLLFHGMLLLRGQTTWEWARGQHSYDLGPCHNLQAALGPR
WALVWLWPFLASPLPGDGITFQTTADVGHTAS

Important features:

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 51-66,143-160,174-191,198-214

N-myristoylation sites:

amino acids 2-8,8-14,30-36,81-87,88-94,90-96,206-212

Leucine zipper pattern:

amino acids 143-165,150-172,157-179,164-186

243/550

FIGURE 243

CTTGTCTTTGTGTCGGTTGTGATTTTCCTAATCTCTGATTTTCCTTTTCTCTCGGACGCTCTC CCTCTTCGGACCCATTTTCTCCCGTGCTTCATGCCCTGATAGCCTGGCCCCTTCCCGGCCTTCC CTTCCTCAAGAGTTCGCCCCTCTGGGGGCTCCTCTGTGTAATCGTCGCCTTCTCTGGGTATTT CTGTGAACTCCGTCTCACACCATCCCGCCATCTTCTCTGCCTTGGCCCCTTTTCTCTGTACAG CCAGCTCTGTGTCCTTTTCTTCTCCCCCTCTAAAATCGACTCCTCTTCTCCCTGAGAGCCCCA CAAGGTTCCATCCATCAATTTGTTTGTCTTTTGTAGGGGTGGCATCCCCTCTGACTACTGCT CCATCCTTTTTTTTTTTTTTTTTTTTTTTTTTTTGCTTGAGGATTTCACTTCAATCTTTTCTGGT TGCGTCTCCACTTGTACTCAGCTTGTTAGGTCCAGGTCCAGTTGTTCTGCATCTGAGGCTGGC GTGTGCTGTCTCTCTGATTGGCCTAATCTCCCTCACCCCCGTGAGATCTGTTGTCAGCCTTC GTTTCTCTTTCCTGTGTCCCAGCTTTTCTGCGGGTCTTGGCACCTTTCTTGGCCACAGATTTC TGGGTTACAGAGCATGTGTGTCTGAGGCATTGCAGGCAGAAAAGGGTGGCCGACGTGACCTCT CAGGTGGACAAAGAATTCGGGGACTGATGGGAACTGAGCTTGGGATCCAGACTGAAACTGATT CCAGACTGACCTCTAGCACCCAGGACCCAGACACAGGGCCATGGGACCCCAGCATTTGAGACT TGTGCAGCTGTTCTGCCTTCTAGGGGCCATCCCCACTCTGCCTCGGGCTGGAGCTCTTTTGTG CTATGAAGCAACAGCCTCAAGATTCAGAGCTGTTGCTTTCCATAACTGGAAGTGGCTTCTGAT GAGGAACATGGTGTAAGCTGCAAGAGGGCTGCGAGGACGCTAGTGTTCATTGAGACAGG GACTGCAAGGGGAGTTGTGGGCTTTAAAGGCTGCAGCTCGTCTTCGTCTTACCCTGCGCAAAT CTCCTACCTTGTTTCCCCACCGGAGTGTCCATTGCCTCCTACAGTCGCGTCTGCCGGTCTTA TCTCTGCAACAACCTCACCAATTTGGAGGCCTTTTGTGAAACTCAAGGCCAGCACTCCTAAGTC TATCACATCTGCGTCCTGTAGCTGCCCGACCTGTGTGGGCGAGCACATGAAGGATTGCCTCCC AAATTTTGTCACCACTAATTCTTGCCCCTTGGCTGCTTCTACGTGTTACAGTTCCACCTTAAA ATTTCAGGCAGGGTTTCTCAATACCACCTTCCTCCTCATGGGGTGTGCTCGTGAACATAACCA GCTTTTAGCAGATTTTCATCATATTGGGAGCATCAAAGTGACTGAGGTCCTCAACATCTTAGA GAAGTCTCAGATTGTTGGTGCAGCATCCTCCAGGCAAGATCCTGCTTGGGGTGTCGTCTTAGG CCTCCTGTTTGCCTTCAGGGAC<u>TGA</u>CCATCTAGCTGCACCCGACAAGCACCCAGACTCTTTCA AAAAAAAA

244/550

FIGURE 244

MGPQHLRLVQLFCLLGAIPTLPRAGALLCYEATASRFRAVAFHNWKWLLMRNMVCKLQEGCEE TLVFIETGTARGVVGFKGCSSSSSYPAQISYLVSPPGVSIASYSRVCRSYLCNNLTNLEPFVK LKASTPKSITSASCSCPTCVGEHMKDCLPNFVTTNSCPLAASTCYSSTLKFQAGFLNTTFLLM GCAREHNQLLADFHHIGSIKVTEVLNILEKSQIVGAASSRQDPAWGVVLGLLFAFRD

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation sites:

amino acids 117-121,183-187

N-myristoylation sites:

amino acids 16-22,25-31,60-66,71-77,81-87,100-106,224-230, 235-241,239-245

Prokaryotic membrane lipoprotein lipid attachment site:

amino acids 181-192

245/550

FIGURE 245

GTGGAGTTGGGTGTCGGGAGCCTCTCCCTGAGGGGCACCGCGTCTTCAGGAGCTGGGCCTCCAGTGCGGCGC GATGTCAGGCGCGGTGACAGCTCTGTGAGTCCGAGGCCGCCGTGGCGCTGGCGGCTGCGGGGCCTGACCGG TCCGCTCATGGTGCCGCCACGCCCATCGCGGGGCAGGAAGGCCAGGGGTGCTGAGTTCTTCACCTCCTTTTAG ACTGAGATCTGCCAAGTTTTCCGGCATTGCTCTTGAGGATCTCAGAAGGGCTCTTAAGACAAGACTGCAAATGGT GTGTGTATTTGTCATGAACCGAATGAATTCCCAGAACAGTGGTTTCACTCAGCGCAGGCGAATGGCTCTTGGGAT CAAACCATTCTTCAGCACCTTTGCAAAAACATCTATGTTTTGTTTTGTACCTTTTGGGCTTTATTATTTTGGAAGCC ATGGAGACAACAGTGTACAAGAGGACTTCGCGGAAAGCATGCTGCTTTTTTTGCAGATGCTGAAGGTTACTTTGC TGCTTGCACAACAGATACAACTATGAATAGTTCTTTGAGTGAACCTCTGTATGTGCCTGTGAAATTCCATGATCT TCCAAGTGAAAAACCTGAGAGCACAAACATTGATACTGAAAAAAACCCCCAAAAAGTCTCGTGTGAGGTTCAGTAA · TATCATGGAGATTCGACAGCTTCCGTCAAGTCATGCATTGGAAGCAAAGTTGTCTCGCATGTCATATCCTGTGAA CTTTGTGTGTGTTTTTGGCAAATTTGTCATATCAAGAAGCACTTTCAGACACACAGATTGCTATAGTTAATATTTT TTCTAAACTATTAGCTGTAATTTTAAGCATTGGAGGCGTTGTACTGGTAAACCTGGCAGGGTCTGAAAAACCTGC TGGAAGAGACACAGTAGGTTCCATTTGGTCTCTTGCTGGAGCCATGCTCTATGCTGTCTATATTTGTTATGATTAA CTTATGGCCAGGTTTCTTTTTACTTCATTATACTGGATTTGAGGACTTCGAGTTTCCCAATAAAGTAGTATTAAT GTGCATTATCATTAATGGCCTTATTGGAACAGTACTCTCAGAGTTCCTGTGGTTGTGGGGCTGCTTTCTTACCTC ATCATTGATAGGCACACTTGCACTAAGCCTTACAATACCTCTGTCCATAATAGCTGACATGTGTATGCAAAAGGT GCAGTTTTCTTGGTTATTTTTTGCAGGAGCTATCCCTGTATTTTTTTCATTTTTTATTGTAACTCTCCTATGCCA TTATAATAATTGGGATCCTGTGATGGTGGGAATCAGAAGAATATTTGCTTTTATATGCAGAAAACATCGAATTCA GAGAGTTCCAGAAGACAGCGAACAGTGTGAGAGTCTCATTTCTATGCACAGTGTTTCTCAGGAGGATGGAGCTAG TTAGCTGTCTGTTGTCTGTAGCCCAGCTTGATAATGGAACTATACAGCGAAGAGACAATCTCTGGCAAGTTTTTG TAGAAAAAATGTTTCAGTGCCTAGTCTGAAAAATAACAGTTTGAGTTCTTTGAAAACTCTAAAATATTTTTTCTC ATACCTGTTTTCTTCATTTTCATAATGAAGCACTTTGCTATGTAGCTGTGTACATATCACTACAGTTATAGGAAG TTTCAGTCTACAGTCCATCCAAAGGACCAACCTGCCTTACACATCTCAAGGAATTCAGCTGTTGAAATCATTTGA ACTAATCAAGGAATAAATCCTAATGTTCTGGGACTTTATTTTCACATGTTAAATGCTGGAATATATTATGAAAAT GTTTTCAAGAAATCACTTAAGTGTTCATAGACCAGTATTTCTGACAGGTAAAATGCTAAAATAAGCTACCTGTAA TAAGTGTGGATTATATTTTTGGGTTTTGTAGAATATTGCAAATTAACCACAAAAAATGTTTAATTTATGCAAC AAGCATGTTTGTGCAAATTTCATGGGACTTTAAAAAGAATAAGTATTTGAGAAAATATCTGGTTCACTTACACTA CATTTACTGTATTATTCTTTTATAGCATTAGGTGCCTTGTATTTTAAATCTGTGACAAACCATGGCAAATTTTTA AAGGGGAAGTATTATTATAAAATGAAGAAATATGTATTTCTAAAGGCTATATTGCTGTAAACTTAATTGATAAAG CTCTGTTTAATTTAGAGTTTTGAAGAAATAGTCTCCCTTCAATTAAGAAATTTTCATAATGGAATGATTTAAATT GAAGTGACAAAGAGTATTATTAAAATACAATGTTTATAAAAAAA

246/550

FIGURE 246

MVPPRRHRGAGRPGVLSSSPPFRLRSAKFSGIALEDLRRALKTRLQMVCVFVMNRMNSQNSGF
TQRRRMALGIVILLLVDVIWVASSELTSYVFTQYNKPFFSTFAKTSMFVLYLLGFIIWKPWRQ
QCTRGLRGKHAAFFADAEGYFAACTTDTTMNSSLSEPLYVPVKFHDLPSEKPESTNIDTEKTP
KKSRVRFSNIMEIRQLPSSHALEAKLSRMSYPVKEQESILKTVGKLTATQVAKISFFFCFVWF
LANLSYQEALSDTQVAIVNILSSTSGLFTLILAAVFPSNSGDRFTLSKLLAVILSIGGVVLVN
LAGSEKPAGRDTVGSIWSLAGAMLYAVYIVMIKRKVDREDKLDIPMFFGFVGLFNLLLLWPGF
FLLHYTGFEDFEFPNKVVLMCIIINGLIGTVLSEFLWLWGCFLTSSLIGTLALSLTIPLSIIA
DMCMQKVQFSWLFFAGAIPVFFSFFIVTLLCHYNNWDPVMVGIRRIFAFICRKHRIQRVPEDS
EQCESLISMHSVSQEDGAS

Important features:

Transmembrane domain:

amino acids 69-87,105-118,237-256,266-285,300-316,332-346, 364-379,399-419,453-472

N-glycosylation sites:

amino acids 157-161,255-259

N-myristoylation sites:

amino acids 14-20,329-335,404-410,407-413,418-424

247/550

FIGURE 247

CGTCTGTAGAGATATCATGAACTTCAACTTAGCTTTGGTACTTTCTTCCCTGAAGACAGAGGG CAGAACTCTGAGTTCCAGAACCATTTTCAACTGTATTGGGGACCAATCACTTGACTCTATTCT TGTCTCTGACAGATGACGCTACACTCTCCTCTGAATAATGGACACCATTTCTAAAACTGAA TCCTGCTACTAAAATAATTCAGATGATATTTTTTCCAATTCTACAATCTTGCTTTGTTTTAT TTAGTTGTTTTCTCTCTCTCTCCCAGTTTTCCAGAGACTGGAGCTAAACTGGGCTTTCAACA TCATCATGAAGTTTATCCTCCTCTGGGCCCTCTTGAATCTGACTGTTGCTTTGGCCTTTAATC CAGATTACACAGTCAGCTCCACTCCCCTTACTTGGTCTATTTGAAATCTGACTACTTGCCCT GCGCTGGAGTCCTGATCCACCCGCTTTGGGTGATCACAGCTGCACACTGCAATTTACCAAAGC TTCGGGTGATATTGGGGGTTACAATCCCAGCAGACTCTAATGAAAAGCATCTGCAAGTGATTG GCTATGAGAAGATGATCATCATCACCACACTTCTCAGTCACTTCTATTGATCATGACATCATGC TAATCAAGCTGAAAACAGAGGCTGAACTCAATGACTATGTGAAATTAGCCAACCTGCCCTACC ACAAAGAGCCCGATTCACTGCAAACTGTGAACATCTCTGTAATCTCCAAGCCTCAGTGTCGCG GGCAGCCCTGCAAGGAAGTTTCTGCTGCCCCGGCAATCTGCAATGGGATGCTTCAAGGAATCC TGTCTTTTGCGGATGGATGTTTTTGAGAGCCGATGTTGGCATCTATGCCAAAATTTTTTACT ATATACCCTGGATTGAAAATGTAATCCAAAATAAC**TGA**GCTGTGGCAGTTGTGGACCATATGA

248/550

FIGURE 248

MKFILLWALLNLTVALAFNPDYTVSSTPPYLVYLKSDYLPCAGVLIHPLWVITAAHCNLPKLR VILGVTIPADSNEKHLQVIGYEKMIHHPHFSVTSIDHDIMLIKLKTEAELNDYVKLANLPYQT ISENTMCSVSTWSYNVCDIYKEPDSLQTVNISVISKPQCRDAYKTYNITENMLCVGIVPGRRQ PCKEVSAAPAICNGMLQGILSFADGCVLRADVGIYAKIFYYIPWIENVIQNN

Important features:

Signal peptide:

amino acids 1-17

N-glycosylation sites:

amino acids 11-15,156-160,173-177

Tyrosine kinase phosphorylation site:

amino acids 108-117

N-myristoylation sites: amino acids 182-188,203-209

Amidation site:

amino acids 185-189

Serine proteases, trypsin family, histidine active site:

amino acids 52-58

249/550

FIGURE 249

250/550

FIGURE 250

MWWLSIGALIGLSVAAVVLLAFIVTACVLCYLFISSKPHTKLDLGLSLQTAGPEEVSPDCQGV NTGMAAEVPKVSPLQQSYSCLNPQLESNEGQAVNSKRLLHHCFMATVTTSDIPGSPEEASVPN PDLCGPVP

Important features:

Signal peptide:

Amino acids 1-26

N-myristoylation sites:

Amino acids 7-13,11-17,62-68,93-99

251/550

FIGURE 251

GTGGTTTGGATTGAGCCGGGCCCGGCCGGGCGCCGAGTCGGAGGGGGTGGCAGTGAGCGGCG ACAGGCGCCGCTGTCCACCTCTACTCCGGGGTCTAGTACAGCGCTGGCGCTACGGCAAGGTCT GCCTGCGCTCCTGCTCTACAACTCCTTTGGGGGCAGTGACACCGCTGTTGATGCTGCCTTTG AGCCTGTCTACTGGCTGGTAGACAACGTGATCCGCTGGTTTGGAGTGGTGTTCGTGGTCCTGG TGATCGTGCTGACAGGCTCCATTGTAGCTATCGCCTACCTGTGTGTCCTGCCTCTCATCCTCC GAACCTACTCAGTGCCACGACTCTGCTGGCATTTCTTCTATAGCCACTGGAATCTGATCCTGA GCAGCATCTGCAACAGGTGTGTGCTGAAGATGGATCACCACTGCCCCTGGCTAAACAATTGTG TGGGCCACTATAACCATCGGTACTTCTTCTCTTTTCTGCTTTTTCATGACTCTGGGCTGTGTCT ACTGCAGCTATGGAAGTTGGGACCTTTTCCGGGAGGCTTATGCTGCCATTGAGACTTATCACC AGACCCCACCACCTTCTCCTTTCGAGAAAGGATGACTCACAAGAGTCTTGTCTACCTCT GGTTCCTGTGCAGTTCTGTGGCACTTGCCCTGGGTGCCCTAACTGTATGGCATGCTGTTCTCA TCAGTCGAGGTGAGACTAGCATCGAAAGGCACATCAACAAGAAGGAGAGACGTCGGCTACAGG CCAAGGGCAGAGTATTTAGGAATCCTTACAACTACGGCTGCTTGGACAACTGGAAGGTATTCC TGGGTGTGGATACAGGAAGGCACTGGCTTACTCGGGTGCTCTTACCTTCTAGTCACTTGCCCC CAGTGTGAGCTGGACTGTCAGCCACGACTCGAGCACTCATTCTGCTCCCTATGTTATTTCA GGAGAAATCTTAGGACTGACATCCCTTTACTCAGGCAAACAGAAGTTCCAACCCCAGACTAGG GGTCAGGCAGCTAGCTACCTTGCCCAGTGCTGACCCGGACCTCCTCCAGGATACAGCAC TGGAGTTGGCCACCACCTCTTCTACTTGCTGTCTGAAAAAACACCTGACTAGTACAGCTGAGA TCTTGGCTTCTCAACAGGGCAAAGATACCAGGCCTGCTGCTGAGGTCACTGCCACTTCTCACA AAAAAAAAAAA

252/550

FIGURE 252

MRGQRSLLLGPARLCLRLLLLLGYRRRCPPLLRGLVQRWRYGKVCLRSLLYNSFGGSDTAVDA
AFEPVYWLVDNVIRWFGVVFVVLVIVLTGSIVAIAYLCVLPLILRTYSVPRLCWHFFYSHWNL
ILIVFHYYQAITTPPGYPPQGRNDIATVSICKKCIYPKPARTHHCSICNRCVLKMDHHCPWLN
NCVGHYNHRYFFSFCFFMTLGCVYCSYGSWDLFREAYAAIETYHQTPPPTFSFRERMTHKSLV
YLWFLCSSVALALGALTVWHAVLISRGETSIERHINKKERRRLQAKGRVFRNPYNYGCLDNWK
VFLGVDTGRHWLTRVLLPSSHLPHGNGMSWEPPPWVTAHSASVMAV

Important features:

Transmembrane domain:

amino acids 88-100,202-216,254-274

N-myristoylation sites:

amino acids 55-61,56-62,92-98,210-216,309-315,319-325,340-346

Prokaryotic membrane lipoprotein lipid attachment site:

amino acids 201-212

253/550

FIGURE 253

GATCAAGCGCCTTCCTTCCCTCCCCTACTTGGCCTTTGCCCTAAGCCAAGACCTGGCCATCAGCCTGGC GCCACCCTTCTGTGGATGCTACTGCTGGTGCCCAGGCTGGGGGCCGCCCGGAAGGGGTCCCCAGAAGAGGCCTCC TTCTACTATGGAACCTTCCCTCTTGGCTTCTCCTGGGGCGTGGGCAGTTCTGCCTACCAGACGGAGGGCGCCTGG ACGGCAGATGTAGCCTGTGACGGCTACTACAAGGTCCAGGAGGACATCATTCTGCTGAGGGAACTGCACGTCAAC CACTACCGATTCTCCCTGTCTTGGCCCCGGCTCCTGCCCACAGGCATCCGAGCCGAGCAGGTGAACAAGAAGGGA ATCGAATTCTACAGTGATCTTATCGATGCCCTTCTGAGCAGCAACATCACTCCCATCGTGACCTTGCACCACTGG GATCTGCCACAGCTGCTCCAGGTCAAATACGGTGGGTGGCAGAATGTGAGCATGGCCAACTACTTCAGAGACTAC GCCAACCTGTGCTTTGAGGCCTTTGGGGACCGTGTGAAGCACTGGATCACGTTCAGTGATCCTCGGGCAATGGCA GAAAAAGGCTATGAGACGGGCCACCATGCGCCGGGCCTGAAGCTCCGCGGCACCGGCCTGTACAAGGCAGCACAC GGAATTTCACTGAACTGTGACTGGGGGGAACCTGTGGACATTAGTAACCCCAAGGACCTAGAGGCTGCCGAGAGA TACCTACAGTTCTGTCTGGGCTGGTTTGCCAACCCCATTTATGCCGGTGACTACCCCCAAGTCATGAAGGACTAC ATTGGAAGAAGAGTGCAGAGCAAGGCCTGGAGATGTCGAGGTTACCGGTGTTCTCACTCCAGGAGAAGAGCTAC ATTAAAGGCACATCCGATTTCTTGGGATTAGGTCATTTTACTACTCGGTACATCACGGAAAGGAACTACCCCTCC CGCCAGGGGCCCAGCTACCAGAACGATCGTGACTTGATAGAGCTGGTTGACCCAAACTGGCCAGATCTGGGGTCT AAATGGCTATATTCTGTGCCATGGGGATTTAGGAGGCTCCTTAACTTTGCTCAGACTCAATACGGTGATCCTCCC ATATATGTGATGGAAAATGGAGCATCTCAAAAATTCCACTGTACTCAATTATGTGATGAGTGGAGAATTCAATAC CTTAAAGGATACATAAATGAAATGCTAAAAGCTATAAAAGATGGTGCTAATATAAAGGGGTATACTTCCTGGTCT AATAAGCCTCGCTATCCAAAGGCTTCAGTTCAATATTACAAGAAGATTATCATTGCCAATGGGTTTCCCAATCCA TTGCTAAGTCACATGCAAATGGTTACGGAGATCGTGGTACCCACTGTCTCCCTCTGTGTCCTCATCACTGCT GTTCTACTAATGCTCCTCCTGAGGAGGCAGAGCTGAGACAGGATTATCAATTTTGGAGCTTCATAAGAGAATCTT CAGGATCTTCCTCCCTTTTCTGCTTTGAGGGTTTCCATACATTGCTGTTTTCAGGTTCTACAATAATTACCTTTT TTTCTCTTTCTCTTTTTGGCTTGTGCTGGGATTTAAGAATTAGAAAATAAAAATAAGCAGAAATTA

254/550

FIGURE 254

MKPVWVATLLWMLLLVPRLGAARKGSPEEASFYYGTFPLGFSWGVGSSAYQTEGAWDQDGKGPSIWDVFTHSGKG
KVLGNETADVACDGYYKVQEDIILLRELHVNHYRFSLSWPRLLPTGIRAEQVNKKGIEFYSDLIDALLSSNITPI
VTLHHWDLPQLLQVKYGGWQNVSMANYFRDYANLCFEAFGDRVKHWITFSDPRAMAEKGYETGHHAPGLKLRGTG
LYKAAHHIIKAHAKTWHSYNTTWRSKQQGLVGISLNCDWGEPVDISNPKDLEAAERYLQFCLGWFANPIYAGDYP
QVMKDYIGRKSAEQGLEMSRLPVFSLQEKSYIKGTSDFLGLGHFTTRYITERNYPSRQGPSYQNDRDLIELVDPN
WPDLGSKWLYSVPWGFRRLLNFAQTQYGDPPIYVMENGASQKFHCTQLCDEWRIQYLKGYINEMLKAIKDGANIK
GYTSWSLLDKFEWEKGYSDRYGFYYVEFNDRNKPRYPKASVQYYKKIIIANGFPNPREVESWYLKALETCSINNQ
MLAAEPLLSHMQMVTEIVVPTVCSLCVLITAVLLMLLLRRQS

Important features: Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 541-558

N-glycosylation sites:

amino acids 80-84,171-175,245-249

Glycosaminoglycan attachment site:

amino acids 72-76

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

amino acids 23-27,564-568

Tyrosine kinase phosphorylation sites:

amino acids 203-211,347-355,460-468,507-514

N-myristoylation sites:

amino acids 44-50,79-85,167-173,225-231,257-263,315-321

Amidation site:

amino acids 307-311

Glycosyl hydrolases family 1 active site:

amino acids 407-416

Glycosyl hydrolases family 1 N-terminal signature:

amino acids 41-56

Motif name Glycosyl hydrolases family:

amino acids 37-67

255/550

FIGURE 255

CGCGAAGATGCGAAAGGTGGTTTTGATCACCGGGGCTAGCAGTGGCATTGGCCTGGCCCTCTG CAAGCGGCTGCTGGCGGAAGATGATGAGCTTCATCTGTGTTTTGGCGTGCAGGAACATGAGCAA GGCAGAAGCTGTCTGTGCTGCTCTGCTGGCCTCTCACCCCACTGCTGAGGTCACCATTGTCCA GGTGGATGTCAGCAACCTGCAGTCGGTCTTCCGGGCCTCCAAGGAACTTAAGCAAAGGTTTCA GAGATTAGACTGTATATATCTAAATGCTGGGATCATGCCTAATCCACAACTAAATATCAAAGC ACTTTTCTTTGGCCTCTTTTCAAGAAAAGTGATTCATATGTTCTCCACAGCTGAAGGCCTGCT GACCCAGGGTGATAAGATCACTGCTGATGGACTTCAGGAGGTGTTTGAGACCAATGTCTTTGG CCATTTTATCCTGATTCGGGAACTGGAGCCTCTCCTCTGTCACAGTGACAATCCATCTCAGCT CATCTGGACATCATCTCGCAGTGCAAGGAAATCTAATTTCAGCCTCGAGGACTTCCAGCACAG CAAAGGCAAGGAACCCTACAGCTCTTCCAAATATGCCACTGACCTTTTGAGTGTGGCTTTGAA CAGGAACTTCAACCAGCAGGGTCTCTATTCCAATGTGGCCTGTCCAGGTACAGCATTGACCAA TTTGACATATGGAATTCTGCCTCCGTTTATATGGACGCTGTTGATGCCGGCAATATTGCTACT TCGCTTTTTTGCAAATGCATTCACTTTGACACCATATAATGGAACAGAAGCTCTGGTATGGCT TTTCCACCAAAAGCCTGAATCTCTCAATCCTCTGATCAAATATCTGAGTGCCACCACTGGCTT TGGAAGAATTATATTATGACCCAGAAGATGGACCTAGATGAAGACACTGCTGAAAAATTTTA TCAAAAGTTACTGGAACTGGAAAAGCACATTAGGGTCACTATTCAAAAAACAGATAATCAGGC CAGGCTCAGTGGCTCATGCCTATAATTCCAGCACTTTGGGAGGCCAAGGCAGAAGGATCACTT GAGACCAGGAGTTCAAGACCAGCCTGAGAAACATAGTGAGCCCTTGTCTCTACAAAAAGAAAT AAAAATAATAGCTGGGTGTGGTGGCATGCGCATGTAGTCCCAGCTACTCAGAAGGATGAGGTG GGAGGATCTCTTGAGGCTGGGAGGCAGAGGTTGCAGTGAGCTGAGATTGTGCCACTGCACTCC GAGCTGACAATGACACTCTGGAACATTGCATACCTTCTGTACATTCTGGGGTACATGGATTTC TACTGAGTTGGATAATATGCATTTGTAATAAACTATGAACTATGAA

256/550

FIGURE 256

MRKVVLITGASSGIGLALCKRLLAEDDELHLCLACRNMSKAEAVCAALLASHPTAEVTIVQVD VSNLQSVFRASKELKQRFQRLDCIYLNAGIMPNPQLNIKALFFGLFSRKVIHMFSTAEGLLTQ GDKITADGLQEVFETNVFGHFILIRELEPLLCHSDNPSQLIWTSSRSARKSNFSLEDFQHSKG KEPYSSSKYATDLLSVALNRNFNQQGLYSNVACPGTALTNLTYGILPPFIWTLLMPAILLLRF FANAFTLTPYNGTEALVWLFHQKPESLNPLIKYLSATTGFGRNYIMTQKMDLDEDTAEKFYQK LLELEKHIRVTIQKTDNQARLSGSCL

Important features:

Transmembrane domain:

amino acids 234-254

N-glycosylation sites:

amino acids 37-41,178-182,229-233,263-267

Glycosaminoglycan attachment site:

amino acids 12-16

N-myristoylation sites:

amino acids 9-15, 13-19, 15-21, 215-221, 224-230

257/550

FIGURE 257

CGGACGCGTGGGGCCGT**ATG**CGCGGCTCTGTGGAGTGCACCTGGGGTTGGGGGCACTGTGCCC CCAGCCCCTGCTCCTTTGGACTCTACTTCTGTTTGCAGCCCCATTTGGCCTGCTGGGGGAGA ATATACGGGCAGTGGGCACCAATTCCACACTGCACTATGTGTGGAGCAGCCTGGGGCCTCTGG CAGTGGTAATGGTGGCCACCACACCCCCCACAGCACCCTGAGCATCAACTGGAGCCTCCTGC TATCCCCTGAGCCCGATGGGGGCCTGATGGTGCTCCCTAAGGACAGCATTCAGTTTTCTTCTG CCCTTGTTTTTACCAGGCTGCTTGAGTTTGACAGCACCAACGTGTCCGATACGCAGCAAAGC CTTTGGGAAGACCATATCCTCCATACTCCTTGGCCGATTTCTCTTGGAACAACATCACTGATT CATTGGATCCTGCCACCTGAGTGCCACATTTCAAGGCCACCCCATGAACGACCCTACCAGGA CTTTTGCCAATGGCAGCCTGGCCTTCAGGGTCCAGGCCTTTTCCAGGTCCAGCCGACCAGCCC AACCCCTCGCCTCCTGCACACAGCAGACACCTGTCAGCTAGAGGTGGCCCTGATTGGAGCCT CTCCCGGGGAAACCGTTCCCTGTTTGGGCTGGAGGTAGCCACATTGGGCCAGGGCCCTGACT GCCCCTCAATGCAGGAGCACCCCATCGACGATGAATATGCACCGGCCGTCTTCCAGTTGG ACCAGCTACTGTGGGGCTCCCTCCCATCAGGCTTTGCACAGTGGCGACCAGTGGCTTACTCCC AGAAGCCGGGGGCCGAGAATCAGCCCTGCCCTGCCAAGCTTCCCCTCTTCATCCTGCCTTAG CATACTCTCTCCCCAGTCACCCATTGTCCGAGCCTTCTTTGGGTCCCAGAATAACTTCTGTG CCTTCAATCTGACGTTCGGGGCTTCCACAGGCCCTGGCTATTGGGACCAACACTACCTCAGCT GGTCGATGCTCCTGGGTGTGGGCTTCCCTCCAGTGGACGGCTTGTCCCCACTAGTCCTGGGCA TCATGGCAGTGGCCCTGGGTGCCCCAGGGCTCATGCTGCTAGGGGGGCGGCTTGGTTCTGCTGC TGCACCACAAGAAGTACTCAGAGTACCAGTCCATAAAT**TAA**GGCCCGCTCTCTGGAGGGAAGG ACATTACTGAACCTGTCTTGCTGTGCCTCGAAACTCTGGAGGTTGGAGCATCAAGTTCCAGCC GGCCCCTTCACTCCCCCATCTTGCTTTTCTGTGGAACCTCAGAGGCCAGCCTCGACTTCCTGG AGACCCCCAGGTGGGGCTTCCTTCATACTTTGTTGGGGGACTTTGGAGGCGGCAGGGGACAG GGCTATTGATAAGGTCCCCTTGGTGTTGCCTTCTTGCATCTCCACACATTTCCCTTGGATGGG ACTTGCAGGCCTAAATGAGAGGCATTCTGACTGGTTGGCTGCCCTGGAAGGCAAGAAAATAGA TTTATTTTTTTCACAGGGAAAAAAAAAAAA

258/550

FIGURE 258

MRGSVECTWGWGHCAPSPLLLWTLLLFAAPFGLLGEKTRQVSLEVIPNWLGPLQNLLHIRAVG
TNSTLHYVWSSLGPLAVVMVATNTPHSTLSINWSLLLSPEPDGGLMVLPKDSIQFSSALVFTR
LLEFDSTNVSDTAAKPLGRPYPPYSLADFSWNNITDSLDPATLSATFQGHPMNDPTRTFANGS
LAFRVQAFSRSSRPAQPPRLLHTADTCQLEVALIGASPRGNRSLFGLEVATLGQGPDCPSMQE
QHSIDDEYAPAVFQLDQLLWGSLPSGFAQWRPVAYSQKPGGRESALPCQASPLHPALAYSLPQ
SPIVRAFFGSQNNFCAFNLTFGASTGPGYWDQHYLSWSMLLGVGFPPVDGLSPLVLGIMAVAL
GAPGLMLLGGGLVLLLHHKKYSEYQSIN

Important features:

Signal peptide:

amino acids 1-35

Transmembrane domain:

amino acids 365-386

N-glycosylation sites:

amino acids 65-69, 95-99, 134-138, 159-163, 187-191, 230-234, 333-337

cAMP- and cGMP-dependent protein kinase phosphorylation site:

amino acids 397-401

N-myristoylation sites:

amino acids 3-9,63-69,235-241,273-279,292-298,324-330

Leucine zipper pattern:

amino acids 371-393

259/550

FIGURE 259

CAGGCGGGCCCCGCGGCAGGCCCTGGACCCGCGCGCTCCCGGGGATGGTGAGCAAGGCGCTGCTGCGCCT CGTGTCTGCCGTCAACCGCAGGAGGATGAAGCTGCTGCTGGGCATCGCCTTGCTGGCCTACGTCGCCTCTGTTTG GGGCAACTTCGTTAATATGAGGTCTATCCAGGAAAATGGTGAACTAAAAATTGAAAGCAAGATTGAAGAGATGGT TGAACCACTAAGAGAGAAAATCAGAGATTTAGAAAAAAGCTTTACCCAGAAATACCCACCAGTAAAGTTTTTATC AGAAAAGGATCGGAAAAGAATTTTGATAACAGGAGGCGCAGGGTTCGTGGGCTCCCATCTAACTGACAAACTCAT GATGGACGGCCACGAGGTGACCGTGGTGGACAATTTCTTCACGGGCAGGAAGAGAAACGTGGAGCACTGGATCGG ACATGAGAACTTCGAGTTGATTAACCACGACGTGGTGGAGCCCCTCTACATCGAGGTTGACCAGATATACCATCT GGCATCTCCAGCCTCCCAAACTACATGTATAATCCTATCAAGACATTAAAGACCAATACGATTGGGACATT AAACATGTTGGGGCTGGCAAAACGAGTCGGTGCCCGTCTGCTCCTGGCCTCCACATCGGAGGTGTATGGAGATCC TGAAGTCCACCTCAAAGTGAGGATTACTGGGGCCACGTGAATCCAATAGGACCTCGGGCCTGCTACGATGAAGG CAAACGTGTTGCAGAGACCATGTGCTATGCCTACATGAAGCAGGAAGGCGTGGAAGTGCGAGTGGCCAGAATCTT CAACACCTTTGGGCCACGCATGCACATGAACGATGGGCGAGTAGTCAGCAACTTCATCCTGCAGGCGCTCCAGGG GGAGCCACTCACGGTATACGGATCCGGGTCTCAGACAAGGGCGTTCCAGTACGTCAGCGATCTAGTGAATGGCCT CGTGGCTCTCATGAACAGCAACGTCAGCAGCCCGGTCAACCTGGGGAACCCAGAAGAACACACAATCCTAGAATT TGCTCAGTTAATTAAAAACCTTGTTGGTAGCGGAAGTGAAATTCAGTTTCTCTCCGAAGCCCAGGATGACCCACA GAAAAGAAACCAGACATCAAAAAAGCAAAGCTGATGCTGGGGTGGGAGCCCGTGGTCCCGCTGGAGGAAGGTTT AAACAAAGCAATTCACTACTTCCGTAAAGAACTCGAGTACCAGGCAAATAATCAGTACATCCCCAAACCAAAGCC TGCCAGAATAAAGAAAGGACGGACTCGCCACAGCTGAACTCCTCACTTTTAGGACACAAGACTACCATTGTACAC TGGAATTTCATTCTGAAGCTTGCTTTAATGAAATGGATGTGCCTAAAAGCTCCCCTCAAAAAACTGCAGATTTTG CCTTGCACTTTTTGAATCTCTTTTTTATGTAAAATAGCGTAGATGCATCTCTGCGTATTTTCAAGTTTTTTTAT CATTAAGCGGGACAAAAAATGCCGATTTTATTATAAAAGTGGGTACTTAATAAATGAGTCGTTATACTATGCAT AAAGAAAAATCCTAGCAGTATTGTCAGGTGGTGGTGCGCCGGCATTGATTTTAGGGCAGATAAAAGAATTCTGTG TGAGAGCTTTATGTTTCTCTTTTAATTCAGAGTTTTTCCAAGGTCTACTTTTGAGTTGCAAACTTGACTTTGAAA TATTCCTGTTGGTCATGATCAAGGATATTTGAAATCACTACTGTGTTTTGCTGCGTATCTGGGGCGGGGGCAGGT TGGGGGGCACAAAGTTAACATATTCTTGGTTAACCATGGTTAAATATGCTATTTTAATAAAATATTGAAACTCA

260/550

FIGURE 260

MVSKALLRLVSAVNRRRMKLLLGIALLAYVASVWGNFVNMRSIQENGELKIESKIEEMVEPLR EKIRDLEKSFTQKYPPVKFLSEKDRKRILITGGAGFVGSHLTDKLMMDGHEVTVVDNFFTGRK RNVEHWIGHENFELINHDVVEPLYIEVDQIYHLASPASPPNYMYNPIKTLKTNTIGTLNMLGL AKRVGARLLLASTSEVYGDPEVHPQSEDYWGHVNPIGPRACYDEGKRVAETMCYAYMKQEGVE VRVARIFNTFGPRMHMNDGRVVSNFILQALQGEPLTVYGSGSQTRAFQYVSDLVNGLVALMNS NVSSPVNLGNPEEHTILEFAQLIKNLVGSGSEIQFLSEAQDDPQKRKPDIKKAKLMLGWEPVV PLEEGLNKAIHYFRKELEYQANNQYIPKPKPARIKKGRTRHS

Important features:

Signal peptide:

amino acids 1-32

N-glycosylation site:

amino acids 316-320

Tyrosine kinase phosphorylation site:

amino acids 235-244

N-myristoylation sites:

amino acids 35-41,101-107,383-389

Amidation sites:

amino acids 123-127,233-237

261/550

FIGURE 261

262/550

FIGURE 262

MALKNKFSCLWILGLCLVATTSSKIPSITDPHFIDNCIEAHNEWRGKVNPPAADMKYMIWDKG LAKMAKAWANQCKFEHNDCLDKSYKCYAAFEYVGENIWLGGIKSFTPRHAITAWYNETQFYDF DSLSCSRVCGHYTQLVWANSFYVGCAVAMCPNLGGASTAIFVCNYGPAGNFANMPPYARGESC SLCSKEEKCVKNLCRTPQLIIPNQNPFLKPTGRAPQQTAFNPFSLGFLLLRIF

Important features:

Signal peptide:

amino acids 1-23

N-glycosylation site:

amino acids 119-123

N-myristoylation sites:

amino acids 103-109,150-156,160-166,161-167,175-181

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 1:

amino acids 136-156

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 2:

amino acids 166-178

263/550

FIGURE 263

CGCCTCCGACCCGCCGCGCGCGCATTGTGGGATCTGTCGGCTTGTCAGGTGGTGGAGGAAA AGGCGCTCCGTCATGGGGATCCAGACGAGCCCCGTCCTGCTGGCCTCCCTGGGGGTGGGGCTG GTCACTCTGCTCGGCCTGGCTGTGGGCTCCTACTTGGTTCGGAGGTCCCGCCGGCCTCAGGTC ACTCTCCTGGACCCCAATGAAAAGTACCTGCTACGACTGCTAGACAAGACGACTGTGAGCCAC AACACCAAGAGGTTCCGCTTTGCCCTGCCCACCGCCCACCACACTCTGGGGCTGCCTGTGGGC AAACATATCTACCTCTCCACCCGAATTGATGGCAGCCTGGTCATCAGGCCATACACTCCTGTC ACCAGTGATGAGGATCAAGGCTATGTGGATCTTGTCATCAAGGTCTACCTGAAGGGTGTGCAC CCCAAATTTCCTGAGGGAGGGAAGATGTCTCAGTACCTGGATAGCCTGAAGGTTGGGGATGTG GTGGAGTTTCGGGGGCCAAGCGGGTTGCTCACTTACACTGGAAAAGGGCATTTTAACATTCAG CCCAACAAGAATCTCCACCAGAACCCCGAGTGGCGAAGAAACTGGGAATGATTGCCGGCGGG ACAGGAATCACCCCAATGCTACAGCTGATCCGGGCCATCCTGAAAGTCCCTGAAGATCCAACC CAGTGCTTTCTGCTTTTTGCCAACCAGACAGAAAAGGATATCATCTTGCGGGAGGACTTAGAG GAACTGCAGGCCCGCTATCCCAATCGCTTTAAGCTCTGGTTCACTCTGGATCATCCCCCAAAA GATTGGGCCTACAGCAAGGGCTTTGTGACTGCCGACATGATCCGGGAACACCTGCCCGCTCCA GGGGATGATGTGCTGGTACTGCTTTGTGGGCCACCCCCAATGGTGCAGCTGGCCTGCCATCCC AACTTGGACAAACTGGGCTACTCACAAAAGATGCGATTCACCTAC**TGA**GCATCCTCCAGCTTC CCTGGTGCTGTTCGCTGCAGTTGTTCCCCATCAGTACTCAAGCACTATAAGCCTTAGATTCCT TTCCTCAGAGTTTCAGGTTTTTCAGTTACATCTAGAGCTGAAATCTGGATAGTACCTGCAGG AACAATATTCCTGTAGCCATGGAAGAGGGCAAGGCTCAGTCACTCCTTGGATGGCCTCCTAAA TCTCCCCGTGGCAACAGGTCCAGGAGAGGCCCATGGAGCAGTCTCTTCCATGGAGTAAGAAGG AAGGGAGCATGTACGCTTGGTCCAAGATTGGCTAGTTCCTTGATAGCATCTTACTCTCACCTT CTTTGTGTCTGTGATGAAAGGAACAGTCTGTGCAATGGGTTTTACTTAAACTTCACTGTTCAA CCTATGAGCAAATCTGTATGTGTGAGTATAAGTTGAGCATAGCATACTTCCAGAGGTGGTNTT ATGGAGATGGCAAGAAAGGAGGAAATGATTTCTTCAGATNTCAAAGGAGTCTGAAATATCATA TTTCTGTGTGTCTCTCTCAGCCCCTGCCCAGGCTAGAGGGAAACAGCTACTGATAATCGAA AACTGCTGTTTGTGGCANGAACCCCTGGCTGTGCAAATAAATGGGGCTGAGGCCCCTGTGTGA

264/550

FIGURE 264

MGIQTSPVLLASLGVGLVTLLGLAVGSYLVRRSRRPQVTLLDPNEKYLLRLLDKTTVSHNTKR FRFALPTAHHTLGLPVGKHIYLSTRIDGSLVIRPYTPVTSDEDQGYVDLVIKVYLKGVHPKFP EGGKMSQYLDSLKVGDVVEFRGPSGLLTYTGKGHFNIQPNKKSPPEPRVAKKLGMIAGGTGIT PMLQLIRAILKVPEDPTQCFLLFANQTEKDIILREDLEELQARYPNRFKLWFTLDHPPKDWAY SKGFVTADMIREHLPAPGDDVLVLLCGPPPMVQLACHPNLDKLGYSQKMRFTY

Important features:

Signal peptide:

amino acids 1-26

N-glycosylation site:

amino acids 214-218

N-myristoylation sites:

amino acids 22-28,76-82,128-134,180-186

265/550

FIGURE 265

CCCGTGCCAAGAGTGACGTAAGTACCGCCTATAGAGTCTATAGGCCCACTTGGCTTCGTTAGA ACGCGGCTACAATTAATACATAACCTTATGTATCATACACATACGATTTAGGTGACACTATAG AATAACATCCACTTTGCCTTTCTCTCCACAGGTGTCCACTCCCAGGTCCAACTGCACCTCGGT TCTATCGATAATCTCAGCACCAGCCACTCAGAGCAGGGCACGATGTTGGGGGGCCCGCCTCAGG CTCTGGGTCTGTGCCTTGTGCAGCGTCTGCAGCATGAGCGTCCTCAGAGCCTATCCCAATGCC TCCCCACTGCTCGGCTCCAGCTGGGGTGGCCTGATCCACCTGTACACAGCCACAGCCAGGAAC AGCTACCACCTGCAGATCCACAAGAATGGCCATGTGGATGGCGCACCCCATCAGACCATCTAC AGTGCCCTGATGATCAGATCAGAGGATGCTGGCTTTGTGGTGATTACAGGTGTGATGAGCAGA AGATACCTCTGCATGGATTTCAGAGGCAACATTTTTGGATCACACTATTTCGACCCGGAGAAC TGCAGGTTCCAACACCAGACGCTGGAAAACGGGTACGACGTCTACCACTCTCCTCAGTATCAC TCCCAGTTCCTGTCCCGGAGGAACGAGATCCCCCTAATTCACTTCAACACCCCCATACCACGG $\tt CGGCACACCCGGAGCGCGAGGACGACTCGGAGCGGGACCCCCTGAACGTGCTGAAGCCCCGG$ GCCCGGATGACCCCGGCCCCGGCCTCCTGTTCACAGGAGCTCCCGAGCGCCCGAGGACAACAGC ACGGGCCCGGAAGGCTGCCGCCCCTTCGCCAAGTTCATCTAGGGTCGCTGG

266/550

FIGURE 266

MLGARLRLWVCALCSVCSMSVLRAYPNASPLLGSSWGGLIHLYTATARNSYHLQIHKNGHVDG APHQTIYSALMIRSEDAGFVVITGVMSRRYLCMDFRGNIFGSHYFDPENCRFQHQTLENGYDV YHSPQYHFLVSLGRAKRAFLPGMNPPPYSQFLSRRNEIPLIHFNTPIPRRHTRSAEDDSERDP LNVLKPRARMTPAPASCSQELPSAEDNSPMASDPLGVVRGGRVNTHAGGTGPEGCRPFAKFI

Important features:

Signal peptide:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 175-179

N-myristoylation site.

amino acids 33-39, 100-106, 225-231, 229-235

HBGF/FGF family proteins

amino acids 73-124

267/550

FIGURE 267

AGCCAACCAGGGTCAGGCTGTGCTCACAGTTTCCTCTGGCGGCATGTAAAGGCTCCACAAAGGAGTTGGGAGTTC AAATGAGGCTGCTGCGGACGGCCTGAGGATGGACCCCAAGCCCTGGACCTGCCGAGCGTGGCACTGAGGCAGCGG CTGACGCTACTGTGAGGGAAAGAAGGTTGTGAGCAGCCCCGCAGGACCCCTGGCCAGCCCTGGCCCCAGCCTCTG CAGGAACCCCTCCAGAGGCCATGGACAGGCTGCCCCGCTGACGGCCAGGGTGAAGCATGTGAGGAGCCGCCCCGG AGCCAAGCAGGAGGGAAGAGGCTTTCATAGATTCTATTCACAAAGAATAACCACCATTTTGCAAGGACCATGAGG AAGTGCACCTACACCTTCATTGTGCCCCAGCAGCGGGTCACGGGTGCCATCTGCGTCAACTCCAAGGAGCCTGAG GTGCTTCTGGAGAACCGAGTGCATAAGCAGGAGCTAGAGCTGCTCAACAATGAGCTGCTCAAGCAGAAGCGGCAG ATCGAGACGCTGCAGCAGCTGGTGGAGGTGGACGCCGCATTGTGAGCGAGGTGAAGCTGCTGCGCAAGGAGAGC CGCAACATGAACTCGCGGGTCACGCAGCTCTACATGCAGCTCCTGCACGAGATCATCCGCAAGCGGGACAACGCG TTGGAGCTCTCCCAGCTGGAGAACAGGATCCTGAACCAGACAGCCGACATGCTGCAGCTGGCCAGCAAGTACAAG GACCTGGAGCACAAGTACCAGCACCTGGCCACACTGGCCCACAACCAATCAGAGATCATCGCGCAGCTTGAGGAG CCCACCTACAACCGCATCATCAACCAGATCTCTACCAACGAGATCCAGAGTGACCAGAACCTGAAGGTGCTGCCA CCCCCTCTGCCCACTATGCCCACTCTCACCAGCCTCCCATCTTCCACCGACAAGCCGTCGGGCCCATGGAGAGAC TGCCTGCAGGCCCTGGAGGATGGCCACGACACCAGCTCCATCTACCTGGTGAAGCCGGAGAACACCAACCGCCTC ATGCAGGTGTGGTGCGACCAGAGACACGACCCCGGGGGCTGGACCGTCATCCAGAGACGCCTGGATGGCTCTGTT AACATTTACTGGCTGACGAACCAAGGCAACTACAAACTCCTGGTGACCATGGAGGACTGGTCCGGCCGCAAAGTC TTTGCAGAATACGCCAGTTTCCGCCTGGAACCTGAGAGCGAGTATTATAAGCTGCGGCTGGGGCGCTACCATGGC AATGCGGGTGACTCCTTTACATGGCACAACGGCAAGCAGTTCACCACCCTGGACAGAGATCATGATGTCTACACA GGAAACTGTGCCCACTACCAGAAGGGAGGCTGGTGGTATAACGCCTGTGCCCACTCCAACCTCAACGGGGTCTGG TACCGCGGGGCCCATTACCGGAGCCGCTACCAGGACGGAGTCTACTGGGCTGAGTTCCGAGGAGGCTCTTACTCA $\tt CTCAAGAAAGTGGTGATGATCCGACCGAACCCCAACACCTTCCAC\underline{TAA}GCCAGCTCCCCCTCCTGACCTCTC$ GTGGCCATTGCCAGGAGCCCACCCTGGTCACGCTGGCCACAGCACAAAGAACAACTCCTCACCAGTTCATCCTGA GGCTGGGAGGACCGGGATGCTGGATTCTGTTTTCCGAAGTCACTGCAGCGGATGATGGAACTGAATCGATACGGT GTTTTCTGTCCCTCCTACTTTCCTTCACACCAGACAGCCCCTCATGTCTCCAGGACAGGACAGGACTACAGACAA

268/550

FIGURE 268

MRPLCVTCWWLGLLAAMGAVAGQEDGFEGTEEGSPREFIYLNRYKRAGESQDKCTYTFIVPQQ
RVTGAICVNSKEPEVLLENRVHKQELELLNNELLKQKRQIETLQQLVEVDGGIVSEVKLLRKE
SRNMNSRVTQLYMQLLHEIIRKRDNALELSQLENRILNQTADMLQLASKYKDLEHKYQHLATL
AHNQSEIIAQLEEHCQRVPSARPVPQPPPAAPPRVYQPPTYNRIINQISTNEIQSDQNLKVLP
PPLPTMPTLTSLPSSTDKPSGPWRDCLQALEDGHDTSSIYLVKPENTNRLMQVWCDQRHDPGG
WTVIQRRLDGSVNFFRNWETYKQGFGNIDGEYWLGLENIYWLTNQGNYKLLVTMEDWSGRKVF
AEYASFRLEPESEYYKLRLGRYHGNAGDSFTWHNGKQFTTLDRDHDVYTGNCAHYQKGGWWYN
ACAHSNLNGVWYRGGHYRSRYODGVYWAEFRGGSYSLKKVVMMIRPNPNTFH

Important features:

Signal peptide:

amino acids 1-22

N-glycosylation sites:

amino acids 164-168,192-196

cAMP- and cGMP-dependent protein kinase phosphorylation site: amino acids 124-128

Tyrosine kinase phosphorylation sites:

amino acids 177-184,385-393,385-394,461-468

N-myristoylation sites:

amino acids 12-18,18-24,22-28,29-35,114-120,341-347,465-471,473-479

Amidation site:

amino acids 373-377

Fibrinogen beta and gamma chains C-terminal domain signature: amino acids 438-451

Fibrinogen beta and gamma chains C-terminal domain proteins: amino acids 305-343, 365-402, 411-424, 428-458

Trehalase proteins:

amino acids 275-292

269/550

FIGURE 269

 ${\tt GCCGAGCTGAGCGGATCCTCAC} \underline{{\tt ATG}} {\tt ACTGTGATCCGATTCTTTCCAGCGGCTTCTGCAACCAA}$ GCGGGTCTTACCCCGGGTCCTCCGCGTCTCCAGTCCTCGCACCTGGAACCCCAACGTCCCCGA GAGTCCCCGAATCCCCGCTCCCAGGCTACCTAAGAGGATGAGCGGTGCTCCGACGGCCGGGGC AGCCCTGATGCTCTGCGCCGCCACCGCCGTGCTACTGAGCGCTCAGGGCGGACCCGTGCAGTC CAAGTCGCCGCGCTTTGCGTCCTGGGACGAGATGAATGTCCTGGCGCACGGACTCCTGCAGCT CGGCCAGGGGCTGCGCGAACACGCGGAGCGCACCCGCAGTCAGCTGAGCGCGCTGGAGCGGCG CCTGAGCGCGTGCGGGTCCGCCTGTCAGGGAACCGAGGGGTCCACCGACCTCCCGTTAGCCCC TGAGAGCCGGGTGGACCCTGAGGTCCTTCACAGCCTGCAGACACACTCAAGGCTCAGAACAG CAGGATCCAGCAACTCTTCCACAAGGTGGCCCAGCAGCAGCAGCACCTGGAGAAGCAGCACCT GCGAATTCAGCATCTGCAAAGCCAGTTTGGCCTCCTGGACCACAAGCACCTAGACCATGAGGT TGTCAGCCGCCTGCACCGGCTGCCCAGGGATTGCCAGGAGCTGTTCCAGGTTGGGGAGAGGCA GAGTGGACTATTTGAAATCCAGCCTCAGGGGTCTCCGCCATTTTTGGTGAACTGCAAGATGAC ${\tt CTCAGATGGAGGCTGGACAGTAATTCAGAGGCGCCACGATGGCTCAGTGGACTTCAACCGGCC}$ GGTGCATAGCATCACGGGGGACCGCAACAGCCGCCTGGCCGTGCAGCTGCGGGACTGGGATGG CAACGCCGAGTTGCTGCAGTTCTCCGTGCACCTGGGTGGCGAGGACACGGCCTATAGCCTGCA ACCCTTCTCCACTTGGGACCAGGATCACGACCTCCGCAGGGACAAGAACTGCGCCAAGAGCCT CTCTGGAGGCTGGTGGTTTGGCACCTGCAGCCATTCCAACCTCAACGGCCAGTACTTCCGCTC CATCCCACAGCAGCGCAGAAGCTTAAGAAGGGAATCTTCTGGAAGACCTGGCGGGGCCGCTA $\tt CTACCCGCTGCAGGCCACCACCATGTTGATCCAGCCCATGGCAGCAGAGGCAGCCTCC{\color{red}{\textbf{TAG}}\textbf{CG}}$ TCCTGGCTGGGCCTGGTCCCAGGCCCACGAAAGACGGTGACTCTTGGCTCTGCCCGAGGATGT GGCCGTTCCCTGCCTGGGCAGGGGCTCCAAGGAGGGGCCCATCTGGAAACTTGTGGACAGAGAA GAAGACCACGACTGGAGAGCCCCCTTTCTGAGTGCAGGGGGGGCTGCATGCGTTGCCTCCTGA GATCGAGGCTGCAGGATATGCTCAGACTCTAGAGGCGTGGACCAAGGGGCATGGAGCTTCACT TGGCGGACTCAGTCACATTGACTGACGGGGACCAGGGCTTGTGTGGGGTCGAGAGCGCCCTCAT GGTGCTGGTGCTGTGTGTGTGGGGCCCCTGGGGACACAAGCAGGCGCCAATGGTATCTGGGC GGAGCTCACAGAGTTCTTGGAATAAAAGCAACCTCAGAACAC

270/550

FIGURE 270

MTVIRFFPAASATKRVLPPVLRVSSPRTWNPNVPESPRIPAPRLPKRMSGAPTAGAALMLCAA TAVLLSAQGGPVQSKSPRFASWDEMNVLAHGLLQLGQGLREHAERTRSQLSALERRLSACGSA CQGTEGSTDLPLAPESRVDPEVLHSLQTQLKAQNSRIQQLFHKVAQQQRHLEKQHLRIQHLQS QFGLLDHKHLDHEVAKPARRKRLPEMAQPVDPAHNVSRLHRLPRDCQELFQVGERQSGLFEIQ PQGSPPFLVNCKMTSDGGWTVIQRRHDGSVDFNRPWEAYKAGFGDPHGEFWLGLEKVHSITGD RNSRLAVQLRDWDGNAELLQFSVHLGGEDTAYSLQLTAPVAGQLGATTVPPSGLSVPFSTWDQ DHDLRRDKNCAKSLSGGWWFGTCSHSNLNGQYFRSIPQQRQKLKKGIFWKTWRGRYYPLQATT MLIQPMAAEAAS

Important features:

Signal peptide:

Amino acids 1-13

Transmembrane domain:

Amino acids 53-70

N-glycosylation site:

Amino acids 224-228

cAMP- and cGMP-dependent protein kinase phosphorylation sites: Amino acids 46-50;118-122

N-myristoylation sites:

Amino acids 50-56;129-135;341-347;357-363

Fibrinogen beta and gamma chains C-terminal domain signature: Amino acids 396-409

271/550

FIGURE 271

CGGACGCGTGGGGGAAACCCTTCCGAGAAAACAGCAACAAGCTGAGCTGCTGTGACAGAGGGG AACAAGATGGCGGCGCCGAAGGGGAGCCTCTGGGTGAGGACCCAACTGGGGCTCCCGCCGCTG CTGCTGCTGACCATGGCCTTGGCCGGAGGTTCGGGGACCGCTTCGGCTGAAGCATTTGACTCG GTCTTGGGTGATACGGCGTCTTGCCACCGGGCCTGTCAGTTGACCTACCCCTTGCACACCTAC CCTAAGGAAGAGGAGTTGTACGCATGTCAGAGAGGTTGCAGGCTGTTTTCAATTTGTCAGTTT GTGGATGATGGAATTGACTTAAATCGAACTAAATTGGAATGTGAATCTGCATGTACAGAAGCA TATTCCCAATCTGATGAGCAATATGCTTGCCATCTTGGTTGCCAGAATCAGCTGCCATTCGCT GAACTGAGACAAGAACAACTTATGTCCCTGATGCCAAAAATGCACCTACTCTTTCCTCTAACT CTGGTGAGGTCATTCTGGAGTGACATGATGGACTCCGCACAGAGCTTCATAACCTCTTCATGG ACTTTTTATCTTCAAGCCGATGACGGAAAAATAGTTATATTCCAGTCTAAGCCAGAAATCCAG TACGCACCACATTTGGAGCAGGAGCCTACAAATTTGAGAGAATCATCTCTAAGCAAAATGTCC TATCTGCAAATGAGAAATTCACAAGCGCACAGGAATTTTCTTGAAGATGGAGAAAGTGATGGC TTTTTAAGATGCCTCTCTTTAACTCTGGGTGGATTTTAACTACAACTCTTGTCCTCTGGTG ATGGTATTGCTTTGGATTTGTTGTGCAACTGTTGCTACAGCTGTGGAGCAGTATGTTCCCTCT GCTTCTTCTCTTGTGGTTGTTAGATCTAAAACTGAAGATCATGAAGAAGCAGGGCCTCTACCT ACAAAAGTGAATCTTGCTCATTCTGAAATT**TAA**GCATTTTTCTTTTAAAAGACAAGTGTAATA GACATCTAAAATTCCACTCCTCATAGAGCTTTTAAAATGGTTTCATTGGATATAGGCCTTAAG AAATCACTATAAAATGCAAATAAAGTTACTCAAATCTGTG

272/550

FIGURE 272

MAAPKGSLWVRTQLGLPPLLLLTMALAGGSGTASAEAFDSVLGDTASCHRACQLTYPLHTYPK
EEELYACQRGCRLFSICQFVDDGIDLNRTKLECESACTEAYSQSDEQYACHLGCQNQLPFAEL
RQEQLMSLMPKMHLLFPLTLVRSFWSDMMDSAQSFITSSWTFYLQADDGKIVIFQSKPEIQYA
PHLEQEPTNLRESSLSKMSYLQMRNSQAHRNFLEDGESDGFLRCLSLNSGWILTTTLVLSVMV
LLWICCATVATAVEQYVPSEKLSIYGDLEFMNEQKLNRYPASSLVVVRSKTEDHEEAGPLPTK
VNLAHSEI

Important features:

Signal peptide:

amino acids 1-31

Transmembrane domain:

amino acids 241-260

N-glycosylation site:

amino acids 90-94

N-myristoylation sites:

amino acids 28-34,29-35,31-37,86-92

273/550

FIGURE 273

CTTACAGCTGCTGATTCTCTGCTGTCAAACTCAGTACGTGAGGGACCAGGGCGCCATGACCGA CCAGCTGAGCAGGCGGCAGATCCGCGAGTACCAACTCTACAGCAGGACCAGTGGCAAGCACGT GCAGGTCACCGGGGGTCGCATCTCCGCCACCGCCGAGGACGGCAACAAGTTTGCCAAGCTCAT AGTGGAGACGGACACGTTTGGCAGCCGGGTTCGCATCAAAGGGGCTGAGAGTGAGAAGTACAT CTGTATGAACAAGAGGGGCAAGCTCATCGGGAAGCCCAGCGGGAAGAGCCAAAGACTGCGTGTT CACGGAGATCGTGCTGGAGAACAACTATACGGCCTTCCAGAACGCCCGGCACGAGGGCTGGTT CATGGCCTTCACGCGGCAGGGGCGCCCCGCCAGGCTTCCCGCAGCCGCCAGAACCAGCGCGA GGCCCACTTCATCAAGCGCCTCTACCAAGGCCAGCTGCCCTTCCCCAACCACGCCGAGAAGCA GAAGCAGTTCGAGTTTGTGGGCTCCGCCCCCACCCGCGGACCAAGCGCACACGGCGGCCCCA GCCCTCACGTAGTCTGGGAGGCAGGGGGCAGCCCCTGGGCCGCCTCCCCACCCCTTTCC TGAGGGCCGCGAGCATCCGAGCCCCAGCTGGGAAGGGGCAGGCCGGTGCCCCAGGGGCGGC TGGCACAGTGCCCCTTCCCGGACGGGTGGCAGGCCCTGGAGAGGAACTGAGTGTCACCCTGA TCTCAGGCCACCAGCCTCTGCCGGCCTCCCAGCCGGGCTCCTGAAGCCCGCTGAAAGGTCAGC GACTGAAGGCCTTGCAGACAACCGTCTGGAGGTGGCTGTCCTCAAAATCTGCTTCTCGGATCT CCCTCAGTCTGCCCCCAGCCCCCAAACTCCTCCTGGCTAGACTGTAGGAAGGGACTTTTGTTT GTTTGTTTGTTTCAGGAAAAAGAAAGGGAGAGAGAGAGAAAATAGAGGGTTGTCCACTCCTCA CATTCCACGACCCAGGCCTGCACCCCCACCCCCAACTCCCAGCCCCGGAATAAAACCATTTTCC TGC

274/550

FIGURE 274

MGAARLLPNLTLCLQLLILCCQTQYVRDQGAMTDQLSRRQIREYQLYSRTSGKHVQVTGRRIS ATAEDGNKFAKLIVETDTFGSRVRIKGAESEKYICMNKRGKLIGKPSGKSKDCVFTEIVLENN YTAFQNARHEGWFMAFTRQGRPRQASRSRQNQREAHFIKRLYQGQLPFPNHAEKQKQFEFVGS APTRRTKRTRRPQPLT

Important features:

Signal peptide:

Amino acids 1-22

N-glycosylation site.

amino acids 9-13, 126-130

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 60-64

Casein kinase II phosphorylation site.

amino acids 65-69

Tyrosine kinase phosphorylation site.

amino acids 39-48, 89-97

N-myristoylation site.

amino acids 69-75, 188-194

Amidation site.

amino acids 58-62

HBGF/FGF family signature.

amino acids 103-128

275/550

FIGURE 275

TATTTACCATATCAGATTCACATTCAGTCCTCAGCAAAATGAAGGGCTCCATTTTCACTCTGT
TTTTATTCTCTGTCCTATTTGCCATCTCAGAAGTGCGGAGCAAGGAGTCTGTGAGACTCTGTG
GGCTAGAATACATACGGACAGTCATCTATATCTGTGCTAGCTCCAGGTGGAGAAGGCATCTGG
AGGGGATCCCTCAAGCTCAGCAAGCTGAGACAGGAAACTCCTTCCAGCTCCCACATAAACGTG
AGTTTTCTGAGGAAAATCCAGCGCAAAACCTTCCGAAGGTGGATGCCTCAGGGGAAGACCGTC
TTTGGGGTGGACAGATGCCCACTGAAGAGCTTTGGAAGTCAAAGAAGCATTCAGTGATGTCAA
GACAAGATTTACAAACTTTGTGTTGCACTGATGGCTGTTCCATGACTGATTTGAGTGCTCTTT
GCTAAGACAAGAGACACAAATACCCAATGGGTGGCAGAGCTTTATCACATGTTTAATTACAGTGTT
TTACTGCCTGGTAGAACACTAATATTGTGTTATTAAAATGATGGCTTTTTGGGTAGGCAAAACCT
TCTTTTCTAAAAAGGTATAGCTGAGCGGTTGAAACCACAGTGATCTCTATTTTCTCCCTTTTGCC
AAGGTTAATGAACTGTTCTTTTCAAATTCTACTAATGCTTTGAAATTTCAAATGCTGCGCAAA
ATTGCAATAAAAATGCTATAAA

276/550

FIGURE 276

MKGSIFTLFLFSVLFAISEVRSKESVRLCGLEYIRTVIYICASSRWRRHLEGIPQAQQAETGN SFQLPHKREFSEENPAQNLPKVDASGEDRLWGGQMPTEELWKSKKHSVMSRQDLQTLCCTDGC SMTDLSALC

Important features:

Signal sequence:

amino acids 1-18

cAMP- and cGMP-dependent protein kinase phosphorylation site:

amino acids 107-111

N-myristoylation sites:

amino acids 3-9,52-58,96-102,125-131

Insulin family signature:

amino acids 121-136

Insulin family proteins:

amino acids 28-46

277/550

FIGURE 277

GCAGCTGGTTACTGCATTTCTCCATGTGGCAGACAGAGCCAAAGCCACAACGCTTTCTCTGCTGGATTAAAGACGG CCCACAGACCAGAACTTCCACTATACTACTTAAAATTACATAGGTGGCTTGTCAAATTCAATTGATTAGTATTGT AAAAGGAAAAAGAAGTTCCTTCTTACAGCTTGGATTCAACGGTCCAAAACAAAAATGCAGCTGCCATTAAAGTCT CAGATGAACAAACTTCTACACTGATTTTTAAAATCAAGAATAAGGGCAGCAAGTTTCTGGATTCACTGAATCAAC AGACACAAAAAGCTGGCAATATAGCAACTATGAAGAGAAAAGCTACTAATAAAATTAACCCAACGCATAGAAGAC **GAAGACTTTTACCTGGACCCTAGGTGTGCTATTCTTCCTACTAGTGGACACTGGACATTGCAGAGGTGGACAATT** CAAAATTAAAAAAATAAACCAGAGAAGATACCCTCGTGCCACAGATGGTAAAGAGGAAGCAAAGAAATGTGCATA CACATTCCTGGTACCTGAACAAGAATAACAGGGCCAATCTGTGTCAACACCAAGGGGCCAAGATGCAAGTACCAT TCTGCAACTGGTGGTGGATGTAGATGGAAACATTGTGAATGAGGTAAAGCTGCTGAGAAAGGAAAGCCGTAACAT GAACTCTCGTGTTACTCAACTCTATATGCAATTATTACATGAGATTATCCGTAAGAGGGATAATTCACTTGAACT TTCCCAACTGGAAAACAAAATCCTCAATGTCACCACAGAAATGTTGAAGATGGCAACAAGATACAGGGAACTAGA GGTGAAATACGCTTCCTTGACTGATCTTGTCAATAACCAATCTGTGATGATCACTTTGTTGGAAGAACAGTGCTT GAGGATATTTCCCGACAAGACACCCATGTGTCTCCCCCACTTGTCCAGGTGGTGCCACAACATATTCCTAACAG CCAACAGTATACTCCTGGTCTGCTGGGAGGTAACGAGATTCAGAGGGATCCAGGTTATCCCAGAGATTTAATGCC ACCACCTGATCTGGCAACTTCTCCCACCAAAAGCCCTTTCAAGATACCACCGGTAACTTTCATCAATGAAGGACC ATTCAAAGACTGTCAGCAAGCAAAAGAAGCTGGGCATTCGGTCAGTGGGATTTATATGATTAAACCTGAAAACAG CAATGGACCAATGCAGTTATGGTGTGAAAACAGTTTGGACCCTGGGGGTTGGACTGTTATTCAGAAAAGAACAGA CGGCTCTGTCAACTTCTTCAGAAATTGGGAAAATTATAAGAAAGGGTTTGGAAACATTGACGGAGAATACTGGCT TAAAAAAGTCTATGCAGAATACAGCAGCTTTCGTCTGGAACCTGAAAGTGAATTCTATAGACTGCGCCTGGGAAC TTACCAGGGAAATGCAGGGGATTCTATGATGTGGCATAATGGTAAACAATTCACCACACTGGACAGAGATAAAGA TATGTATGCAGGAAACTGCGCCCACTTTCATAAAGGAGGCTGGTGGTACAATGCCTGTGCACATTCTAACCTAAA TGGAGTATGGTACAGAGGAGGCCATTACAGAAGCAAGCACCAAGATGGAATTTTCTGGGCCGAATACAGAGGCGG GTCATACTCCTTAAGAGCAGTTCAGATGATGATCAAGCCTATTGAC<u>TGA</u>AGAGAGACACTCGCCAATTTAAATGA ACAGAAAGTTTTTAAAATGAATTTTACCGTAACTATAAAAGGGAACCTATAAATGTAGTTTCATCTGTCGTCAAT CTTAACAATTTATTTAAAATCTAAGATTGCTCTAACGTCTAGTGAAAAAAATATTTTTTAAATTTCAGCCAAATA ATGCATTTTATTATAAAAATACAGACAGAAAATTAGGGAGAAACTTCTAGTTTTGCCAATAGAAAATGTTCTT CCATTGAATAAAAGTTATTTCAAATTGAATTTGTGCCTTTCACACGTAATGATTAAATCTGAATTCTTAATAATA CATATGATATGCTGAACACCAAAATCTCCAGAAATGCATTTTATGTAGTTCTAAAATCAGCAAAATATTTGGTATT GAATTCAACAGCTCCAGAGCAGAAGCCACAGGGGCATAGCTTAGTCCAAACTGCTAATTTCATTTTACAGTGTAT GTAACGCTTAGTCTCACAGTGTCTTTAACTCATCTTTGCAATCAACAACTTTACTAGTGACTTTCTGGAACAATT TCCTTTCAGGAATACATATTCACTGCTTAGAGGTGACCTTGCCTTAATATATTTTGTGAAGTTAAAATTTTAAAGA TAGCTCATGAAACTTTTGCTTAAGCAAAAAGAAAACCTCGAATTGAAATGTGTGAGGCAAACTATGCATGGGAAT AGCTTAATGTGAAGATAATCATTTGGACAACTCAAATCCATCAACATGACCAATGTTTTTCATCTGCCACATCTC

278/550

FIGURE 278

MKTFTWTLGVLFFLLVDTGHCRGGQFKIKKINQRRYPRATDGKEEAKKCAYTFLVPEQRITGP
ICVNTKGQDASTIKDMITRMDLENLKDVLSRQKREIDVLQLVVDVDGNIVNEVKLLRKESRNM
NSRVTQLYMQLLHEIIRKRDNSLELSQLENKILNVTTEMLKMATRYRELEVKYASLTDLVNNQ
SVMITLLEEQCLRIFSRQDTHVSPPLVQVVPQHIPNSQQYTPGLLGGNEIQRDPGYPRDLMPP
PDLATSPTKSPFKIPPVTFINEGPFKDCQQAKEAGHSVSGIYMIKPENSNGPMQLWCENSLDP
GGWTVIQKRTDGSVNFFRNWENYKKGFGNIDGEYWLGLENIYMLSNQDNYKLLIELEDWSDKK
VYAEYSSFRLEPESEFYRLRLGTYQGNAGDSMMWHNGKQFTTLDRDKDMYAGNCAHFHKGGWW
YNACAHSNLNGVWYRGGHYRSKHQDGIFWAEYRGGSYSLRAVQMMIKPID

Important features:

Signal sequence:

Amino acids 1-23

N-glycosylation sites:

Amino acids 160-164;188-192

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 120-124

Tyrosine kinase phosphorylation sites:

Amino acids 173-180;387-396

N-myristoylation sites:

Amino acids 70-76;110-116;232-238,343-349;400-406;467-473; 475-487

Fibrinogen beta and gamma chains C-terminal domain signature:

Amino acids 440-453



279/550

FIGURE 279

CCCACGCGTCCGCGCAGTCGCGCAGTTCTGCCTCCGCCTGCCAGTCTCGCCCGCGATCCCGGC CCGGGGCTGTGGCGTCGACTCCGACCCAGGCAGCCAGCCGCGGGGGGGCCGGACCGCCG CCGGAGGAGCTCGGACGCATGCTGAGCCCCCTCCTTTGCTGAAGCCCGAGTGCGGAGAAGCC CGGGCAAACGCAGGCTAAGGAGACCAAAGCGGCGAAGTCGCGAGACAGCGGACAAGCAGCGGA TGGCCATGCGGGGGGCTATCGCCAGCTCGCTCATCCGTCAGAAGAGGCCAAGCCCGCGAGCGCG AGAAATCCAACGCCTGCAAGTGTGTCAGCAGCCCCAGCAAAGGCCAAGACCAGCTGCGACAAAA ACAAGTTAAATGTCTTTTCCCGGGTCAAACTCTTCGGCTCCAAGAAGAGGCGCAGAAGAAGAC CAGAGCCTCAGCTTAAGGGTATAGTTACCAAGCTATACAGCCGACAAGGCTACCACTTGCAGC TGCAGGCGGATGGAACCATTGATGGCACCAAAGATGAGGACAGCACTTACACTCTGTTTAACC TCATCCCTGTGGGTCTGCGAGTGGTGGCTATCCAAGGAGTTCAAACCAAGCTGTACTTGGCAA TGAACAGTGAGGGATACTTGTACACCTCGGAACTTTTCACACCTGAGTGCAAATTCAAAGAAT CAGTGTTTGAAAATTATTATGTGACATATTCATCAATGATATACCGTCAGCAGCAGTCAGGCC GAGGGTGGTATCTGGGTCTGAACAAAGAAGGAGAGATCATGAAAGGCAACCATGTGAAGAAGA ACAAGCCTGCAGCTCATTTTCTGCCTAAACCACTGAAAGTGGCCATGTACAAGGAGCCATCAC CTGGCGTGCTGAACGGAGGCAAATCCATGAGCCACAATGAATCAACG**TAG**CCAGTGAGGGCAA AAGAAGGCTCTGTAACAGAACCTTACCTCCAGGTGCTGTTGAATTCTTCTAGCAGTCCTTCA TGCCATTAGACCTTCTTATCATCCATACTAAAGC

280/550

FIGURE 280

MAAAIASSLIRQKRQAREREKSNACKCVSSPSKGKTSCDKNKLNVFSRVKLFGSKKRRRRRPE PQLKGIVTKLYSRQGYHLQLQADGTIDGTKDEDSTYTLFNLIPVGLRVVAIQGVQTKLYLAMN SEGYLYTSELFTPECKFKESVFENYYVTYSSMIYRQQQSGRGWYLGLNKEGEIMKGNHVKKNK PAAHFLPKPLKVAMYKEPSLHDLTEFSRSGSGTPTKSRSVSGVLNGGKSMSHNEST

Important Features:

N-glycosylation site:

Amino acids 242-246

Glycosaminoglycan attachment sites:

Amino acids 165-169, 218-222

Tyrosine kinase phosphorylation site:

Amino acids 93-100

N-myristoylation sites:

Amino acids 87-93, 231-237

ATP/GTP-binding site motif A (P-loop):

Amino acids 231-239

HBGF/FGF family proteins:

Amino acids 78-94, 102-153

281/550

FIGURE 281

CCAGGATGGAGCTGGGGCCTGTATAGCCATATTATTGTTCTATGCTACTAGACATGGGGGGGA CTTGGTGAAAAAGGTATTATCCAGCCAGAGGGTCTGGGAGCCCTGTCTTACTGAACCTGGGCA ACCTGGATATTCTGAGACATATTTTGGGGGGGATTCCAGTGAAAAAAGTGGGGGATCCCCTCCA AGTAGGGGTGGGATGAGCGAATATTCCCAAAGCTAAAGTCCCACACCCTGTAGATTACAAGAG TGGATTTGGCAGGAGTGTGCCCCAAAATACAGTGGAAAGGTGCCTGAAGATATTTAAACCACG TCTTGGAAATTTAGTGGGTCTTGGCTTTGGGATAGGTGAAGTGAGGACACACTGGAGAGGA GGGAAAGGGGACGTTTTCAATAGGAGGCAAAACTCGAGGGTGGGATCCACTGAGGAGTACATA GGCTGCTGGATCTGGTGGAGCCAGCACTGGGCCCACGGGTGGTAACTGGCTGCTGTGGAGGGG CCTGAGCGTCAAGAGCATGCCCTAGTGAGCGGGCTCCTCTGGGGGAGCCCAGCGCGCTCCGGG CGCCTGCCGGTTTGGGGGTGTCTCCTCCCGGGGCGCTATGGCGCGCTGGCCAGTAGCCTGAT GTGTCCCCGCGGCACCAAGTCCCTTTGCCAGAAGCAGCTCCTCATCCTGCTGTCCAAGGTGCG ACTGTGCGGGGGCCGCCCGCGCCGGCCGGACCGCGCCCGGAGCCTCAAAGGCATCGT CACCAAACTGTTCTGCCGCCAGGGTTTCTACCTCCAGGCGAATCCCGACGGAAGCATCCAGGG CACCCAGAGGATACCAGCTCCTTCACCCACTTCAACCTGATCCCTGTGGGCCTCCGTGTGGT CACCATCCAGAGCGCCAAGCTGGGTCACTACATGGCCATGAATGCTGAGGGACTGCTCTACAG TTCGCCGCATTTCACAGCTGAGTGTCGCTTTAAGGAGTGTGTCTTTGAGAATTACTACGTCCT GTACGCCTCTGCTCTCTACCGCCAGCGTCGTTCTGGCCGGGCCTGGTACCTCGGCCTGGACAA GGAGGGCCAGGTCATGAAGGGAAACCGAGTTAAGAAGACCAAGGCAGCTGCCCACTTTCTGCC CAAGCTCCTGGAGGTGGCCATGTACCAGGAGCCTTCTCTCCACAGTGTCCCCGAGGCCTCCCC TTCCAGTCCCCTGCCCCCTGAAATGTAGTCCCTGGACTGGAGGTTCCCTGCACTCCCAGTGA GCCAGCCACCACAACCTGT

282/550

FIGURE 282

MAALASSLIRQKREVREPGGSRPVSAQRRVCPRGTKSLCQKQLLILLSKVRLCGGRPARPDRG PEPQLKGIVTKLFCRQGFYLQANPDGSIQGTPEDTSSFTHFNLIPVGLRVVTIQSAKLGHYMA MNAEGLLYSSPHFTAECRFKECVFENYYVLYASALYRQRRSGRAWYLGLDKEGQVMKGNRVKK TKAAAHFLPKLLEVAMYQEPSLHSVPEASPSSPPAP

Important features:

Tyrosine kinase phosphorylation site:

Amino acids 199-207

N-myristoylation sites:

Amino acids 54-60; 89-95; 131-137

HBGF/FGF family signature:

Amino acids 131-155

283/550

FIGURE 283

ATGCCCGCGCCATCGCTAGCGGCTTGATCCGCCAGAAGCGCAGGCGCGGGAGCAGCACTGG
GACCGGCCGTCTGCCAGCAGGAGGCGGAGCAGCCCCAGCAAGAACCGCGGGCTCTGCAACGGC
AACCTGGTGGATATCTTCTCCAAAGTGCGCATCTTCGGCCTCAAGAAGCGCAGGTTGCGGCGC
CAAGATCCCCAGCTCAAGGGTATAGTGACCAGGTTATATTGCAGGCAAGGCTACTACTTGCAA
ATGCACCCCGATGGAGCTCTCGATGGAACCAAGGATGACAGCACTAATTCTACACTCTTCAAC
CTCATACCAGTGGGACTACGTGTTGTTGCCATCCAGGGAGTGAAAACAGGGTTGTATATAGCC
ATGAATGGAGAAGGTTACCTCTACCCATCAGAACTTTTTACCCCTGAATGCAAGTTTAAAGAA
TCTGTTTTTGAAAATTATTATGTAATCTACTCATCCATGTTGTACAGACAACAGGAATCTGGT
AGAGCCTGGTTTTTGGGATTAAATAAGGAAGGGCAAGCTATGAAAGGGAACAGAGTAAAGAAA
ACCAAACCAGCAGCTCATTTTCTACCCAAGCCATTGGAAGTTGCCATGTACCGAGAACCATCT
TTGCATGATGTTGGGGAAACCGTCCCGAAGCCTGGGGTGACGCCAAGTAAAAGCACAAGTGCG
TCTGCAATAATGAATGGAGGCAAACCAGTCAACAAGAGTAAGACACATAG

FIGURE 284

MAAAIASGLIRQKRQAREQHWDRPSASRRRSSPSKNRGLCNGNLVDIFSKVRIFGLKKRRLRR QDPQLKGIVTRLYCRQGYYLQMHPDGALDGTKDDSTNSTLFNLIPVGLRVVAIQGVKTGLYIA MNGEGYLYPSELFTPECKFKESVFENYYVIYSSMLYRQQESGRAWFLGLNKEGQAMKGNRVKK TKPAAHFLPKPLEVAMYREPSLHDVGETVPKPGVTPSKSTSASAIMNGGKPVNKSKTT

Important features:

N-glycosylation sites:

Amino acids 100-104, 242-246

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 28-32, 29-33

Tyrosine kinase phosphorylation site:

Amino acids 199-207

N-myristoylation sites:

Amino acids 38-44, 89-95, 118-124, 122-128, 222-228

HBGF/FGF family proteins:

Amino acids 104-155, 171-198



FIGURE 285

TCCTTTTCAAAAACTGGAGACACAGAAGAGGGCTCTAGGAAAAAGTTTTGGATGGGATTATGTGGAAACTACCCT GCGATTCTCTGCTGCCAGAGCAGGCTCGGCGCTTCCACCCCAGTGCAGCCTTCCCCTGGCGGTGGAAAGAGAC ${\tt TCGGGAGTCGCTGCTTCCAAAGTGCCCGCGTGAGTGAGCTCTCACCCCAGTCAGCCAA} \underline{{\tt ATG}} {\tt AGCCTCTTCGGGC}$ TTCTCCTGCTGACATCTGCCCTGGCCGGCCAGAGACAGGGGGACTCAGGCGGAATCCAACCTGAGTAGATATCC AGTTTTCCAGCAACAAGGAACAGAACGGAGTACAAGATCCTCAGCATGAGAGAATTATTACTGTGTCTACTAATG GAAGTATTCACAGCCCAAGGTTTCCTCATACTTATCCAAGAAATACGGTCTTGGTATGGAGATTAGTAGCAGTAG AGGAAAATGTATGGATACAACTTACGTTTGATGAAAGATTTGGGCTTGAAGACCCAGAAGATGACATATGCAAGT ATGATTTTGTAGAAGTTGAGGAACCCAGTGATGGAACTATATTAGGGCGCTGGTGTGGTTCTGGTACTGTACCAG GAAAACAGATTTCTAAAGGAAATCAAATTAGGATAAGATTTGTATCTGATGAATATTTTCCTTCTGAACCAGGGT TCTGCATCCACTACAACATTGTCATGCCACAATTCACAGAAGCTGTGAGTCCTTCAGTGCTACCCCCTTCAGCTT TGCCACTGGACCTGCTTAATAATGCTATAACTGCCTTTAGTACCTTGGAAGACCTTATTCGATATCTTGAACCAG AGAGATGGCAGTTGGACTTAGAAGATCTATATAGGCCAACTTGGCAACTTCTTGGCAAGGCTTTTGTTTTTGGAA GAAAATCCAGAGTGGTGGATCTGAACCTTCTAACAGAGGAGGTAAGATTATACAGCTGCACACCTCGTAACTTCT CAGTGTCCATAAGGGAAGAACTAAAGAGAACCGATACCATTTTCTGGCCAGGTTGTCTCCTGGTTAAACGCTGTG GAGCTGTGCAGTGCAGTGGCTGATTCTATTAGAGAACGTATGCGTTATCTCCATCCTTAATCTCAGTTGTTTGCT TCAAGGACCTTTCATCTTCAGGATTTACAGTGCATTCTGAAAGAGGAGACATCAAACAGAATTAGGAGTTGTGCA TAAATAGATCACCAGCTAGTTTCAGAGTTACCATGTACGTATTCCACTAGCTGGGTTCTGTATTTCAGTTCTTTC GATACGGCTTAGGGTAATGTCAGTACAGGAAAAAAACTGTGCAAGTGAGCACCTGATTCCGTTGCCTTGAC ATGTAAACCAGAACATTCTATGTACTACAAACCTGGTTTTTAAAAAAGGAACTATGTTGCTATGAATTAAACTTGT GTCATGCTGATAGGACAGACTGGATTTTTCATATTTCTTATTAAAATTTCTGCCATTTAGAAGAAGAAGAACTACA TTCATGGTTTGGAAGAGATAAACCTGAAAAGAAGAGTGGCCTTATCTTCACTTTATCGATAAGTCAGTTTATTTG TTTCATTGTGTACATTTTTATATTCTCCTTTTGACATTATAACTGTTGGCTTTTCTAATCTTGTTAAATATATCT ATTTTTACCAAAGGTATTTAATATTCTTTTTTATGACAACTTAGATCAACTATTTTTAGCTAGATCTTTTTTCT AAACACAATTGTTATAGCCAGAGGAACAAAGATGATATAAAATATTGTTGCTCTGACAAAAATACATGTATTTCA TTCTCGTATGGTGCTAGAGTTAGATTAATCTGCATTTTAAAAAACTGAATTGGAATAGAATTGGTAAGTTGCAAA GACTTTTTGAAAATAATTAAATTATCATATCTTCCATTCCTGTTATTGGAGATGAAAATAAAAAGCAACTTATGA AAGTAGACATTCAGATCCAGCCATTACTAACCTATTCCTTTTTTTGGGGAAATCTGAGCCTAGCTCAGAAAAACAT AAAGCACCTTGAAAAAGACTTGGCAGCTTCCTGATAAAGCGTGCTGTGCTGTGCAGTAGGAACACATCCTATTTA TTGTGATGTTGTGGTTTTATTATCTTAAACTCTGTTCCATACACTTGTATAAATACATGGATATTTTTATGTACA GAAGTATGTCTCTTAACCAGTTCACTTATTGTACTCTGGCAATTTAAAAGAAAATCAGTAAAATATTTTGCTTGT AAAATGCTTAATATNGTGCCTAGGTTATGTGGTGACTATTTGAATCAAAAATGTATTGAATCATCAAATAAAAGA

286/550

FIGURE 286

MSLFGLLLTSALAGQRQGTQAESNLSSKFQFSSNKEQNGVQDPQHERIITVSTNGSIHSPRF
PHTYPRNTVLVWRLVAVEENVWIQLTFDERFGLEDPEDDICKYDFVEVEEPSDGTILGRWCGS
GTVPGKQISKGNQIRIRFVSDEYFPSEPGFCIHYNIVMPQFTEAVSPSVLPPSALPLDLLNNA
ITAFSTLEDLIRYLEPERWQLDLEDLYRPTWQLLGKAFVFGRKSRVVDLNLLTEEVRLYSCTP
RNFSVSIREELKRTDTIFWPGCLLVKRCGGNCACCLHNCNECQCVPSKVTKKYHEVLQLRPKT
GVRGLHKSLTDVALEHHEECDCVCRGSTGG

Important features:

signal sequence:

Amino acids 1-14

N-glycosylation sites:

Amino acids 25-29;55-59;254-258

N-myristoylation sites:

Amino acids 15-21;11.7-123;127-133;281-287;282-288;319-325

Amidation site:

Amino acids 229-233

287/550

FIGURE 287

CAGCGCTGACTGCGCCGCGGAGAAAGCCAGTGGGAACCCAGACCCATAGGAGACCCGCGTCCC $\tt CGCTCGGCCTGGCCAGGCCCCGCGCT{\color{red} \underline{\textbf{ATG}}} GAGTTCCTCTGGGCCCCTCTCTTGGGTCTGTGCT$ GCAGTCTGGCCGCTGATCGCCACACCGTCTTCTGGAACAGTTCAAATCCCAAGTTCCGGA ATGAGGACTACACCATACATGTGCAGCTGAATGACTACGTGGACATCATCTGTCCGCACTATG AAGATCACTCTGTGGCAGACGCTGCCATGGAGCAGTACATACTGTACCTGGTGGAGCATGAGG AGTACCAGCTGTGCCAGCCCCAGTCCAAGGACCAAGTCCGCTGGCAGTGCAACCGGCCCAGTG CCAAGCATGGCCCGGAGAAGCTGTCTGAGAAGTTCCAGCGCTTCACACCTTTCACCCTGGGCA AGGAGTTCAAAGAAGGACACAGCTACTACTACATCTCCAAACCCATCCACCAGCATGAAGACC ATCCACAGGAGAAGAGTTGCAGCAGATGACCCAGAGGTGCGGGTTCTACATAGCATCGGTC ACAGTGCTGCCCCACGCCTCTTCCCACTTGCCTGGACTGTGCTGCTCCTTCCACTTCTGCTGC TGCAAACCCCG**TGA**AGGTGTGTGCCACACCTGGCCTTAAAGAGGGACAGGCTGAAGAGAGGGA CAGGCACTCCAAACCTGTCTTGGGGCCACTTTCAGAGCCCCCAGCCCTGGGAACCACTCCCAC CACAGGCATAAGCTATCACCTAGCAGCCTCAAAACGGGTCAATATTAAGGTTTTCAACCGGAA GAGACAGTCCTTTCCCACCATTCCTGCCTTTAAGCCAAAGAAACAAGCTGTGCAGGCATGGTC CCTTAAGGCACAGTGGGAGCTGAGCTGGAAGGGGCCACGTGGATGGGCAAAGCTTGTCAAAGA TTTCTTGCTTGGAAGCCAGGTACAGGAGGGCAGCATGCTTGGGCTGACCCAGCATCTCCCAG CAAGACCTCATCTGTGGAGCTGCCACAGAGAGTTTGTAGCCAGGTACTGCATTCTCTCCCAT CCTGGGGCAGCACTCCCCAGAGCTGTGCCAGCAGGGGGGGCTGTGCCAACCTGTTCTTAGAGTG TAGCTGTAAGGGCAGTGCCCATGTGTACATTCTGCCTAGAGTGTAGCCTAAAGGGCAGGGCCC TTTATACAATGTTCTTTGTCTCAAAATAAAGCAATGTGTTTTTTCGG

288/550

FIGURE 288

MEFLWAPLLGLCCSLAAADRHTVFWNSSNPKFRNEDYTIHVQLNDYVDIICPHYEDHSADAAM EQYILYLVEHEEYQLCQPQSKDQVRWQCNRPSAKHGPEKLSEKFQRFTPFTLGKEFKEGHSYY YISKPIHQHEDRCLRLKVTVSGKITHSPQAHDNPQEKRLAADDPEVRVLHSIGHSAAPRLFPL AWTVLLLPLLLLQTP

Important features:

Signal sequence:

Amino acids 1-17

N-glycosylation site:

Amino acids 26-30

Tyrosine kinase phosphorylation site:

Amino acids 118-127

N-myristoylation site:

Amino acids 10-16

FIGURE 289

CGGACGCGTGGCCGACGCGCGCCCCACGCGCCCCGCGGCTGGGCCGTCGCTTCTTC CTTCTCCGTGGCCTACGAGGGTCCCCAGCCTGGGTAAAGATGGCCCCATGGCCCCCGAAGGGC CTAGTCCCAGCTGTGCTCTGGGGCCTCAGCCTCTTCCTCAACCTCCCAGGACCTATCTGGCTC CAGCCCTCTCCACCTCCCCAGTCTTCTCCCCCGCCTCAGCCCCATCCGTGTCATACCTGCCGG GGACTGGTTGACAGCTTTAACAAGGGCCTGGAGAGAACCATCCGGGACAACTTTGGAGGTGGA AACACTGCCTGGGAGGAAGAGAATTTGTCCAAATACAAAGACAGTGAGACCCGCCTGGTAGAG GAGCTGGTGGAGAGCTGGTGGTTTCACAAGCAGCAGGAGGCCCCGGACCTCTTCCAGTGGCTG TGCTCAGATTCCCTGAAGCTCTGCTGCCCCGCAGGCACCTTCGGGCCCTCCTGCCTTCCCTGT CCTGGGGGAACAGAGGGCCCTGCGGTGGCTACGGGCAGTGTGAAGGAGAAGGGACACGAGGG GGCAGCGGCACTGTGACTGCCAAGCCGGCTACGGGGGTGAGGCCTGTGGCCAGTGTGGCCTT GGCTACTTTGAGGCAGAACGCAACGCCATCTGGTATGTTCGGCTTGTTTTGGCCCCTGT GCCCGATGCTCAGGACCTGAGGAATCAAACTGTTTGCAATGCAAGAAGGGCTGGGCCCTGCAT CACCTCAAGTGTGTAGACATTGATGAGTGTGGCACAGAGGGAGCCAACTGTGGAGCTGACCAA ATGGGGGCAGGCCAGGTCGCTGTAAGAAGTGTAGCCCTGGCTATCAGCAGGTGGGCTCCAAG TGTCTCGATGTGGATGAGTGTGAGACAGAGGTGTGTCCGGGAGAGAACAAGCAGTGTGAAAAC ACCGAGGGCGGTTATCGCTGCATCTGTGCCGAGGGCTACAAGCAGATGGAAGGCATCTGTGTG AAGGAGCAGATCCCAGAGTCAGCAGGCTTCTTCTCAGAGATGACAGAAGACGAGTTGGTGGTG CTGCAGCAGATGTTCTTTGGCATCATCTGTGCACTGGCCACGCTGGCTAAGGGCGAC ${\tt TTGGTGTTCACCGCCATCTTCATTGGGGCTGTGGCGGCCATGACTGGCTACTGGTTGTCAGAG}$ CGCAGTGACCGTGTGCTGGAGGGCTTCATCAAGGGCAGA**TAA**TCGCGGCCACCACCTGTAGGA CCTCCTCCCACCCACGCTGCCCCCAGAGCTTGGGCTGCCCTCCTGCTGGACACTCAGGACAGC TTGGTTTATTTTTGAGAGTGGGGTAAGCACCCCTACCTGCCTTACAGAGCAGCCCAGGTACCC AGGCCCGGGCAGACAAGGCCCCTGGGGTAAAAAGTAGCCCTGAAGGTGGATACCATGAGCTCT TCACCTGGCGGGGACTGGCAGGCTTCACAATGTGTGAATTTCAAAAGTTTTTCCTTAATGGTG GCTGCTAGAGCTTTGGCCCCTGCTTAGGATTAGGTGGTCCTCACAGGGGTGGGGCCCATCACAG CTCCCTCCTGCCAGCTGCATGCTGCCAGTTCCTGTTCTGTTTCACCACATCCCCACACCCCA AAAAAAAAA

290/550

FIGURE 290

MAPWPPKGLVPAVLWGLSLFLNLPGPIWLQPSPPPQSSPPPQPHPCHTCRGLVDSFNKGLERT IRDNFGGGNTAWEEENLSKYKDSETRLVEVLEGVCSKSDFECHRLLELSEELVESWWFHKQQE APDLFQWLCSDSLKLCCPAGTFGPSCLPCPGGTERPCGGYGQCEGEGTRGGSGHCDCQAGYGG EACGQCGLGYFEAERNASHLVCSACFGPCARCSGPEESNCLQCKKGWALHHLKCVDIDECGTE GANCGADQFCVNTEGSYECRDCAKACLGCMGAGPGRCKKCSPGYQQVGSKCLDVDECETEVCP GENKQCENTEGGYRCICAEGYKQMEGICVKEQIPESAGFFSEMTEDELVVLQQMFFGIIICAL ATLAAKGDLVFTAIFIGAVAAMTGYWLSERSDRVLEGFIKGR

Important features:

Signal sequence:

Amino acids 1-29

Transmembrane domain:

Amino acids 342-392

N-glycosylation sites:

Amino acids 79-83;205-209

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 290-294

Aspartic acid and asparagine hydroxylation site:

Amino acids 321-333

EGF-like domain cysteine pattern signature:

Amino acids 181-193



FIGURE 291

CAGGTCCAACTGCACCTCGGTTCTATCGATTGAATTCCCCGGGGATCCTCTAGAGATCCCTCGACCTCGACCCAC ACATCGAAGGTGGGGTGGGACCAGGCTGCCCCTCGCCCCAGCATCCAAGTCCTCCCTTGGGCGCCCGTGGCCCTG ${\tt CAGACTCTCAGGGCTAAGGTCCTCTGTTGCTTTTTTGGTTCCACCTTAGAAGAGGCTCCGCTTGACTAAGAGTAGC}$ $\tt TTGAAGGAGGCACC{\color{red} ATG} CAGGAGCTGCATCTGCTCTGGTGGGCGCTTCTCCTGGGCCTGGCTCAGGCCTGCCCTG$ AGCCCTGCGACTGTGGGGAAAAGTATGGCTTCCAGATCGCCGACTGTGCCTACCGCGACCTAGAATCCGTGCCGC GGGAGGTGCCCCTGCTGCAGTCGCTGTGGCTGGCACACAATGAGATCCGCACGGTGGCCGCCGGAGCCCTGGCCT CTCTGAGCCATCTCAAGAGCCTGGACCTCAGCCACAATCTCATCTCTGACTTTGCCTGGAGCGACCTGCACAACC TCAGTGCCCTCCAATTGCTCAAGATGGACAGCAACGAGCTGACCTTCATCCCCCGCGACGCCTTCCGCAGCCTCC GTGCTCTGCGCTGCAACTCAACCACAACCGCTTGCACACATTGGCCGAGGGCACCTTCACCCCGCTCACCG CGCTGTCCCACCTGCAGATCAACGAGAACCCCTTCGACTGCACCTGCGGCATCGTGTGGCTCAAGACATGGGCCC TGACCACGGCCGTGTCCATCCCGGAGCAGGACAACATCGCCTGCACCTCACCCCATGTGCTCAAGGGTACACCGC AGCTGCGGCCTGGTTTTGTGCTGCACTGCACTGTGATGTGGACGGCCAGCCGGCCCCTCAGCTTCACTGGCACA CTGTGGCCAGCCCCAGCCGCGCTTCCAGGCCTTTGCCAATGGCAGCCTGCTTATCCCCGACTTTGGCAAGCTGG AGGAAGGCACCTACAGCTGCCTGGCCACCAATGAGCTGGGCAGTGCTGAGAGCTCAGTGGACGTGGCACTGGCCA $\tt CGGTTGACAACGAGGTGCAGCCATCAGGGCCGGAGGACAATGTGGTCATCATCTACCTCAGCCGTGCTGGGAACC$ $\tt CTGAGGCTGCAGTCGCAGAAGGGGTCCCTGGGCAGCTGCCCCCAGGCCTGCTCCTGGGCCAAAGCCTCCTCC$ TTTAAGTGCTGCAGGGGTTGGCAACTCCTGAGGCCTGCATGGGTGACTTCACATTTTCCTACCTCTCC TTCTAATCTCTTCTAGAGCACCTGCTATCCCCAACTTCTAGACCTGCTCCAAACTAGTGACTAGGATAGAATTTG ATCCCCTAACTCACTGTCTGCGGTGCTCATTGCTGCTAACAGCATTGCCTGTGCTCTCCTCTCAGGGGCAGCATG CTAACGGGGCGACGTCCTAATCCAACTGGGAGAAGCCTCAGTGGTGGAATTCCAGGCACTGTGACTGTCAAGCTG GCAAGGGCCAGGATTGGGGGAATGGAGCTGGGGCTTAGCTGGGAGGTGGTCTGAAGCAGACAGGGAATGGGAGAG GAGGATGGGAAGTAGACAGTGGCTGGTATGGCTCTGAGGCTCCCTGGGGCCTGCTCAAGCTCCTCCTGCTCCTTG CTGTTTTCTGATGATTTGGGGGGCTTGGGAGTCCCTTTGTCCTCATCTGAGACTGAAATGTGGGGATCCAGGATGG ATGCATCTGTTGTCTGCTCCTCTGCAAAGGCCAGCCAGCTTGGGAGCAGCAGAAATAAACAGCATTTCTGATG CCAAAAAAAAAAAAAAAAAAGGGCGGCCGCGACTCTAGAGTCGACCT

FIGURE 292

MQELHLLWWALLLGLAQACPEPCDCGEKYGFQIADCAYRDLESVPPGFPANVTTLSLSANRLP GLPEGAFREVPLLQSLWLAHNEIRTVAAGALASLSHLKSLDLSHNLISDFAWSDLHNLSALQL LKMDSNELTFIPRDAFRSLRALRSLQLNHNRLHTLAEGTFTPLTALSHLQINENPFDCTCGIV WLKTWALTTAVSIPEQDNIACTSPHVLKGTPLSRLPPLPCSAPSVQLSYQPSQDGAELRPGFV LALHCDVDGQPAPQLHWHIQIPSGIVEITSPNVGTDGRALPGTPVASSQPRFQAFANGSLLIP DFGKLEEGTYSCLATNELGSAESSVDVALATPGEGGEDTLGRRFHGKAVEGKGCYTVDNEVQP SGPEDNVVIIYLSRAGNPEAAVAEGVPGQLPPGLLLLGQSLLLFFFLTSF

Important features:

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 403-418

N-glycosylation sites:

Amino acids 51-55,120-124,309-313

Tyrosine kinase phosphorylation site:

amino acids 319-326

N-myristoylation sites:

amino acids 14-20,64-70,92-98,218-224,294-300,323-329,334-340,350-356,394-400

Amidation site:

amino acids 355-359

Leucine Rich Repeat:

amino acids 51-74,75-98, 99-122,123-146,147-170

Leucine rich repeat C-terminal domain:

amino acids 180-230

FIGURE 293

ACTTGGAGCAAGCGGCGGCGGGGGAGACAGAGGCAGAGGCAGAAGCTGGGGCTCCGTCCTCGCCTCCCACGAGCG ATCCCCGAGGAGACCGCCGCCCCTCGGCGAGGCGAAGAGGCCGACGAGGAAGACCCCGGGTGGCTGCGCCCCTGCC TCGCTTCCCAGGCGCCGGCGGCTGCAGCCTTGCCCCTCTTGCTCGCCTTGAAAATGGAAAAAGATGCTCGCAGGCT GCTTTCTGCTGATCCTCGGACAGATCGTCCTCCTCCCTGCCGAGGCCAGGGAGCGGTCACGTGGGAGGTCCATCT CTAGGGGCAGACACGCTCGGACCCACCCGCAGACGCCCTTCTGGAGAGTTCCTGTGAGAACAAGCGGGCAGACC TGGTTTTCATCATTGACAGCTCTCGCAGTGTCAACACCCATGACTATGCAAAGGTCAAGGAGTTCATCGTGGACA TCTTGCAATTCTTGGACATTGGTCCTGATGTCACCCGAGTGGGCCTGCTCCAATATGGCAGCACTGTCAAGAATG AGTTCTCCCTCAAGACCTTCAAGAGGAAGTCCGAGGTGGAGCGTGCTGTCAAGAGGATGCGGCATCTGTCCACGG GCACCATGACTGGCCTGCCCATCCAGTATGCCCTGAACATCGCATTCTCAGAAGCAGAGGGGGCCCGGCCCCTGA GGGAGAATGTGCCACGGGTCATAATGATCGTGACAGATGGGAGACCTCAGGACTCCGTGGCCGAGGTGGCTGCTA AGGCACGGGACACGGGCATCCTAATCTTTGCCATTGGTGTGGGCCAGGTAGACTTCAACACCTTGAAGTCCATTG GGAGTGAGCCCCATGAGGACCATGTCTTCCTTGTGGCCAATTTCAGCCAGATTGAGACGCTGACCTCCGTGTTCC AGAAGAAGTTGTGCACGGCCCACATGTGCAGCACCCTGGAGCATAACTGTGCCCACTTCTGCATCAACATCCCTG GCTCATACGTCTGCAGGTGCAAACAAGGCTACATTCTCAACTCGGATCAGACGACTTGCAGAATCCAGGATCTGT GTGCCATGGAGGACCACAACTGTGAGCAGCTCTGTGTGAATGTGCCGGGCTCCTTCGTCTGCCAGTGCTACAGTG GCTACGCCCTGGCTGAGGATGGGAAGAGGTGTGTGGCTGTGGACTACTGTGCCTCAGAAAACCACGGATGTGAAC ATGAGTGTAAATGCTGATGGCTCCTACCTTTGCCAGTGCCATGAAGGATTTGCTCTTAACCCAGATGAAAAAA $\tt CGTGCACAAGGATCAACTACTGTGCACTGAACAAACCGGGCTGTGAGCATGAGTGCGTCAACATGGAGGAGAGCT$ ACTACTGCCGCTGCCACCGTGGCTACACTCTGGACCCCAATGGCAAAACCTGCAGCCGAGTGGACCACTGTGCAC AGCAGGACCATGGCTGTGAGCAGCTGTGTCTGAACACGGAGGATTCCTTCGTCTGCCAGTGCTCAGAAGGCTTCC GTGTCAACATGGACAGATCCTTTGCCTGTCAGTGTCCTGAGGGACACGTGCTCCGCAGCGATGGGAAGACGTGTG CAAAATTGGACTCTTGTGCTCTGGGGGACCACGGTTGTGAACATTCGTGTGTAAGCAGTGAAGATTCGTTTGTGT GCCAGTGCTTTGAAGGTTATATACTCCGTGAAGATGGAAAAACCTGCAGAAGGAAAGATGTCTGCCAAGCTATAG ACCATGGCTGTGAACACATTTGTGTGAACAGTGACGACTCATACACGTGCGAGTGCTTGGAGGGATTCCGGCTCG CTGAGGATGGGAAACGCTGCCGAAGGAAGGATGTCTGCAAATCAACCCACCATGGCTGCGAACACATTTGTGTTA ATAATGGGAATTCCTACATCTGCAAATGCTCAGAGGGATTTGTTCTAGCTGAGGACGGAAGACGGTGCAAGAAAT GCACTGAAGGCCCAATTGACCTGGTCTTTGTGATCGATGGATCCAAGAGTCTTGGAGAAGAGAATTTTGAGGTCG TGAAGCAGTTTGTCACTGGAATTATAGATTCCTTGACAATTTCCCCCAAAGCCGCTCGAGTGGGGCTGCTCCAGT $\verb|ATTCCACACAGGTTCACACAGAGTTCACTCTGAGAAACTTCAACTCAGCCAAAGACATGAAAAAAGCCGTGGCCC|$ ACATGAAATACATGGGAAAGGGCTCTATGACTGGGCTGGCCCTGAAACACATGTTTGAGAGAAGTTTTACCCAAG ATGAGATAAGTGAAAAACTCAAGAAAGGCATCTGTGAAGCTCTAGAAGACTCCGATGGAAGACAGGACTCTCCAG CAGGGGAACTGCCAAAAACGGTCCAACAGCCAACAGAATCTGAGCCAGTCACCATAAATATCCAAGACCTACTTT CCTGTTCTAATTTTGCAGTGCAACACAGATATCTGTTTGAAGAAGACAATCTTTTACGGTCTACACAAAAGCTTT CCCATTCAACAAAACCTTCAGGAAGCCCTTTGGAAGAAAAACACGATCAATGCAAATGTGAAAACCTTATAATGT TCCAGAACCTTGCAAACGAAGAAGTAAGAAAATTAACACAGCGCTTAGAAGAAATGACACAGAGAATGGAAGCCC TGGAAAATCGCCTGAGATACAGATGAAGATTAGAAATCGCGACACATTTGTAGTCATTGTATCACGGATTACAAT GAACGCAGTGCAGAGCCCCAAAGCTCAGGCTATTGTTAAATCAATAATGTTGTGAAGTAAAACAATCAGTACTGA GAAACCTGGTTTGCCACAGAACAAAGACAAGAAGTATACACTAACTTGTATAAATTTATCTAGGAAAAAAATCCT TCAGAATTCTAAGATGAATTTACCAGGTGAGAATGAATAAGCTATGCAAGGTATTTTGTAATATACTGTGGACAC AACTTGCTTCTGCCTCATCCTGCCTTAGTGTGCAATCTCATTTGACTATACGATAAAGTTTGCACAGTCTTACTT $\tt CTGTAGAACACTGGCCATAGGAAATGCTGTTTTTTTGTACTGGACTTTACCTTGATATATGTATATGGATGTATG$ CATAAAATCATAGGACATATGTACTTGTGGAACAAGTTGGATTTTTTATACAATATTAAAAATTCACCACTTCAG

294/550

FIGURE 294

MEKMLAGCFLLILGQIVLLPAEARERSRGRSISRGRHARTHPQTALLESSCENKRADLVFIID SSRSVNTHDYAKVKEFIVDILQFLDIGPDVTRVGLLQYGSTVKNEFSLKTFKRKSEVERAVKR MRHLSTGTMTGLAIQYALNIAFSEAEGARPLRENVPRVIMIVTDGRPQDSVAEVAAKARDTGI LIFAIGVGQVDFNTLKSIGSEPHEDHVFLVANFSQIETLTSVFQKKLCTAHMCSTLEHNCAHF CINIPGSYVCRCKQGYILNSDQTTCRIQDLCAMEDHNCEQLCVNVPGSFVCQCYSGYALAEDG KRCVAVDYCASENHGCEHECVNADGSYLCQCHEGFALNPDEKTCTRINYCALNKPGCEHECVN MEESYYCRCHRGYTLDPNGKTCSRVDHCAQQDHGCEQLCLNTEDSFVCQCSEGFLINEDLKTC SRVDYCLLSDHGCEYSCVNMDRSFACQCPEGHVLRSDGKTCAKLDSCALGDHGCEHSCVSSED SFVCQCFEGYILREDGKTCRRKDVCQAIDHGCEHICVNSDDSYTCECLEGFRLAEDGKRCRKK DVCKSTHHGCEHICVNNGNSYICKCSEGFVLAEDGRRCKKCTEGPIDLVFVIDGSKSLGEENF EVVKQFVTGIIDSLTISPKAARVGLLQYSTQVHTEFTLRNFNSAKDMKKAVAHMKYMGKGSMT GLALKHMFERSFTQGEGARPLSTRVPRAAIVFTDGRAQDDVSEWASKAKANGITMYAVGVGKA IEEELQEIASEPTNKHLFYAEDFSTMDEISEKLKKGICEALEDSDGRQDSPAGELPKTVQQPT ESEPVTINIQDLLSCSNFAVQHRYLFEEDNLLRSTQKLSHSTKPSGSPLEEKHDQCKCENLIM FQNLANEEVRKLTQRLEEMTQRMEALENRLRYR

Important features:

Signal sequence:

Amino acids 1-23

N-glycosylation site:

Amino acids 221-225

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 115-119;606-610;892-896

N-myristoylation sites:

Amino acids 133-139;258-264;299-305;340-346;453-459;494-500;639-645;690-694;752-758;792-798

Amidation sites:

Amino acids 314-318;560-564;601-605

Aspartic acid and asparagine hydroxylation sites:

Amino acids 253-265;294-306;335-347;376-388;417-429;458-470;540-552;581-593

295/550

FIGURE 295

GGCCGGAGCACGGCCGCAGGACCTGGAGCTCCGGCTGCGTCTTCCCGCAGCGCTACCCGC GCCGGAGGCCGCCAAGAAGCCGACGCCCTGCCACCGGTGCCGGGGGCTGGTGGACAAGTTTAA CCAGGGGATGGTGGACACCGCAAAGAAGAACTTTGGCGGCGGGAACACGGCTTGGGAGGAAAA GACGCTGTCCAAGTACGAGTCCAGCGAGATTCGCCTGCTGGAGATCCTGGAGGGGCTGTGCGA GAGCAGCGACTTCGAATGCAATCAGATGCTAGAGGCGCAGGAGGAGCACCTGGAGGCCTGGTG GCTGCAGCTGAAGAGCGAATATCCTGACTTATTCGAGTGGTTTTTGTGTGAAGACACTGAAAGT GTGCTGCTCCCAGGAACCTACGGTCCCGACTGTCTCGCATGCCAGGGCGGATCCCAGAGGCC CTGCAGCGGAATGGCCACTGCAGCGGAGATGGGAGCAGACAGGGCGACGGGTCCTGCCGGTG GAACGAGACCCACAGCATCTGCACAGCCTGTGACGAGTCCTGCAAGACGTGCTCGGGCCTGAC CAACAGAGACTGCGGCGAGTGTGAAGTGGGCTGGGTGCTGGACGAGGGCGCCTGTGTGGATGT GGACGAGTGTGCGGCCGAGCCGCCTCCCTGCAGCGCTGCGCAGTTCTGTAAGAACGCCAACGG CTCCTACACGTGCGAAGAGTGTGACTCCAGCTGTGTGGGCTGCACAGGGGAAGGCCCAGGAAA CTGTAAAGAGTGTATCTCTGGCTACGCGAGGGAGCACGGACAGTGTGCAGATGTGGACGAGTG CTCACTAGCAGAAAAACCTGTGTGAGGAAAAACGAAAACTGCTACAATACTCCAGGGAGCTA CGTCTGTGTGTGTCCTGACGGCTTCGAAGAAACGGAAGATGCCTGTGTGCCGCCGGCAGAGGC TGAAGCCACAGAAGGAGAAAGCCCGACACAGCTGCCCTCCCGCGAAGACCTG**TAA**TGTGCCGG ACTTACCCTTTAAATTATTCAGAAGGATGTCCCGTGGAAAATGTGGCCCTGAGGATGCCGTCT CCTGCAGTGGACAGCGGCGGGGAGAGGCTGCCTGCTCTAACGGTTGATTCTCATTTGTCCC TTAAACAGCTGCATTTCTTGGTTGTTCTTAAACAGACTTGTATATTTTTGATACAGTTCTTTGT

296/550

FIGURE 296

MRLPRRAALGLLPLLLLPPAPEAAKKPTPCHRCRGLVDKFNQGMVDTAKKNFGGGNTAWEEK
TLSKYESSEIRLEILEGLCESSDFECNQMLEAQEEHLEAWWLQLKSEYPDLFEWFCVKTLKV
CCSPGTYGPDCLACQGGSQRPCSGNGHCSGDGSRQGDGSCRCHMGYQGPLCTDCMDGYFSSLR
NETHSICTACDESCKTCSGLTNRDCGECEVGWVLDEGACVDVDECAAEPPPCSAAQFCKNANG
SYTCEECDSSCVGCTGEGPGNCKECISGYAREHGQCADVDECSLAEKTCVRKNENCYNTPGSY
VCVCPDGFEETEDACVPPAEAEATEGESPTQLPSREDL

Important features:

Signal peptide:

Amino acids 1-24

N-glycosylation sites:

Amino acids 190-194;251-255

Glycosaminoglycan attachment sites:

Amino acids 149-153;155-159

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 26-30

Tyrosine kinase phosphorylation site:

Amino acids 303-310

N-myristoylation sites:

Amino acids 44-50;54-60;55-61;81-87;150-156;158-164;164-170; 252-258;313-319

Aspartic acid and asparagine hydroxylation site:

Amino acids 308-320

EGF-like domain cysteine pattern signature:

Amino acids 166-178

Leucine zipper pattern:

Amino acids 94-116

FIGURE 297

ATGTTGGGCAACATTTATTTAACATGCTCCACAGCCCGGACCCTGGCATCATGCTGCTATTCCTGCAAATACTGA CACCTTCAAAAAGTACATCAATATTATATCATTAAGGAAATAGTAACCTTCTCTCCCAATATGCATGACATTT TTGGACAATGCAATTGTGGCACTGGCACTTATTTCAGTGAAGAAAAACTTTGTGGTTCTATGGCATTCATCATTT CCATTACATTTCTGAAGAAGAAGCTAAGATGAAGGACATGCCACTCCGAATTCATGTGCTACTTGGCCTAGCTA TCACTACACTAGTACAAGCTGTAGATAAAAAAGTGGATTGTCCACGGTTATGTACGTGTGAAATCAGGCCTTGGT TTACACCCAGATCCATTTATATGGAAGCATCTACAGTGGATTGTAATGATTTAGGTCTTTTAACTTTCCCAGCCA GATTGCCAGCTAACACACAGATTCTTCTCCTACAGACTAACAATATTGCAAAAATTGAATACTCCACAGACTTTC CAGTAAACCTTACTGGCCTGGATTTATCTCAAAACAATTTATCTTCAGTCACCAATATTAATGTAAAAAAAGATGC ACTTACAAGAACTCTATATTAATCACAACTTGCTTTCTACAATTTCACCTGGAGCCTTTATTGGCCTACATAATC TTCTTCGACTTCATCTCAATTCAAATAGATTGCAGATGATCAACAGTAAGTGGTTTGATGCTCTTCCAAATCTAG AGATTCTGATGATTGGGGAAAATCCAATTATCAGAATCAAAGACATGAACTTTAAGCCTCTTATCAATCTTCGCA TCTCTTTTTACGATAACAGGCTTATTAAAGTACCCCATGTTGCTCTTCAAAAAGTTGTAAATCTCAAATTTTTGG ATCTAAATAAAAATCCTATTAATAGAATACGAAGGGGTGATTTTAGCAATATGCTACACTTAAAAGAGTTGGGGA TAAATAATATGCCTGAGCTGATTTCCATCGATAGTCTTGCTGTGGATAACCTGCCAGATTTAAGAAAAATAGAAG CTACTAACAACCCTAGATTGTCTTACATTCACCCCAATGCATTTTTCAGACTCCCCAAGCTGGAATCACTCATGC TGAACAGCAATGCTCTCAGTGCCCTGTACCATGGTACCATTGAGTCTCTGCCAAACCTCAAGGAAATCAGCATAC ACAGTAACCCCATCAGGTGTGACTGTGTCATCCGTTGGATGAACATGAACAAAACCAACATTCGATTCATGGAGC CAGATTCACTGTTTTGCGTGGACCCACCTGAATTCCAAGGTCAGAATGTTCGGCAAGTGCATTTCAGGGACATGA TGGAAATTTGTCTCCCTCTTATAGCTCCTGAGAGCTTTCCTTCTAATCTAAATGTAGAAGCTGGGAGCTATGTTT CCTTTCACTGTAGAGCTACTGCAGAACCACAGCCTGAAATCTACTGGATAACACCTTCTGGTCAAAAACTCTTGC CTAATACCCTGACAGACAAGTTCTATGTCCATTCTGAGGGAACACTAGATATAAATGGCGTAACTCCCAAAGAAG CTTTTCCACAGATAACAATGGCTCTTTGAATATTAAAATAAGAGATATTCAGGCCAATTCAGTTTTGGTGTCCT GGAAAGCAAGTTCTAAAATTCTCAAATCTAGTGTTAAATGGACAGCCTTTGTCAAGACTGAAAATTCTCATGCTG CGCAAAGTGCTCGAATACCATCTGATGTCAAGGTATATAATCTTACTCATCTGAATCCATCAACTGAGTATAAAA TTTGTATTGATATTCCCACCATCTATCAGAAAAACAGAAAAAAATGTGTAAATGTCACCACCAAAGGTTTGCACC CTGATCAAAAAGAGTATGAAAAGAATAATACCACAACACTTATGGCCTGTCTTGGAGGCCTTCTGGGGATTATTG GTGTGATATGTCTTATCAGCTGCCTCTCTCCAGAAATGAACTGTGATGGTGGACACAGCTATGTGAGGAATTACT TACAGAAACCAACCTTTGCATTAGGTGAGCTTTATCCTCCTCTGATAAATCTCTGGGAAGCAGGAAAAGAAAAAA GTACATCACTGAAAGTAAAAGCAACTGTTATAGGTTTACCAACAAATATGTCCTAAAAACCACCAAGGAAACCTA CTCCAAAAATGAAC

298/550

FIGURE 298

MKDMPLRIHVLLGLAITTLVQAVDKKVDCPRLCTCEIRPWFTPRSIYMEASTVDCNDLGLLTF
PARLPANTQILLLQTNNIAKIEYSTDFPVNLTGLDLSQNNLSSVTNINVKKMPQLLSVYLEEN
KLTELPEKCLSELSNLQELYINHNLLSTISPGAFIGLHNLLRLHLNSNRLQMINSKWFDALPN
LEILMIGENPIIRIKDMNFKPLINLRSLVIAGINLTEIPDNALVGLENLESISFYDNRLIKVP
HVALQKVVNLKFLDLNKNPINRIRRGDFSNMLHLKELGINNMPELISIDSLAVDNLPDLRKIE
ATNNPRLSYIHPNAFFRLPKLESLMLNSNALSALYHGTIESLPNLKEISIHSNPIRCDCVIRW
MNMNKTNIRFMEPDSLFCVDPPEFQGQNVRQVHFRDMMEICLPLIAPESFPSNLNVEAGSYVS
FHCRATAEPQPEIYWITPSGQKLLPNTLTDKFYVHSEGTLDINGVTPKEGGLYTCIATNLVGA
DLKSVMIKVDGSFPQDNNGSLNIKIRDIQANSVLVSWKASSKILKSSVKWTAFVKTENSHAAQ
SARIPSDVKVYNLTHLNPSTEYKICIDIPTIYQKNRKKCVNVTTKGLHPDQKEYEKNNTTTLM
ACLGGLLGIIGVICLISCLSPEMNCDGGHSYVRNYLQKPTFALGELYPPLINLWEAGKEKSTS
LKVKATVIGLPTNMS

Important features:

Signal sequence:

amino acids 1-22

Transmembrane domain:

amino acids 633-650

N-glycosylation site.

amino acids 93-97, 103-107, 223-227, 382-386, 522-526, 579-583, 608-612, 624-628, 625-629

Casein kinase II phosphorylation site.

amino acids 51-55, 95-99, 242-246, 468-472, 487-491

Tyrosine kinase phosphorylation site.

amino acids 570-579

N-myristoylation site.

amino acids 13-19, 96-102, 158-164, 221-227, 352-358, 437-443, 491-497, 492-498, 634-640, 702-708

Cell attachment sequence.

amino acids 277-280

299/550

FIGURE 299

GCTGTGGGAACCTCTCCACGCGCACGAACTCAGCCAACGATTTCTGATAGATTTTTGGGAGGTT TGACCAGAGATGCAAGGGGTGAAGGAGCGCTTCCTACCGTTAGGGAACTCTGGGGACAGAGCG CCCCGGCCGCCTGATGGCCGAGGCAGGGTGCGACCCAGGACCCAGGACGGCGTCGGGAACCAT ACCATGCCCGGATCCCCAAGACCCTAAAGTTCGTCGTCGTCATCGTCGCGGTCCTGCCCA GTCCTAGCTTACTCTGCCACCACTGCCCGGCAGGAGGAAGTTCCCCAGCAGACAGTGGCCCCA CAGCAACAGAGGCACAGCTTCAAGGGGGAGGAGTGTCCAGCAGGATCTCATAGATCAGAACAT ACTGGAGCCTGTAACCCGTGCACAGAGGGTGTGGATTACACCAACGCTTCCAACAATGAACCT TCTTGCTTCCCATGTACAGTTTGTAAATCAGATCAAAAACATAAAAGTTCCTGCACCATGACC AGAGACACAGTGTCAGTGTAAAGAAGCACCTTCCGGAATGAAAACTCCCCAGAGATGTGC CGGAAGTGTAGCAGGTGCCCTAGTGGGGAAGTCCAAGTCAGTAATTGTACGTCCTGGGATGAT ATCCAGTGTGTTGAAGAATTTGGTGCCAATGCCACTGTGGAAACCCCAGCTGCTGAAGAGACA ATGAACACCAGCCGGGGACTCCTGCCCCAGCTGCTGAAGAGACAATGAACACCAGCCCAGGG ACTCCTGCCCCAGCTGCAAGAGACAATGACCACCAGCCCGGGGACTCCTGCCCCAGCTGCT GAAGAGACAATGACCACCAGCCGGGGACTCCTGCCCCAGCTGCTGAAGAGACAATGACCACC AGCCCGGGGACTCCTCTCTCATTACCTCTCATGCACCATCGTAGGGATCATAGTTCTA ${\tt ATTGTGCTTCTGATTGTTTTGTT} \underline{{\tt TGA}} {\tt AAGACTTCACTGTGGAAGAAATTCCTTACCTG}$ AAAGGTTCAGGTAGGCGCTGAGGGCGGGGGGGGGCGCTGGACACTCTCTGCCCTGCCTCCCT CTGCTGTGTTCCCACAGACAGAAACGCCTGC

300/550

FIGURE 300

MARIPKTLKFVVVIVAVLLPVLAYSATTARQEEVPQQTVAPQQQRHSFKGEECPAGSHRSEHT GACNPCTEGVDYTNASNNEPSCFPCTVCKSDQKHKSSCTMTRDTVCQCKEGTFRNENSPEMCR KCSRCPSGEVQVSNCTSWDDIQCVEEFGANATVETPAAEETMNTSPGTPAPAAEETMNTSPGT PAPAAEETMTTSPGTPAPAAEETMTTSPGTPAPAAEETMTTSPGTPASSHYLSCTIVGIIVLI VLLIVFV

Important features:

Signal peptide:

Amino acids 1-29

Transmembrane domain:

Amino acids 240-259

N-glycosylation site:

Amino acids 77-81;140-144;156-160

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 126-130

N-myristoylation sites:

Amino acids 56-62;72-78;114-120;154-160;233-239

301/550

FIGURE 301

CACAAGCATCTTAATTTGAATCCACAAAGTTTCATGTAATGAAAAGAAATACATAATTTTAAT TCAACCCGAGTGTTTTCCAAGAAGATTGTATTTGCTTAAATTGCTACAGTAATTCAAGAGACA GCCCTGTCTGGACACAGAGTTACTGTGGATTTTTAAGAGACTCAGTTAAAGAATTTAGGAATT TCTGATTCATTTAAAGGATTTACAAATTCATCAACCCCTGAAAACTAAAGCAAATTGAACAGG AAAAAAAAAAAGAAGATGGGTTTTTTAAGTCCAATATATGTTATTTTTCTTCTTTTTTTGGAGTC AAAGTACATTGCCAATATGAAACTTATCAGTGGGATGAAGACTATGACCAAGAGCCAGATGAT GATTACCAAACAGGATTCCCATTTCGTCAAAATGTAGACTACGGAGTTCCTTTTCATCAGTAT AATCGCAAACTCAAGACTATCCCAAATATTCCGATGCACATTCAGCAACTCTACCTTCAGTTC AATGAAATTGAGGCTGTGACTGCAAATTCATCATCAATGCAACTCATCTTAAAGAAATTAAC CTCAGCCACAAAATTAAATCTCAAAAGATTGATTATGGTGTGTTTTGCTAAGCTTCCAAAT CTACTACAACTTCATCTAGAGCATAATAATTTAGAAGAATTTCCATTTCCTCTTCCTAAATCT CTAGTAAACTTGACCATGCTTGATCTCTGTTATAATTATCTTCATGATTCTCTGCTAAAAGAC AAAATCTTTGCCAAAATGGAAAAACTAATGCAGCTCAACCTCTGCAGTAACAGATTAGAATCA ATGCCTCCTGGTTTGCCTTCTTCACTTATGTATCTGTCTTTAGAAAATAATTCAATTTCTTCT ATACCCGAAAATACTTCGACAAACTTCCAAAACTTCATACTCTAAGAATGTCACAACAAA CTACAAGACATCCCATATAATATTTTTAATCTTCCCAACATTGTAGAACTCAGTGTTGGACAC AACAAATTGAAGCAAGCATTCTATATTCCAAGAAATTTGGAACACCTATACCTACAAAATAAT GAAATAGAAAAGATGAATCTTACAGTGATGTGTCCTTCTATTGACCCACTACATTACCACCAT TTAACATACATTCGTGTGGACCAAAATAAACTAAAAGAACCAATAAGCTCATACATCTTCTTC TGCTTCCCTCATATACACACTATTTATTATGGTGAACAACGAAGCACTAATGGTCAAACAATA CAACTAAAGACACAAGTTTTCAGGAGATTTCCAGATGATGATGAAAGTGAAGATCACGAT GATCCTGACAATGCTCATGAGAGCCCAGAACAAGAAGGAGCAGAAGGGCACTTTGACCTTCAT TATTATGAAAATCAAGAA**TAG**CAAGAAACTATATAGGTATACACTTACGACTTCACAAAACCTA TACTTAATATAGTAAATCTAAGTAAACATGTATTACTCAAAGTAATATATTTAGAATTATGTA TTAGTATAAGATCAGAATTGAATTTAAGTTGTTGGTGACATCTGCATCATTTCATAGGATTAG **AACTTACTCAAAATAATGTAAATCTTTAAAAATATAAATTAGAATGACAAGTGGGAATCATAA** ATTAAACGTTAATGGTTTCTTATGCTCTTTTTAAATATAGAAATATCATGTTAAAGAAAAAAA AAAAAA

302/550

FIGURE 302

MGFLSPIYVIFFFGVKVHCQYETYQWDEDYDQEPDDDYQTGFPFRQNVDYGVPFHQYTLGCV SECFCPTNFPSSMYCDNRKLKTIPNIPMHIQQLYLQFNEIEAVTANSFINATHLKEINLSHNK IKSQKIDYGVFAKLPNLLQLHLEHNNLEEFPFPLPKSLERLLLGYNEISKLQTNAMDGLVNLT MLDLCYNYLHDSLLKDKIFAKMEKLMQLNLCSNRLESMPPGLPSSLMYLSLENNSISSIPEKY FDKLPKLHTLRMSHNKLQDIPYNIFNLPNIVELSVGHNKLKQAFYIPRNLEHLYLQNNEIEKM NLTVMCPSIDPLHYHHLTYIRVDQNKLKEPISSYIFFCFPHIHTIYYGEQRSTNGQTIQLKTQ VFRRFPDDDDESEDHDDPDNAHESPEQEGAEGHFDLHYYENQE

Important feastures:

N-glycosylation sites:

Amino acids 113-117;121-125; 187-191;242-246;316-320

Tyrosine kinase phosphorylation sites:

Amino acids 268-275;300-307

N-myristoylation site:

Amino acids 230-236

Leucine zipper patterns:

Amino acids 146-168;217-239

303/550

FIGURE 303

GCCCGGGACTGGCGCAAGGTGCCCAAGCAAGGAAAGAAATAATGAAGAGACACATGTGTTAGC TGCAGCCTTTTGAAACACGCAAGAAGGAAATCAATAGTGTGGACAGGGCTGGAACCTTTACCA CGCTTGTTGGAGTAGATGAGGAATGGGCTCGTGATTATGCTGACATTCCAGC**ATG**AATCTGGT AGACCTGTGGTTAACCCGTTCCCTCTCCATGTGTCTCCTCCTACAAAGTTTTGTTCTTATGAT ACTGTGCTTTCATTCTGCCAGTATGTGTCCCAAGGGCTGTCTTTGTTCTTCCTCTGGGGGTTT AAATGTCACCTGTAGCAATGCAAATCTCAAGGAAATACCTAGAGATCTTCCTCCTGAAACAGT CTTACTGTATCTGGACTCCAATCAGATCACATCTATTCCCAATGAAATTTTTAAGGACCTCCA TCAACTGAGAGTTCTCAACCTGTCCAAAAATGGCATTGAGTTTATCGATGAGCATGCCTTCAA AGGAGTAGCTGAAACCTTGCAGACTCTGGACTTGTCCGACAATCGGATTCAAAGTGTGCACAA AAATGCCTTCAATAACCTGAAGGCCAGGGCCAGAATTGCCAACAACCCCTGGCACTGCGACTG TACTCTACAGCAAGTTCTGAGGAGCATGGCGTCCAATCATGAGACAGCCCACAACGTGATCTG TAAAACGTCCGTGTTGGATGAACATGCTGGCAGACCATTCCTCAATGCTGCCAACGACGCTGA CCTTTGTAACCTCCCTAAAAAACTACCGATTATGCCATGCTGGTCACCATGTTTGGCTGGTT CACTATGGTGATCTCATATGTGGTATATTATGTGAGGCAAAATCAGGAGGATGCCCGGAGACA CCTCGAATACTTGAAATCCCTGCCAAGCAGGCAGAAGAAAGCAGATGAACCTGATGATATTAG CACTGTGGTA**TAG**TGTCCAAACTGACTGTCATTGAGAAAGAAAGAAAGTAGTTTGCGATTGCA GTAGAAATAAGTGGTTTACTTCTCCCATCCATTGTAAACATTTGAAACTTTGTATTTCAGTTT GTGATCCACCCCTTAATTGTACCCCCGATGGTATATTTCTGAGTAAGCTACTATCTGAACATT

304/550

FIGURE 304

MNLVDLWLTRSLSMCLLLQSFVLMILCFHSASMCPKGCLCSSSGGLNVTCSNANLKEIPRDLP
PETVLLYLDSNQITSIPNEIFKDLHQLRVLNLSKNGIEFIDEHAFKGVAETLQTLDLSDNRIQ
SVHKNAFNNLKARARIANNPWHCDCTLQQVLRSMASNHETAHNVICKTSVLDEHAGRPFLNAA
NDADLCNLPKKTTDYAMLVTMFGWFTMVISYVVYYVRQNQEDARRHLEYLKSLPSRQKKADEP
DDISTVV

Important features:

Signal sequence:

Amino acids 1-33

Transmembrane domain:

Amino acids 204-219

N-glycosylation sites:

Amino acids 47-51;94-98

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 199-203

Casein kinase II phosphorylation site.

amino acids 162-166, 175-179

N-myristoylation sites:

Amino acids 37-43;45-51;110-116

305/550

FIGURE 305

 ${\tt CGCCACCACTGCGGCCACCGCCAATGAAACGCCTCCCGCTCCTAGTGGTTTTTTTCCACTTTGTTGAATTGTTCCT}$ ATACTCAAAATTGCACCAAGACACCTTGTCTCCCAAATGCAAAATGTGAAATACGCAATGGAATTGAAGCCTGCT GCAGTAACCAAGACAGGTTTATCACTAATGATGGAACCGTCTGTATAGAAAATGTGAATGCAAACTGCCATTTAG ATAATGTCTGTATAGCTGCAAATATTAATAAAACTTTAACAAAAATCAGATCCATAAAAGAACCTGTGGCTTTGC TACAAGAAGTCTATAGAAATTCTGTGACAGATCTTTCACCAACAGATATAATTACATATATAGAAATATTAGCTG AATCATCTTCATTACTAGGTTACAAGAACAACACTATCTCAGCCAAGGACACCCTTTCTAACTCAACTCTTACTG **AATTTGTAAAAACCGTGAATAATTTTGTTCAAAGGGATACATTTGTAGTTTGGGACAAGTTATCTGTGAATCATA** GGAGAACACCTCTTACAAAACTCATGCACACTGTTGAACAAGCTACTTTAAGGATATCCCAGAGCTTCCAAAAGA CCACAGAGTTTGATACAAATTCAACGGATATAGCTCTCAAAGTTTTCTTTTTTGATTCATATAACATGAAACATA TTCATCCTCATATGAATATGGATGGAGACTACATAAATATATTTCCAAAGAGAAAAGCTGCATATGATTCAAATG GCAATGTTGCAGTTGCATTTTTATATATAAGAGTATTGGTCCTTTGCTTTCATCATCTGACAACTTCTTATTGA AACCTCAAAATTATGATAATTCTGAAGAGGGGGAAAGAGTCATATCTTCAGTAATTTCAGTCTCAATGAGCTCAA ACCCACCCACATTATATGAACTTGAAAAAATAACATTTACATTAAGTCATCGAAAGGTCACAGATAGGTATAGGA GTCTATGTGCATTTTGGAATTACTCACCTGATACCATGAATGGCAGCTGGTCTTCAGAGGGCTGTGAGCTGACAT ACTCAAATGAGACCCACACCTCATGCCGCTGTAATCACCTGACACATTTTGCAATTTTGATGTCCTCTGGTCCTT CCATTGGTATTAAAGATTATAATATTCTTACAAGGATCACTCAACTAGGAATAATTATTTCACTGATTTGTCTTG CCATATGCATTTTTACCTTCTGGTTCTTCAGTGAAATTCAAAGCACCAGGACAACAATTCACAAAAATCTTTGCT GTAGCCTATTTCTTGCTGAACTTGTTTTCTTGTTGGGATCAATACAAATACTAATAAGCTCTTCTGTTCAATCA TTGCCGGACTGCTACACTACTTCTTTTTAGCTGCTTTTTGCATGGATGTGCATTGAAGGCATACATCTCTATCTCA TTGTTGTGGGTGTCATCTACAACAAGGGATTTTTGCACAAGAATTTTTATATCTTTGGCTATCTAAGCCCAGCCG TGGTAGTTGGATTTTCGGCAGCACTAGGATACAGATATTATGGCACAAACCAAAGTATGTTGGCTTAGCACCGAAA ACAACTTTATTTGGAGTTTTATAGGACCAGCATGCCTAATCATTCTTGTTAATCTCTTGGCTTTTGGAGTCATCA GAGGAGCCCTCGCTCTTCTGTTCCTTCTCGGCACCACCTGGATCTTTGGGGTTCTCCATGTTGTGCACGCATCAG TGGTTACAGCTTACCTCTTCACAGTCAGCAATGCTTTCCAGGGGATGTTCATTTTTTTATTCCTGTGTGTTTTAT $\tt CTAGAAAGATTCAAGAAGAATATTACAGATTGTTCAAAAATGTCCCCTGTTGTTTTGGATGTTTAAGG\underline{TAA}$ $\tt ACAT$ AGAGAATGGTGGATAATTACAACTGCACAAAAATAAAAATTCCAAGCTGTGGATGACCAATGTATAAAAATGACT CATCAAATTATCCAATTATTAACTACTAGACAAAAAGTATTTTAAATCAGTTTTTCTGTTTATGCTATAGGAACT GTAGATAATAAGGTAAAATTATGTATCATATAGATATACTATGTTTTTCTATGTGAAATAGTTCTGTCAAAAAATA ACACGAGAAGTATATGAATGTCCTGAAGGAAACCACTGGCTTGATATTTCTGTGACTCGTGTTGCCTTTGAAACT AGTCCCCTACCACCTCGGTAATGAGCTCCATTACAGAAAGTGGAACATAAGAGAATGAAGGGGCAGAATATCAAA CAGTGAAAAGGGAATGATAAGATGTATTTTGAATGAACTGTTTTTTCTGTAGACTAGCTGAGAAATTGTTGACAT AAAATAAAGAATTGAAGAAACACATTTTACCATTTTGTGAATTGTTCTGAACTTAAATGTCCACTAAAACAACTT

306/550

FIGURE 306

MKRLPLLVVFSTLLNCSYTQNCTKTPCLPNAKCEIRNGIEACYCNMGFSGNGVTICEDDNECGNLTQSCGENANC
TNTEGSYYCMCVPGFRSSSNQDRFITNDGTVCIENVNANCHLDNVCIAANINKTLTKIRSIKEPVALLQEVYRNS
VTDLSPTDIITYIEILAESSSLLGYKNNTISAKDTLSNSTLTEFVKTVNNFVQRDTFVVWDKLSVNHRRTHLTKL
MHTVEQATLRISQSFQKTTEFDTNSTDIALKVFFFDSYNMKHIHPHMNMDGDYINIFPKRKAAYDSNGNVAVAFL
YYKSIGPLLSSSDNFLLKPQNYDNSEEEERVISSVISVSMSSNPPTLYELEKITFTLSHRKVTDRYRSLCAFWNY
SPDTMNGSWSSEGCELTYSNETHTSCRCNHLTHFAILMSSGPSIGIKDYNILTRITQLGIIISLICLAICIFTFW
FFSEIQSTRTTIHKNLCCSLFLAELVFLVGINTNTNKLFCSIIAGLLHYFFLAAFAWMCIEGIHLYLIVVGVIYN
KGFLHKNFYIFGYLSPAVVVGFSAALGYRYYGTTKVCWLSTENNFIWSFIGPACLIILVNLLAFGVIIYKVFRHT
AGLKPEVSCFENIRSCARGALALLFLLGTTWIFGVLHVVHASVVTAYLFTVSNAFQGMFIFLFLCVLSRKIQEEY
YRLFKNVPCCFGCLR

Important features:

Signal peptide:

Amino acids 1-19

Transmembrane domain:

Amino acids 431-450;494-515;573-594;619-636;646-664

N-glycosylation sites:

Amino acids 15-19;21-25;64-68;74-78;127-131;177-181; 188-192;249-253;381-385;395-399

Glycosaminoglycan attachment site:

Amino acids 49-53

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 360-364

Tyrosine kinase phosphorylation sites:

Amino acids 36-44;670-677

N-myristoylation sites:

Amino acids 38-44;50-56;52-58;80-86;382-388;388-394; 434-440;480-486;521-527

Aspartic acid and asparagine hydroxylation site:

Amino acids 75-87

307/550

FIGURE 307

CCAGGCCGGGAGGCGACGCCCCAGCCGTCTAAACGGGAACAGCCCTGGCTGAGGGAGCTGCAGCAGCAGAGT ATCTGACGCCCAGGTTGCGTAGGTGCGCACGAGGAGTTTTCCCGGCAGCGAGGAGGTCCTGAGCAGCATGGC GGCCGGCCGCCGCAGGAGGAGGCCTGTACCTATGGATCGATGCTCACCAGGCAAGAGTACTCATAGGATTTGA AGAAGATATCCTGATTGTTTCAGAGGGGAAAATGGCACCTTTTACACATGATTTCAGAAAAGCGCAACAGAGAAT ATTCCTGTCCTTGCGCTCCCTGGATAAAGGCATCATGGCAGATCCAACCGTCAATGTCCCTCTGCTGGGAACAGT GCCTCACAAGGCATCAGTTGTTCAAGTTGGTTTCCCATGTCTTGGAAAACAGGATGGGGTGGCAGCATTTGAAGT GGATGTGATTGTTATGAATTCTGAAGGCAACACCATTCTCCAAACACCCTCAAAATGCTATCTTCTTTAAAACATG TCAACAAGCTGAGTGCCCAGGCGGGTGCCGAAATGGAGGCTTTTGTAATGAAAGACGCATCTGCGAGTGTCCTGA TGGGTTCCACGGACCTCACTGTGAGAAAGCCCTTTGTACCCCACGATGTATGAATGGTGGACTTTGTGTGACTCC TGGTTTCTGCATCTGCCCACCTGGATTCTATGGAGTGAACTGTGACAAAGCAAACTGCTCAACCACCTGCTTTAA TGGAGGGACĊTGTTTCTACCCTGGAAAATGTATTTGCCCTCCAGGACTAGAGGGAGAGCAGTGTGAAATCAGCAA ATGCCCACAACCCTGTCGAAATGGAGGTAAATGCATTGGTAAAAGCAAATGTAAGTGTTCCAAAGGTTACCAGGG AGACCTCTGTTCAAAGCCTGTCTGCGAGCCTGGCTGTGGTGCACATGGAACCTGCCATGAACCCAACAAATGCCA ${\tt AGGCGCCAGCTCAGGCAGCACACGCCTTCACTTAAAAAGGCCGAGGAGCGGGGGATCCACCTGAATCCAATTA}$ $\mathtt{CATCTGG}\underline{\textbf{TGA}} \texttt{ACTCCGACATCTGA} \texttt{AACGTTTTAAGTTACACCAAGTTCATAGCCTTTGTTAACCTTTCATGTGTT}$ GAATGTTCAAATAATGTTCATTACACTTAAGAATACTGGCCTGAATTTTATTAGCTTCATTATAAATCACTGAGC TGATATTTACTCTTTCTTAAGTTTTCTAAGTACGTCTGTAGCATGATGGTATAGATTTTCTTGTTTCAGTGCT TTGGGACAGATTTTATATTATGTCAATTGATCAGGTTAAAATTTTCAGTGTAGTAGTAGCAGATATTTTCAAAAAT TACAATGCATTTATGGTGTCTCGGGGGCAGGGAACATCAGAAAGGTTAAATTGGGCAAAAATGCGTAAGTCACAA ATTTTTAAAAATTGCTCTTAATTTTTAAACTCTCAATACAATATTTTTGACCTTACCATTATTCCAGAGATTCA GGAATATAATGTATGAACTTTTTGCATTGGCTTGAAGCAATATAATATTGTAAACAAAACACAGCTCTTACCT AAAAAAA

308/550

FIGURE 308

MARRSAFPAAALWLWSILLCLLALRAEAGPPQEESLYLWIDAHQARVLIGFEEDILIVSEGKM
APFTHDFRKAQQRMPAIPVNIHSMNFTWQAAGQAEYFYEFLSLRSLDKGIMADPTVNVPLLGT
VPHKASVVQVGFPCLGKQDGVAAFEVDVIVMNSEGNTILQTPQNAIFFKTCQQAECPGGCRNG
GFCNERRICECPDGFHGPHCEKALCTPRCMNGGLCVTPGFCICPPGFYGVNCDKANCSTTCFN
GGTCFYPGKCICPPGLEGEQCEISKCPQPCRNGGKCIGKSKCKCSKGYQGDLCSKPVCEPGCG
AHGTCHEPNKCQCQEGWHGRHCNKRYEASLIHALRPAGAQLRQHTPSLKKAEERRDPPESNYIW

Important features:

Signal sequence:

Amino acids 1-28

N-glycosylation sites:

Amino acids 88-92;245-249

Tyrosine kinase phosphorylation site:

Amino acids 370-378

N-myristoylation sites:

Amino acids 184-190;185-191;189-195;315-321

ATP/GTP-binding site motif A (P-loop):

Amino acids 285-293

EGF-like domain cysteine pattern signatures:

Amino acids 198-210;230-242;262-274;294-306;326-338

309/550

FIGURE 309

CCCACGCGTCCGGTCTCGCTCGCGCAGCGGCGGCAGCAGAGGTCGCGCACAGATGCGGG CTTGCAAGCTGGATGCCCTCTGTGGATGAAAGATGTATCATGGAATGAACCCGAGCAATGGAG ATGGATTTCTAGAGCAGCAGCAGCAGCAGCAGCACCTCAGTCCCCCAGAGACTCTTGGCCG ACCTTCAAGTGTGTGCTGACCCCGGCATTCCCGAGAATGGCTTCAGGACCCCCAGCGGAGGGG TTTTCTTTGAAGGCTCTGTAGCCCGATTTCACTGCCAAGACGGATTCAAGCTGAAGGGCGCTA CAAAGAGACTGTGTTTGAAGCATTTTAATGGAACCCTAGGCTGGATCCCAAGTGATAATTCCA TCTGTGTGCAAGAAGATTGCCGTATCCCTCAAATCGAAGATGCTGAGATTCATAACAAGACAT ATAGACATGGAGAGAGCTAATCATCACTTGTCATGAAGGATTCAAGATCCGGTACCCCGACC TACACAATATGGTTTCATTATGTCGCGATGATGGAACGTGGAATAATCTGCCCATCTGTCAAG GCTGCCTGAGACCTCTAGCCTCTTCTAATGGCTATGTAAACATCTCTGAGCTCCAGACCTCCT TCCCGGTGGGGACTGTGATCTCCTATCGCTGCTTTCCCGGATTTAAACTTGATGGGTCTGCGT ATCTTGAGTGCTTACAAAACCTTATCTGGTCGTCCAGCCCACCCCGGTGCCTTGCTCTGGAAG CCCAAGTCTGTCCACTACCTCCAATGGTGAGTCACGGAGATTTCGTCTGCCACCCGCGGCCTT GTGAGCGCTACAACCACGGAACTGTGGTGGAGTTTTACTGCGATCCTGGCTACAGCCTCACCA GCGACTACAAGTACATCACCTGCCAGTATGGAGAGTGGTTTCCTTCTTATCAAGTCTACTGCA TCAAATCAGAGCAAACGTGGCCCAGCACCCATGAGACCCTCCTGACCACGTGGAAGATTGTGG CGTTCACGGCAACCAGTGTGCTGCTGGTGCTGCTCGTCATCCTGGCCAGGATGTTCCAGA CCAAGTTCAAGGCCCACTTTCCCCCCAGGGGGCCTCCCCGGAGTTCCAGCAGTGACCCTGACT TTGTGGTGGTAGACGGCGTGCCCGTCATGCTCCCGTCCTATGACGAAGCTGTGAGTGGCGGCT TGAGTGCCTTAGGCCCCGGGTACATGGCCTCTGTGGGCCAGGGCTGCCCCTTACCCGTGGACG ACCAGAGCCCCCAGCATACCCCGGCTCAGGGGACACGGACACAGGCCCAGGGGAGTCAGAAA CCTGTGACAGCGTCTCAGGCTCTTCTGAGCTGCTCCAAAGTCTGTATTCACCTCCCAGGTGCC AAGAGAGCACCCACCCTGCTTCGGACAACCCTGACATAATTGCCAGCACGGCAGAGGAGGTGG CATCCACCAGCCAGGCATCCATCATGCCCACTGGGTGTTGTTCCTAAGAAAC<u>TGA</u>TTGATTA AAAAATTTCCCAAAGTGTCCTGAAGTGTCTCTTCAAATACATGTTGATCTGTGGAGTTGATTC CTTTCCTTCTCTTGGTTTTAGACAAATGTAAACAAAGCTCTGATCCTTAAAATTGCTATGCTG ATAGAGTGGTGAGGGCTGGAAGCTTGATCAAGTCCTGTTTCTTCTTGACACAGACTGATTAAA AATTAAAAGNAAAAA

310/550

FIGURE 310

MYHGMNPSNGDGFLEQQQQQQQPQSPQRLLAVILWFQLALCFGPAQLTGGFDDLQVCADPGIP ENGFRTPSGGVFFEGSVARFHCQDGFKLKGATKRLCLKHFNGTLGWIPSDNSICVQEDCRIPQ IEDAEIHNKTYRHGEKLIITCHEGFKIRYPDLHNMVSLCRDDGTWNNLPICQGCLRPLASSNG YVNISELQTSFPVGTVISYRCFPGFKLDGSAYLECLQNLIWSSSPPRCLALEAQVCPLPPMVS HGDFVCHPRPCERYNHGTVVEFYCDPGYSLTSDYKYITCQYGEWFPSYQVYCIKSEQTWPSTH ETLLTTWKIVAFTATSVLLVLLLVILARMFQTKFKAHFPPRGPPRSSSSDPDFVVVDGVPVML PSYDEAVSGGLSALGPGYMASVGQGCPLPVDDQSPPAYPGSGDTDTGPGESETCDSVSGSSEL LQSLYSPPRCQESTHPASDNPDIIASTAEEVASTSPGIHHAHWVLFLRN

Important features:

Signal sequence:

amino acids 1-41

Transmembrane domain:

amino acids 325-344

N-glycosylation site.

amino acids 104-108, 134-138, 192-196

Casein kinase II phosphorylation site.

amino acids 8-12, 146-150, 252-256, 270-274, 313-317, 362-366, 364-368, 380-384, 467-471, 468-472

N-myristoylation site.

amino acids 4-10, 61-67, 169-175, 203-209, 387-393, 418-424, 478-484

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 394-405

311/550

FIGURE 311

CAGCGCGTGGCCGCCGCTGTGGGGACAGC**ATG**AGCGGCGGTTGGATGGCGCAGGTTGGAG CGTGGCGAACAGGGGCTCTGGGCCTGCTGCTGCTGCTCGGCCTCGGACTAGGCCTGG AGGCCGCCGCGAGCCCGCTTTCCACCCCGACCTCTGCCCAGGCCGCAGGCCCCAGCTCAGGCT CGTGCCCACCCACCAAGTTCCAGTGCCGCACCAGTGGCTTATGCGTGCCCCTCACCTGGCGCT GCGACAGGGACTTGGACTGCAGCGATGGCAGCGATGAGGAGGAGTGCAGGATTGAGCCATGTA CCCAGAAAGGGCAATGCCCACCGCCCCTGGCCTCCCCTGCCCCTGCACCGGCGTCAGTGACT GCTCTGGGGGAACTGACAAGAAACTGCGCAACTGCAGCCGCCTGGCCTAGCAGGCGAGC TCCGTTGCACGCTGAGCGATGACTGCATTCCACTCACGTGGCGCTGCGACGGCCACCCAGACT GTCCCGACTCCAGCGACGAGCTCGGCTGTGGAACCAATGAGATCCTCCCGGAAGGGGATGCCA CAACCATGGGGCCCCCTGTGACCCTGGAGAGTGTCACCTCTCTCAGGAATGCCACAACCATGG GGCCCCTGTGACCCTGGAGAGTGTCCCCTCTGTCGGGAATGCCACATCCTCTCTGCCGGAG ACCAGTCTGGAAGCCCAACTGCCTATGGGGTTATTGCAGCTGCTGCGGTGCTCAGTGCAAGCC TGGTCACCGCCACCCTCCTTTTGTCCTGGCTCCGAGCCCAGGAGCGCCTCCGCCCACTGG GGTTACTGGTGGCCATGAAGGAGTCCCTGCTGCTGTCAGAACAGAAGACCTCGCTGCCC<u>TGA</u>G GACAAGCACTTGCCACCACCGTCACTCAGCCCTGGGCGTAGCCGGACAGGAGGAGAGCAGTGA TGCGGATGGGTACCCGGGCACACCAGCCCTCAGAGACCTGAGTTCTTCTGGCCACGTGGAACC TCGAACCCGAGCTCCTGCAGAAGTGGCCCTGGAGATTGAGGGTCCCTGGACACTCCCTATGGA GATCCGGGGAGCTAGGATGGGGAACCTGCCACAGCCAGAACTGAGGGGCTGGCCCCAGGCAGC TCCCAGGGGGTAGAACGGCCCTGTGCTTAAGACACTCCCTGCTGCCCCGTCTGAGGGTGGCGA TTAAAGTTGCTTC ٥

312/550

FIGURE 312

MSGGWMAQVGAWRTGALGLALLLLLGLGLGLEAAASPLSTPTSAQAAGPSSGSCPPTKFQCRT SGLCVPLTWRCDRDLDCSDGSDEEECRIEPCTQKGQCPPPPGLPCPCTGVSDCSGGTDKKLRN CSRLACLAGELRCTLSDDCIPLTWRCDGHPDCPDSSDELGCGTNEILPEGDATTMGPPVTLES VTSLRNATTMGPPVTLESVPSVGNATSSSAGDQSGSPTAYGVIAAAAVLSASLVTATLLLLSW LRAQERLRPLGLLVAMKESLLLSEQKTSLP

Important features:

Signal sequence:

Amino acids 1-30

Transmembrane domain:

Amino acids 231-248

N-glycosylation sites:

Amino acids 126-130;195-199;213-217

Casein kinase II phosphorylation site.

amino acids 84-88, 140-144, 161-165, 218-222

N-myristoylation sites:

Amino acids 3-9;10-16;26-32;30-36;112-118;166-172;212-218; 224-230;230-236;263-269

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 44-55

Leucine zipper pattern:

Amino acids 17-39

313/550

FIGURE 313

CGGACGCGTGGGCGTCCGGCGGTCGCAGAGCCAGGAGGCGGAGGCGCGGGCCAGCCTGGGCCCAGCCCACAC TTGGCTCTGGGTGCCCAGCAGGGTCGTGGGCGCCGGGAGCTAGCACCGGGTCTGCACCTGCGGGGCATCCGGGAC GCGGGAGGCCGGTACTGCCAGGAGCAGGACCTGTGCTGCCGCGGCCGTGCCGACGACTGTGCCCTGCCCTACCTG GGCGCCATCTGTTACTGTGACCTCTTCTGCAACCGCACGGTCTCCGACTGCTCCCGACTTCTGGGACTTCTGC TACTGGGACAACTGTAACCGTTGCACCTGCCAGGAGAACAGGCAGTGGCATGGTGGATCCAGACATGATCAAAGC CATCAACCAGGGCAACTATGGCTGGCAGGCTGGGAACCACAGCGCCTTCTGGGGCATGACCCTGGA**TGA**GGGCAT AGGGGAGGTGCTTCCCACAGCCTTCGAGGCCTCTGAGAAGTGGCCCAACCTGATTCATGAGCCTCTTGACCAAGG CAACTGTGCAGGCTCCTGGGCCTTCTCCACAGCAGCTGTGGCATCCGATCGTGTCTCAATCCATTCTCTGGGACA TCTCGATGCTGCTGGTGGTTCCTGCGTCGCCGAGGGGTGGTGTCTGACCACTGCTACCCCTTCTCGGGCCGTGA ACGAGACGAGGCTGGCCCTGCGCCCCCTGTATGATGCACAGCCGAGCCATGGGTCGGGGCAAGCGCCAGGCCAC TGCCCACTGCCCCAACAGCTATGTTAATAACAATGACATCTACCAGGTCACTCCTGTCTACCGCCTCGGCTCCAA CGACAAGGAGATCATGAAGGAGCTGATGGAGAATGGCCCTGTCCAAGCCCTCATGGAGGTGCATGAGGACTTCTT CCTATACAAGGGAGGCATCTACAGCCACACGCCAGTGAGCCTTGGGAGGCCAGAGAGATACCGCCGGCATGGGAC CCACTCAGTCAAGATCACAGGATGGGGAGAGGAGGCGCTGCCAGATGGAAGGACGCTCAAATACTGGACTGCGGC CAACTCCTGGGGCCCAGCCTGGGGCGAGAGGGGCCACTTCCGCATCGTGCGCGCGTCAATGAGTGCGACATCGA GAGCTTCGTGCTGGGCCTCTGGGGCCGCGTGGGCATGGAGGACATGGGTCATCACTGAGGCTGCGGGCACCACGC GGGGTCCGGCCTGGGATCCAGGCTAAGGGCCGGCGGAAGAGGCCCCAATGGGGCGGTGACCCCAGCCTCGCCCGA CAGAGCCCGGGGCGCAGGCGCCCAGGGCGCTAATCCCGGCGCGGGTTCCGCTGACGCAGCGCCCCGCCTGGG AGCCGCGGCCAGGCGAGACTGCCGGAGCCCCCAGACCTCCCAGTGGGGACGGGCAGGGCCTGGCCTGGGAAGAG CACAGCTGCAGATCCCAGGCCTCTGGCGCCCCCACTCAAGACTACCAAAGCCAGGACACCTCAAGTCTCCAGCCC TGCAGTGGCCCATCAGGGCTCACTGTAACCTCCGACTCCTGGGTTCAAGTGACCCTCCCACCTCAGCCTCTCAAG TGCCCAGGCTGGTTTCGAACTCCTGGGCTCAAGCGGTCCACCTGCCTCCCCAAAGTGCTGGGATTGCAGG CCAAAGTATTGATAAAAAAAA

314/550

FIGURE 314

MWRCPLGLLLLPLAGHLALGAQQGRGRRELAPGLHLRGIRDAGGRYCQEQDLCCRGRADDCA LPYLGAICYCDLFCNRTVSDCCPDFWDFCLGVPPPFPPIQGCMHGGRIYPVLGTYWDNCNRCT COENROWHGGSRHDQSHQPGQLWLAGWEPQRLLGHDPG

Important features:

N-glycosylation site.

amino acids 78-82, 161-165

Casein kinase II phosphorylation site.

amino acids 80-84, 117-121, 126-130, 169-173, 205-209, 296-300, 411-415

N-myristoylation site.

amino acids 21-27, 39-45, 44-50, 104-110, 160-164, 224-230, 269-275, 378-384, 442-448

Amidation site.

amino acids 26-30, 318-322

Eukaryotic thiol (cysteine) proteases histidine active site. amino acids 398-409

315/550

FIGURE 315

GGCTTCTCCTGCTTGGGGGGCCTGCCTGAAGACCCAGGAACACCCCAGCTGCCCAGGAC CCAGGGAACTGGAAGCCAGCAAAGTTGTCCTCCTGCCCAGTTGTCCCGGAGCTCCAGGAAGTC CTGGGGAGAGGGGCCCCAGGTCCTCAAGGGCCACCTGGACCACCAGGCAAGATGGGCCCCA AGGGTGAGCCAGGCCCCAGAAACTGCCGGGAGCTGTTGAGCCAGGGCGCCACCTTGAGCGGCT GGTACCATCTGTGCCTACCTGAGGGCAGGGCCCTCCCAGTCTTTTGTGACATGGACACCGAGG GGGGCGCTGGCTGGTGTTTCAGAGGCGCCAGGATGGTTCTGTGGATTTCTTCCGCTCTTGGT ACCAGCTTACTCTCCAGGGTAACTGGGAGCTGCGGGTAGAGCTTGGAAGACTTTAATGGTAACC GTACTTTCGCCCACTATGCGACCTTCCGCCTCCTCGGTGAGGTAGACCACTACCAGCTGGCAC TGGGCAAGTTCTCAGAGGGCACTGCAGGGGATTCCCTGAGCCTCCACAGTGGGAGGCCCTTTA CCACCTATGACGCTGACCACGATTCAAGCAACAGCAACTGTGCAGTGATTGTCCACGGTGCCT GGTGGTATGCATCCTGTTACCGATCAAATCTCAATGGTCGCTATGCAGTGTCTGAGGCTGCCG CCCACAAATATGGCATTGACTGGGCCTCAGGCCGTGGTGTGGGCCCACCCCTACCGCAGGGTTC GGATGATGCTTCGATAGGGCACTCTGGCAGCCAGTGCCCTTATCTCTCTGTACAGCTTCCGG ATCGTCAGCCACCTTGCCTTTGCCAACCACCTCTGCTTGCCTGTCCACATTTAAAAATAAAAT CATTTTAGCCCTTTCA

316/550

FIGURE 316

MDLLWILPSLWLLLLGGPACLKTQEHPSCPGPRELEASKVVLLPSCPGAPGSPGEKGAPGPQG
PPGPPGKMGPKGEPGPRNCRELLSQGATLSGWYHLCLPEGRALPVFCDMDTEGGGWLVFQRRQ
DGSVDFFRSWSSYRAGFGNQESEFWLGNENLHQLTLQGNWELRVELEDFNGNRTFAHYATFRL
LGEVDHYQLALGKFSEGTAGDSLSLHSGRPFTTYDADHDSSNSNCAVIVHGAWWYASCYRSNL
NGRYAVSEAAAHKYGIDWASGRGVGHPYRRVRMMLR

Important features:

Signal peptide:

Amino acids 1-16

N-glycosylation site:

Amino acids 178-182

Glycosaminoglycan attachment site:

Amino acids 272-276

Tyrosine kinase phosphorylation site:

Amino acids 188-197

N-myristoylation sites:

Amino acids 16-22;89-95;144-150;267-273

Fibrinogen beta and gamma chains C-terminal domain signature:

Amino acids.242-255

317/550

FIGURE 317

CCCAAGCCAGCCGAGCCGCAGAGCCGCGGGGCCGGGGGTGTCGCGGGCCCAACCCCAGG<u>AT</u> GCTCCCCTGCGCCTCCTGCCTACCCGGGTCTCTACTGCTCTGGGCGCTGCTACTGTTGCTCTT GGGATCAGCTTCTCCTCAGGATTCTGAAGAGCCCGACAGCTACACGGAATGCACAGATGGCTA TGAGTGGGACCCAGACAGCCAGCACTGCCGGGATGTCAACGAGTGTCTGACCATCCCTGAGGC TGCCGTCATCAACGACCTACATGGCGAGGGACCCCCGCCACCAGTGCCTCCCGCTCAACACCC CAACCCCTGCCCACCAGGCTATGAGCCCGACGATCAGGACAGCTGTGTGGATGTGGACGAGTG TGCCCAGGCCCTGCACGACTGTCGCCCCAGCCAGGACTGCCATAACTTGCCTGGCTCCTATCA GTGCACCTGCCCTGATGGTTACCGCAAGATCGGGCCCGAGTGTGTGGACATAGACGAGTGCCG CTACCGCTACTGCCAGCACCGCTGCGTGAACCTGCCTGGCTCCTTCCGCTGCCAGTGCGAGCC GGGCTTCCAGCTGGGGCCTAACAACCGCTCCTGTGTTGATGTGAACGAGTGTGACATGGGGGC CCCATGCGAGCAGCGCTGCTTCAACTCCTATGGGACCTTCCTGTGTCGCTGCCACCAGGGCTA TGAGCTGCATCGGGATGGCTTCTCCTGCAGTGATATTGATGAGTGTAGCTACTCCAGCTACCT CTGTCAGTACCGCTGCGTCAACGAGCCAGGCCGTTTCTCCTGCCACTGCCCACAGGGTTACCA GCTGCTGGCCACACGCCTCTGCCAAGACATTGATGAGTGTGAGTCTGGTGCGCACCAGTGCTC CGAGGCCCAAACCTGTGTCAACTTCCATGGGGGCTACCGCTGCGTGGACACCAACCGCTGCGT GGAGCCCTACATCCAGGTCTCTGAGAACCGCTGTCTCTGCCCGGCCTCCAACCCTCTATGTCG AGAGCAGCCTTCATCCATTGTGCACCGCTACATGACCATCACCTCGGAGCGGAGCGTGCCCGC TGACGTGTTCCAGATCCAGGCGACCTCCGTCTACCCCGGTGCCTACAATGCCTTTCAGATCCG TGCTGGAAACTCGCAGGGGGACTTTTACATTAGGCAAATCAACAACGTCAGCGCCATGCTGGT CCTCGCCCGGCCGGTGACGGGCCCCCGGGAGTACGTGCTGGACCTGGAGATGGTCACCATGAA TTCCCTCATGAGCTACCGGGCCAGCTCTGTACTGAGGCTCACCGTCTTTGTAGGGGCCTACAC CTTCTGAGGAGCAGGAGGGAGCCACCCTCCCTGCAGCTACCCTAGCTGAGGAGCCTGTTGTGA GGGGCAGAATGAGAAAGGCAATAAAGGGAGAAAGAAAGTCCTGGTGGCTGAGGTGGGCGGGTC ACACTGCAGGAAGCCTCAGGCTGGGGCAGGTGGCACTTGGGGGGGCAGGCCAAGTTCACCTA AATGGGGGTCTCTATATGTTCAGGCCCAGGGGCCCCCATTGACAGGAGCTGGGAGCTCTGCAC CACGAGCTTCAGTCACCCCGAGAGGAGGAGGAGGTAACGAGGAGGGCGGACTCCAGGCCCCGGC CCAGAGATTTGGACTTGGCTGGCTTGCAGGGGTCCTAAGAAACTCCACTCTGGACAGCGCCAG GAGGCCCTGGGTTCCATTCCTAACTCTGCCTCAAACTGTACATTTGGATAAGCCCTAGTAGTT

318/550

FIGURE 318

MLPCASCLPGSLLLWALLLLLLGSASPQDSEEPDSYTECTDGYEWDPDSQHCRDVNECLTIPE
ACKGEMKCINHYGGYLCLPRSAAVINDLHGEGPPPPVPPAQHPNPCPPGYEPDDQDSCVDVDE
CAQALHDCRPSQDCHNLPGSYQCTCPDGYRKIGPECVDIDECRYRYCQHRCVNLPGSFRCQCE
PGFQLGPNNRSCVDVNECDMGAPCEQRCFNSYGTFLCRCHQGYELHRDGFSCSDIDECSYSSY
LCQYRCVNEPGRFSCHCPQGYQLLATRLCQDIDECESGAHQCSEAQTCVNFHGGYRCVDTNRC
VEPYIQVSENRCLCPASNPLCREQPSSIVHRYMTITSERSVPADVFQIQATSVYPGAYNAFQI
RAGNSQGDFYIRQINNVSAMLVLARPVTGPREYVLDLEMVTMNSLMSYRASSVLRLTVFVGAYTF

Important features:

Signal sequence:

Amino acids 1-25

N-glycosylation sites:

Amino acids 198-202;394-398

N-myristoylation sites:

Amino acids 76-82;145-151;182-188;222-228;290-296;305-311; 371-377;381-387

Aspartic acid and asparagine hydroxylation sites:

amino acids 140-152;177-189;217-229;258-270

319/550

FIGURE 319

TCAAAGGTGCGTACCCAGCTGTGCCCGACACCATGTACCTGCCCCTGGCCACCTCCCCGATGC CCGCTGGGAGTACCCCTGGTGCTGGATGGCTGTGGCTGCCGGGTATGTGCACGGCGGCTG GGGGAGCCCTGCGACCAACTCCACGTCTGCGACGCCAGGCCAGGCCTGGTCTGCCAGCCCGGG GCAGGACCCGGTGGCCGGGGGCCCTGTGCCTCTTGGCAGAGGACGACAGCAGCTGTGAGGTG AACGGCCGCCTGTATCGGGAAGGGGAGACCTTCCAGCCCCACTGCAGCATCCGCTGCCGCTGC GAGGACGGCGGCTTCACCTGCGTGCCGCTGTGCAGCGAGGATGTGCGGCTGCCCAGCTGGGAC TGCCCCCACCCCAGGAGGGTCGAGGTCCTGGGCAAGTGCTGCCCTGAGTGGGTGTGCGGCCAA GGAGGGGGACTGGGGACCCAGCCCCTTCCAGCCCAAGGACCCCAGTTTTCTGGCCTTGTCTCT TCCCTGCCCCTGGTGTCCCCTGCCCAGAATGGAGCACGGCCTGGGGACCCTGCTCGACCACC TGTGGGCTGGGCATGGCCACCCGGGTGTCCAACCAGAACCGCTTCTGCCGACTGGAGACCCAG CGCCGCCTGTGCCTGTCCAGGCCCTGCCACCCTCCAGGGGTCGCAGTCCACAAAACAGTGCC TTCTAGAGCCGGGCTGGGAATGGGGACACGGTGTCCACCATCCCCAGCTGGTGGCCCTGTGCC TGGGCCCTGGGCTGATGGAAGATGGTCCGTGCCCAGGCCCTTGGCTGCAGGCAACACTTTAGC TGGCAGAGGTGCAAGACCTAGTCCCCTTTCCTCTAACTCACTGCCTAGGAGGCTGGCCAAGGT CGAGCTTTCTCCCGACTTCCCCTGGGCAAGAGATGGGACAAGCAGTCCCTTAATATTGAGGC TGCAGCAGGTGCTGGGCTGGACTGGCCATTTTTCTGGGGGTAGGATGAAGAGAAGGCACACAG AGATTCTGGATCTCCTGCTGCCTTTTCTGGAGTTTGTAAAATTGTTCCTGAATACAAGCCTAT GCGTGA

320/550

FIGURE 320

MRGTPKTHLLAFSLLCLLSKVRTQLCPTPCTCPWPPPRCPLGVPLVLDGCGCCRVCARRLGEP CDQLHVCDASQGLVCQPGAGPGGRGALCLLAEDDSSCEVNGRLYREGETFQPHCSIRCRCEDG GFTCVPLCSEDVRLPSWDCPHPRRVEVLGKCCPEWVCGQGGGLGTQPLPAQGPQFSGLVSSLP PGVPCPEWSTAWGPCSTTCGLGMATRVSNQNRFCRLETQRRLCLSRPCPPSRGRSPQNSAF

Important features:

Signal sequence: Amino acids 1-23

N-myristoylation sites:

Amino acids 3-9;49-55;81-87;85-91;126-132;164-170;166-172; 167-173;183-189;209-215

Insulin-like growth factor binding proteins signature:

Amino acids 49-65

von Willebrand C1 domain:

Amino acids 107-124

Thrombospondin 1 Homology Block:

Amino acids 201-216

IGF binding protein site:

Amino acids 49-58

321/550

FIGURE 321

322/550

FIGURE 322

MMGLSLASAVLLASLLSLHLGTATRGSDISKTCCFQYSHKPLPWTWVRSYEFTSNSCSQRAVI FTTKRGKKVCTHPRKKWVQKYISLLKTPKQL

Important features:

Signal peptide:

amino acids 1-23

N-myristoylation sites.

amino acids 3-9, 26-32

Amidation site.

amino acids 68-72

Small cytokines (intecrine/chemokine).

amino acids 23-88

323/550

FIGURE 323

ACCGAGCCGAGCGGACCGAAGGCGCGCCCGAG<u>ATG</u>CAGGTGAGCAAGAGGATGCTGGCGGGGGGCGTGAGGAGCA TGCCCAGCCCCTCCTGGCCTGCTGGCAGCCCATCCTCCTGCTGGTGCTGGGCTCAGTGCTGTCAGGCTCGGCCA CGGGCTGCCCGCCCGCTGCGAGTGCTCCGCCCAGGACCGCGCTGTGCTGTGCCACCGCAAGTGCTTTGTGGCAG TCCCCGAGGGCATCCCCACCGAGACGCGCCTGCTGGACCTAGGCAAGAACCGCATCAAAACGCTCAACCAGGACG AGTTCGCCAGCTTCCCGCACCTGGAGGAGCTGGAGCTCAACGAGAACATCGTGAGCGCCGTGGAGCCCGGCGCCCT TCAACAACCTCTTCAACCTCCGGACGCTGGGTCTCCGCAGCAACCGCCTGAAGCTCATCCCGCTAGGCGTCTTCA CTGGCCTCAGCAACCTGACCAAGCAGGACATCAGCGAGAACAAGATCGTTATCCTACTGGACTACATGTTTCAGG ACCTGTACAACCTCAAGTCACTGGAGGTTGGCGACAATGACCTCGTCTACATCTCTCACCGCGCCTTCAGCGGCC TCAACAGCCTGGAGCAGCTGACGCTGGAGAAATGCAACCTGACCTCCATCCCCACCGAGGCGCTGTCCCACCTGC ACGGCCTCATCGTCCTGAGGCTCCGGCACCTCAACATCAATGCCATCCGGGACTACTCCTTCAAGAGGCTGTACC GACTCAAGGTCTTGGAGATCTCCCACTGGCCCTACTTGGACACCATGACACCCAACTGCCTCTACGGCCTCAACC TGACGTCCCTGTCCATCACACACTGCAATCTGACCGCTGTGCCCTACCTGGCCGTCCGCCACCTAGTCTATCTCC GCTTCCTCAACCTCTCCTACAACCCCATCAGCACCATTGAGGGCTCCATGTTGCATGAGCTGCTCCGGCTGCAGG AGATCCAGCTGGTGGGCGGGCAGCTGGCCGTGGTGGAGCCCTATGCCTTCCGCGGCCTCAACTACCTGCGCGTGC TCAATGTCTCTGGCAACCAGCTGACCACACTGGAGGAATCAGTCTTCCACTCGGTGGGCAACCTGGAGACACTCA TCCTGGACTCCAACCCGCTGCCGACTGTCGGCTCCTGTGGGTGTTCCGGCGCCCGCTGGCGGCTCAACTTCA ACCGGCAGCCCACGTGCGCCACGCCCGAGTTTGTCCAGGGCAAGGAGTTCAAGGACTTCCCTGATGTGCTAC TGCCCAACTACTTCACCTGCCGCCGCGCCCGCATCCGGGACCGCAAGGCCCAGCAGGTGTTTGTGGACGAGGGCC ACACGGTGCAGTTTGTGTGCCGGGCCGATGGCGACCCGCCGCCGCCATCCTCTGGCTCTCACCCCGAAAGCACC TGGTCTCAGCCAAGAGCAATGGGCGGCTCACAGTCTTCCCTGATGGCACGCTGGAGGTGCGCTACGCCCAGGTAC GCAGCTACTCGCCCGACTGGCCCCATCAGCCCAACAAGACCTTCGCTTTCATCTCCAACCAGCCGGGCGAGGGAG AGGCCAACAGCACCGCGCCACTGTGCCTTTCCCCTTCGACATCAAGACCCTCATCATCGCCACCACCATGGGCT AGCACAACATCGAGATCGAGTATGTGCCCCGAAAGTCGGACGCAGGCATCAGCTCCGCCGACGCCCCCCCAAGT TCCGTCCCTGCTGCCCCCCGCCAGCCCTCACCACCTCCTTCTACCAGGACCTCAGAAGCCCAGACCTGG TCAATAAAAAGTTACGAACTTTCTCTGTAACTTGGGTTTCAATAATTATGGATTTTTATGAAAACTTGAAATAA

324/550

FIGURE 324

MQVSKRMLAGGVRSMPSPLLACWQPILLLVLGSVLSGSATGCPPRCECSAQDRAVLCHRKCFVAVPEGIPTETRL LDLGKNRIKTLNQDEFASFPHLEELELNENIVSAVEPGAFNNLFNLRTLGLRSNRLKLIPLGVFTGLSNLTKQDI SENKIVILLDYMFQDLYNLKSLEVGDNDLVYISHRAFSGLNSLEQLTLEKCNLTSIPTEALSHLHGLIVLRLRHL NINAIRDYSFKRLYRLKVLEISHWPYLDTMTPNCLYGLNLTSLSITHCNLTAVPYLAVRHLVYLRFLNLSYNPIS TIEGSMLHELLRLQEIQLVGGQLAVVEPYAFRGLNYLRVLNVSGNQLTTLEESVFHSVGNLETLILDSNPLACDC RLLWVFRRRWRLNFNRQQPTCATPEFVQGKEFKDFPDVLLPNYFTCRRARIRDRKAQQVFVDEGHTVQFVCRADG DPPPAILWLSPRKHLVSAKSNGRLTVFPDGTLEVRYAQVQDNGTYLCIAANAGGNDSMPAHLHVRSYSPDWPHQP NKTFAFISNQPGEGEANSTRATVPFPFDIKTLIIATTMGFISFLGVVLFCLVLLFLWSRGKGNTKHNIEIEYVPR KSDAGISSADAPRKFNMKMI

Important features:

Signal sequence:

amino acids 1-41

Transmembrane domain:

amino acids 556-578

N-glycosylation site.

amino acids 144-148, 202-206, 264-268, 274-278, 293-297, 341-345, 492-496, 505-509, 526-530, 542-546

Casein kinase II phosphorylation site.

amino acids 49-53, 108-112, 146-150, 300-304, 348-352, 349-353, 607-611

Tyrosine kinase phosphorylation site.

amino acids 590-598

N-myristoylation site.

amino acids 10-16, 32-38, 37-43, 113-119, 125-131, 137-143, 262-268, 320-326, 344-350, 359-365, 493-499, 503-509, 605-611

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 32-43

325/550

FIGURE 325

GAGATGCGGGATGGAGACCTGGAGTTAGGTGGCTTGGGAGAGCTTAATGAAAAGAGAACGGAG AGGAGGTGTGGGTTAGGAACCAAGAGGTAGCCCTGTGGGCAGCAGAAGGCTGAGAGGAGTAGG AAGATCAGGAGCTAGAGGGAGACTGGAGGGTTCCGGGAAAAGAGCAGAGGAAAGAGAAAAAAA ACAGAGAGACGGGAGAGAGAGAGAGGGGGGTTTGAAGGGCGGATCTCAGTCCCTGGCTGCTT TGGCATTTGGGGAACTGGGACTCCCTGTGGGGAGGAGGAAAGCTGGAAGTCCTGGAGGGAC CTCGGAGGCCTCCTGGGGATGGGGGCTGCAGCTCGTCTGAGCGCCCCTCGAGCGCTGGTACTC TGGGCTGCACTGGGGGCAGCAGCTCACATCGGACCAGCACCTGACCCCGAGGACTGGTGGAGC . TACAAGGATAATCTCCAGGGAAACTTCGTGCCAGGGCCTCCTTTCTGGGGCCTGGTGAATGCA GCGTGGAGTCTGTGTGTGGGGAAGCGGCAGAGCCCCGTGGATGTGGAGCTGAAGAGGGTT CTTTATGACCCCTTTCTGCCCCCATTAAGGCTCAGCACTGGAGGAGAAGCTCCGGGGAACC TTGTACAACACCGGCCGACATGTCTCCTTCCTGCCTGCACCCCGACCTGTGGTCAATGTGTCT GGAGGTCCCCTCCTTTACAGCCACCGACTCAGTGAACTGCGGCTGCTGTTTGGAGCTCGCGAC GGAGCCGGCTCGGAACATCAGATCAACCACCAGGGCTTCTCTGCTGAGGTGCAGCTCATTCAC TTCAACCAGGAACTCTACGGGAATTTCAGCGCTGCCTCCCGCGGCCCCAATGGCCTGGCCATT CTCAGCCTCTTTGTCAACGTTGCCAGTACCTCTAACCCATTCCTCAGTCGCCTCCTTAACCGC GACACCATCACTCGCATCTCCTACAAGAATGATGCCTACTTTCTTCAAGACCTGAGCCTGGAG CTCCTGTTCCCTGAATCCTTCGGCTTCATCACCTATCAGGGCTCTCTCAGCACCCCGCCCTGC TCCGAGACTGTCACCTGGATCCTCATTGACCGGGCCCTCAATATCACCTCCCTTCAGATGCAC TCCCTGAGACTCCTGAGCCAGAATCCTCCATCTCAGATCTTCCAGAGCCTCAGCGGTAACAGC CGGCCCTGCAGCCCTTGGCCCACAGGGCACTGAGGGGCAACAGGGACCCCCGGCACCCCGAG AGGCGCTGCCGAGGCCCCAACTACCGCCTGCATGTGGATGGTGTCCCCCATGGTCGC<u>TGA</u>GAC TCCCCTTCGAGGATTGCACCCGCCCGTCCTAAGCCTCCCCACAAGGCGAGGGGAGTTACCCCT AAAACAAAGCTATTAAAGGGACAGAATACTTA

326/550

FIGURE 326

MGAAARLSAPRALVLWAALGAAAHIGPAPDPEDWWSYKDNLQGNFVPGPPFWGLVNAAWSLCA
VGKRQSPVDVELKRVLYDPFLPPLRLSTGGEKLRGTLYNTGRHVSFLPAPRPVVNVSGGPLLY
SHRLSELRLLFGARDGAGSEHQINHQGFSAEVQLIHFNQELYGNFSAASRGPNGLAILSLFVN
VASTSNPFLSRLLNRDTITRISYKNDAYFLQDLSLELLFPESFGFITYQGSLSTPPCSETVTW
ILIDRALNITSLQMHSLRLLSQNPPSQIFQSLSGNSRPLQPLAHRALRGNRDPRHPERRCRGP
NYRLHVDGVPHGR

Important features:

Signal peptide:

Amino acids 1-23

Transmembrane domain:

Amino acids 177-199

N-glycosylation sites:

Amino acids 118-122;170-174;260-264

Eukaryotic-type carbonic anhydrases proteins:

Amino acids 222-271;128-165;45-93

327/550

FIGURE 327

GGACTAATCTGTGGGAGCAGTTTATTCCAGTATCACCCAGGGTGCAGCCACCACCAGGACTGTGTTGAAGGGTGTT TTTTTTCTTTTAAATGTAATACCTCCTCATCTTTTCTTCTTACACAGTGTCTGAGAACATTTACATTATAGATAA AAGACACCATGAAGGAGTATGTGCTCCTATTATTCCTGGCTTTGTGCTCTGCCAAACCCTTCTTTAGCCCTTCAC ATGATGATGAGGACAACTCTCTTTTTCCAACAAGAGAGCCAAGAAGCCATTTTTTTCCATTTGATCTGTTTCCAA TGTGTCCATTTGGATGTCAGTGCTATTCACGAGTTGTACATTGCTCAGATTTAGGTTTGACCTCAGTCCCAACCA ACATTCCATTTGATACTCGAATGCTTGATCTTCAAAACAATAAAATTAAGGAAATCAAAGAAAATGATTTAAAG GACTCACTTCACTTTATGGTCTGATCCTGAACAACAACAACCAAGCTAACGAAGATTCACCCAAAAGCCTTTCTAACCA CAAAGAAGTTGCGAAGGCTGTATCTGTCCCACAATCAACTAAGTGAAATACCACTTAATCTTCCCAAATCATTAG TTTTGGAAATGAGTGCAAACCCTCTTGATAATAATGGGATAGAGCCAGGGGCATTTGAAGGGGTGACGGTGTTCC ATATCAGAATTGCAGAAGCAAAACTGACCTCAGTTCCTAAAGGCTTACCACCAACTTTATTGGAGCTTCACTTAG ATTATAATAAAATTTCAACAGTGGAACTTGAGGATTTTAAACGATACAAAGAACTACAAAGGCTGGGCCTAGGAA ACAACAAAATCACAGATATCGAAAATGGGAGTCTTGCTAACATACCACGTGTGAGAGAAATACATTTGGAAAACA TTGCAAGAGTGGGAGTAAATGACTTCTGTCCAACAGTGCCAAAGATGAAGAAATCTTTATACAGTGCAATAAGTT TATTCAACAACCCGGTGAAATACTGGGAAATGCAACCTGCAACATTTCGTTGTGTTTTGAGCAGAATGAGTGTTC ${\tt AGCTTGGGAACTTTGGAATG} \underline{{\tt TAA}} {\tt TAATTAGTAATTGGTAATGTCCATTTAATATAAGATTCAAAAAATCCCTACAT$ ACTGACTTATTTTATGACAAGAAATTTCAACGGAATTTTGCCAAACTATTGATACATAAGGGGTTGAGAGAAACA AGCATCTATTGCAGTTTCCTTTTTGCGTACAAATGATCTTACATAAATCTCATGCTTGACCATTCCTTTCTTCAT AACAAAAAGTAAGATATTCGGTATTTAACACTTTGTTATCAAGCACATTTTAAAAAGAACTGTACTGTAAATGG AATGCTTGACTTAGCAAAATTTGTGCTCTTTCATTTGCTGTTAGAAAAACAGAATTAACAAAGACAGTAATGTGA AGAGTGCATTACACTATTCTTATTCTTTAGTAACTTGGGTAGTACTGTAATATTTTTTAATCATCTTAAAGTATGA TTTGATATATCTTATTGAAATTACCTTATCATGTCTTAGAGCCCGTCTTTATGTTTAAAACTAATTTCTTAAAA TAAAGCCTTCAGTAAATGTTCATTACCAACTTGATAAATGCTACTCATAAGAGCTGGTTTGGGGCTATAGCATAT GCTTTTTTTTTTTTAATTATTACCTGATTTAAAAATCTCTGTAAAAACGTGTAGTGTTTCATAAAATCTGTAACT CGCATTTTAATGATCCGCTATTATAAGCTTTTTAATAGCATGAAAATTGTTAGGCTATATAACATTGCCACTTCAA CTCTAAGGAATATTTTTGAGATATCCCTTTGGAAGACCTTGCATGGAAGACCTGGACACTAACAATTCTACACC AAATTGTCTCTCAAATACGTATGGACTGGATAACTCTGAGAAACACATCTAGTATAACTGAATAAGCAGAGCAT CATATGTAAAATCAGAAAACAGGGAAATTTTCATTAAAAATATTGGTTTGAAAT

328/550

FIGURE 328

Important features:

Signal sequence.

amino acids 1-15

N-glycosylation site.

amino acids 281-285

N-myristoylation sites.

amino acids 129-135, 210-216, 214-220, 237-243, 270-276, 282-288

Leucine zipper pattern.

amino acids 154-176

329/550

FIGURE 329

TCCGCAGGTTCCCGCGGACTTGGGGGCGCCCGCTGAGCCCCGGCGCCCCGCAGAAGACTTGTGT TTGCCTCCTGCAGCCTCAACCCGGAGGGCAGCGAGGGCCTACCACCACCATGATCACTGGTGTTT GCGGGTGGCCCTGGCCGAGCTGCAGGAGGCCGATGGCCAGTGTCCGGTCGACCGCAGCCTGCT GAAGTTGAAAATGGTGCAGGTCGTGTTTCGACACGGGGCTCGGAGTCCTCTCAAGCCGCTCCC GCTGGAGGAGCAGGTAGAGTGGAACCCCCAGCTATTAGAGGTCCCACCCCAAACTCAGTTTGA TTACACAGTCACCAATCTAGCTGGTGGTCCGAAACCATATTCTCCTTACGACTCTCAATACCA TGAGACCACCCTGAAGGGGGGCATGTTTGCTGGGCAGCTGACCAAGGTGGGCATGCAAGAT CTTCAACCCACAGGAGGTCTTTATTCGTTCCACTAACATTTTTCGGAATCTGGAGTCCACCCG TTGTTTGCTGGCTGGCCTTTTCCAGTGTCAGAAAGAAGACCCCATCATCATCCACACTGATGA AGCAGATTCAGAAGTCTTGTATCCCAACTACCAAAGCTGCTGGAGCCTGAGGCAGAGAACCAG AGGCCGGAGGCAGACTGCCTCTTTACAGCCAGGAATCTCAGAGGATTTGAAAAAAGGTGAAGGA CAGGATGGGCATTGACAGTAGTGATAAAGTGGACTTCTTCATCCTCCTGGACAACGTGGCTGC CGAGCAGGCACACCTCCCAAGCTGCCCCATGCTGAAGAGATTTGCACGGATGATCGAACA GAGAGCTGTGGACACATCCTTGTACATACTGCCCAAGGAAGACAGGGAAAGTCTTCAGATGGC AGTAGGCCCATTCCTCCACATCCTAGAGAGCCACCTGCTGAAAGCCATGGACTCTGCCACTGC CCCCGACAAGATCAGAAAGCTGTATCTCTATGCGGCTCATGATGTGACCTTCATACCGCTCTT AATGACCCTGGGGATTTTTGACCACAAATGGCCACCGTTTGCTGTTGACCTGACCATGGAACT TTACCAGCACCTGGAATCTAAGGAGTGGTTTGTGCAGCTCTATTACCACGGGAAGGAGCAGGT GCCGAGAGGTTGCCCTGATGGGCTCTGCCCGCTGGACATGTTCTTGAATGCCATGTCAGTTTA TACCTTAAGCCCAGAAAAATACCATGCACTCTGCTCTCAAACTCAGGTGATGGAAGTTGGAAA TGAAGAGTAACTGATTTATAAAAGCAGGATGTGTTGATTTTAAAATAAAGTGCCTTTATACAATG

330/550

FIGURE 330

MITGVFSMRLWTPVGVLTSLAYCLHQRRVALAELQEADGQCPVDRSLLKLKMVQVVFRHGARSPLKPLPLEEQVE WNPQLLEVPPQTQFDYTVTNLAGGPKPYSPYDSQYHETTLKGGMFAGQLTKVGMQQMFALGERLRKNYVEDIPFL SPTFNPQEVFIRSTNIFRNLESTRCLLAGLFQCQKEGPIIIHTDEADSEVLYPNYQSCWSLRQRTRGRRQTASLQ PGISEDLKKVKDRMGIDSSDKVDFFILLDNVAAEQAHNLPSCPMLKRFARMIEQRAVDTSLYILPKEDRESLQMA VGPFLHILESNLLKAMDSATAPDKIRKLYLYAAHDVTFIPLLMTLGIFDHKWPPFAVDLTMELYQHLESKEWFVQ LYYHGKEQVPRGCPDGLCPLDMFLNAMSVYTLSPEKYHALCSQTQVMEVGNEE

Important features:

Signal sequence:

amino acids 1-23

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 218-222

Casein kinase II phosphorylation site.

amino acids 87-91, 104-108, 320-324

Tyrosine kinase phosphorylation site.

amino acids 280-288

N-myristoylation site.

amino acids 15-21, 117-123, 118-124, 179-185, 240-246, 387-393

Amidation site.

amino acids 216-220

Leucine zipper pattern.

amino acids 10-32

Histidine acid phosphatases phosphohistidine signature.

amino acids 50-65

331/550

FIGURE 331

CGAGGGCTTTTCCGGCTCCGGAATGGCACATGTGGGAATCCCAGTCTTGTTGGCTACAACATTTTTCCCTTTCCT AACAAGTTCTAACAGCTGTTCTAACAGCTAGTGATCAGGGGTTCTTCTTGCTGGAGAAGAAAGGGCTGAGGGCAG AGCAGGGCACTCTCACTCAGGGTGACCAGCTCCTTGCCTCTCTGTGGATAACAGAGCATGAGAAAGTGAAGAGAT CCTGGAGAGCCTGGGGGAGGCCTGCCTAACAAGCTTTCAAAAAACAGGAGCGACTTCCACTGGGCTGGGATAAG TTTAACCTCTCTGGGAGATGAAAACGATGGCTTAAGGGGCCAGAAATAGAGATGCTTTGTAAAATAAAATTTTAA AAAAAGCAAGTATTTTATAGCATAAAGGCTAGAGACCAAAATAGATAACAGGATTCCCTGAACATTCCTAAGAGG GAGAAAGTATGTTAAAAATAGAAAAACCAAAATGCAGAAGGAGGAGACTCACAGAGCTAAACCAGGA<u>ATG</u>GGGACC CTGGGTCAGGCCAGCCTCTTTGCTCCTCCCGGAAATTATTTTTTGGTCTGACCACTCTGCCTTGTGTTTTGCAGAA AGCATGGAACAGAGGCAGCCCTGGCCCCGGGCCCTGGAGGTGGACAGCCGCTCTGTGGTCCTGCTCTCAGTGGTC TGGGTGCTGCTGCCCCCCAGCAGCCGGCATGCCTCAGTTCAGCACCTTCCACTCTGAGAATCGTGACTGGACC TTCAACCACTTGACCGTCCACCAAGGGACGGGGCCGTCTATGTGGGGGCCATCAACCGGGTCTATAAGCTGACA GGCAACCTGACCATCCAGGTGGCTCATAAGACAGGGCCAGAAGAGGACAACAAGTCTCGTTACCCGCCCCTCATC GTGCAGCCCTGCAGCGAAGTGCTCACCCTCACCAACAATGTCAACAAGCTGCTCATCATTGACTACTCTGAGAAC CGCCTGCTGGCCTGTGGGAGCCTCTACCAGGGGGTCTGCAAGCTGCTGCGGCTGGATGACCTCTTCATCCTGGTG GAGCCATCCCACAGAGAGGAGCACTACCTGTCCAGTGTCAACAAGACGGGCACCATGTACGGGGTGATTGTGCGC TCTGAGGGTGAGGATGGCAAGCTCTTCATCGGCACGGCTGTGGATGGGAAGCAGGATTACTTCCCGACCCTGTCC AGCCGGAAGCTGCCCCGAGACCCTGAGTCCTCAGCCATGCTCGACTATGAGCTACACAGCGATTTTGTCTCCTCT CTCATCAAGATCCCTTCAGACACCCTGGCCCTGGTCTCCCACTTTGACATCTTCTACATCTACGGCTTTGCTAGT GGGGGCTTTGTCTACTTTCTCACTGTCCAGCCCGAGACCCCTGAGGGTGTGGCCATCAACTCCGCTGGAGACCTC TTCTACACCTCACGCATCGTGCGGCTCTGCAAGGATGACCCCAAGTTCCACTCATACGTGTCCCTGCCCTTCGGC TGCACCCGGGCCGGGTGGAATACCGCCTCCTGCAGGCTGCTTACCTGGCCAAGCCTGGGGACTCACTGGCCCAG GCCTTCAATATCACCAGCCAGGACGATGTACTCTTTGCCATCTTCTCCAAAGGGCAGAAGCAGTATCACCACCCG CCCGATGACTCTGCCCTGTGTGCCTTCCCTATCCGGGCCATCAACTTGCAGATCAAGGAGCGCCTGCAGTCCTGC TACCAGGGCGAGGCCAACCTGGAGCTCAACTGGCTGCTGGGGAAGGACGTCCAGTGCACGAAGGCGCCTGTCCCC ATCGATGATAACTTCTGTGGACTGGACATCAACCAGCCCCTGGGAGGCTCAACTCCAGTGGAGGGCCTGACCCTG TACACCACCAGCAGGGACCGCATGACCTCTGTGGCCTCCTACGTTTACAACGGCTACAGCGTGGTTTTTGTGGGG ACTAAGAGTGGCAAGCTGAAAAAGGTAAGAGTCTATGAGTTCAGATGCTCCAATGCCATTCACCTCCTCAGCAAA GAGTCCCTCTTGGAAGGTAGCTATTGGTGGAGATTTAACTATAGGCAACTTTATTTCTTGGGGAACAAAGG<u>TGA</u> AATGGGGAGGTAAGAAGGGGTTAATTTTGTGACTTAGCTTCTAGCTACTTCCTCCAGCCATCAGTCATTGGGTAT GTAAGGAATGCAAGCGTATTTCAATATTTCCCAAACTTTAAGAAAAAACTTTAAGAAGGTACATCTGCAAAAGCAAA

332/550

FIGURE 332

MGTLGQASLFAPPGNYFWSDHSALCFAESCEGQPGKVEQMSTHRSRLLTAAPLSMEQRQPWPR
ALEVDSRSVVLLSVVWVLLAPPAAGMPQFSTFHSENRDWTFNHLTVHQGTGAVYVGAINRVYK
LTGNLTIQVAHKTGPEEDNKSRYPPLIVQPCSEVLTLTNNVNKLLIIDYSENRLLACGSLYQG
VCKLLRLDDLFILVEPSHKKEHYLSSVNKTGTMYGVIVRSEGEDGKLFIGTAVDGKQDYFPTL
SSRKLPRDPESSAMLDYELHSDFVSSLIKIPSDTLALVSHFDIFYIYGFASGGFVYFLTVQPE
TPEGVAINSAGDLFYTSRIVRLCKDDPKFHSYVSLPFGCTRAGVEYRLLQAAYLAKPGDSLAQ
AFNITSQDDVLFAIFSKGQKQYHHPPDDSALCAFPIRAINLQIKERLQSCYQGEGNLELNWLL
GKDVQCTKAPVPIDDNFCGLDINQPLGGSTPVEGLTLYTTSRDRMTSVASYVYNGYSVVFVGT
KSGKLKKVRVYEFRCSNAIHLLSKESLLEGSYWWRFNYRQLYFLGEQR

Important features:

Signal sequence:

amino acids 1-32

Transmembrane domain:

amino acids 71-87

N-glycosylation site.

amino acids 130-134, 145-149, 217-221, 381-385

Casein kinase II phosphorylation site.

amino acids 139-143, 229-233, 240-244, 291-295, 324-328, 383-387, 384-388, 471-475, 481-485, 530-534

N-myristoylation site.

amino acids 220-226, 319-325, 353-359, 460-466, 503-509

333/550

FIGURE 333

GCTGAGTCTGCTGCTGCTGCTGCTCCAGCCTGTAACCTGTGCCTACACCACGCCAGG CCCCCCAGAGCCCTCACCACGCTGGGCGCCCCCAGAGCCCACACC<u>ATG</u>CCGGGCACCTACGC TCCCTCGACCACACTCAGTAGTCCCAGCACCCAGGGCCTGCAAGAGCAGGCACGGGCCCTGAT GCGGGACTTCCCGCTCGTGGACGGCCACAACGACCTGCCCCTGGTCCTAAGGCAGGTTTACCA GAAAGGGCTACAGGATGTTAACCTGCGCAATTTCAGCTACGGCCAGACCAGCCTGGACAGGCT TAGAGATGCCTCGTGGGCGCCCAGTTCTGGTCAGCCTATGTGCCATGCCAGACCCAGGACCG GGATGCCCTGCGCCTCACCCTGGAGCAGATTGACCTCATACGCCGCATGTGTGCCTCCTATTC CGGTGTAGAGGGTGGCCACTCGCTGGACAATAGCCTCTCCATCTTACGTACCTTCTACATGCT GGGAGTGCGCTACCTGACGCTCACCCACACCTGCAACACCCCTGGGCAGAGAGCTCCGCTAA GGGCGTCCACTCCTTCTACAACAACATCAGCGGGCTGACTGTTTGGTGAGAAGGTGGTGGC AGAAATGAACCGCCTGGGCATGATGGTAGACTTATCCCATGTCTCAGATGCTGTGGCACGGCG GGCCCTGGAAGTGTCACAGGCACCTGTGATCTTCTCCCACTCGGCTGCCCGGGGTGTGTGCAA CAGTGCTCGGAATGTTCCTGATGACATCCTGCAGCTTCTGAAGAAGAACGGTGGCGTCGTGAT GGTGTCTTTGTCCATGGGAGTAATACAGTGCAACCCATCAGCCAATGTGTCCACTGTGGCAGA TCACTTCGACCACATCAAGGCTGTCATTGGATCCAAGTTCATCGGGATTGGTGGAGATTATGA TGGGGCCGCAAATTCCCTCAGGGGCTGGAAGACGTGTCCACATACCCGGTCCTGATAGAGGA GTTGCTGAGTCGTGGCTGGAGTGAGGAAGAGCTTCAGGGTGTCCTTCGTGGAAACCTGCTGCG GGTCTTCAGACAAGTGGAAAAGGTACAGGAAGAAAACAAATGGCAAAGCCCCTTGGAGGACAA GTTCCCGGATGAGCAGCTGAGCAGTTCCTGCCACTCCGACCTCTCACGTCTGCGTCAGAGACA GAGTCTGACTTCAGGCCAGGAACTCACTGAGATTCCCATACACTGGACAGCCAAGTTACCAGC CAAGTGGTCAGTCTCAGAGTCCTCCCCCCACATGGCCCCAGTCCTTGCAGTTGTGGCCACCTT CCCAGTCCTTATTCTGTGGCTCTGATGACCCAGTTAGTCCTGCCAGATGTCACTGTAGCAAGC **GGACATAG**

334/550

FIGURE 334

MPGTYAPSTTLSSPSTQGLQEQARALMRDFPLVDGHNDLPLVLRQVYQKGLQDVNLRNFSYGQ
TSLDRLRDGLVGAQFWSAYVPCQTQDRDALRLTLEQIDLIRRMCASYSELELVTSAKALNDTQ
KLACLIGVEGGHSLDNSLSILRTFYMLGVRYLTLTHTCNTPWAESSAKGVHSFYNNISGLTDF
GEKVVAEMNRLGMMVDLSHVSDAVARRALEVSQAPVIFSHSAARGVCNSARNVPDDILQLLKK
NGGVVMVSLSMGVIQCNPSANVSTVADHFDHIKAVIGSKFIGIGGDYDGAGKFPQGLEDVSTY
PVLIEELLSRGWSEEELQGVLRGNLLRVFRQVEKVQEENKWQSPLEDKFPDEQLSSSCHSDLS
RLRQRQSLTSGQELTEIPIHWTAKLPAKWSVSESSPHMAPVLAVVATFPVLILWL

Important features:

N-glycosylation sites.

amino acids 58-62, 123-127, 182-186, 273-277

N-myristoylation sites.

amino acids 72-78, 133-139, 234-240, 264-270, 334-340, 389-395

Renal dipeptidase active site.

amino acids 134-157

335/550

FIGURE 335

CCCAGAAGTTCAAGGGCCCCCGGCCTCCTGCGCTCCTGCCGGGGACCCTCGACCTCCTCAG AGCAGCCGGCTGCCGCCCCGGGAAGATGGCGAGGAGGAGCCGCCACCGCCTCCTCCTGCTGCT GCTGCGCTACCTGGTGGTCGCCCTGGGCTATCATAAGGCCTATGGGTTTTCTGCCCCAAAAGA CCAACAAGTAGTCACAGCAGTAGAGTACCAAGAGGCTATTTTAGCCTGCAAAAACCCCAAAGAA GACTGTTTCCTCCAGATTAGAGTGGAAGAAACTGGGTCGGAGTGTCTCCTTTGTCTACTATCA ACAGACTCTTCAAGGTGATTTTAAAAATCGAGCTGAGATGATAGATTTCAATATCCGGATCAA AAATGTGACAAGAAGTGATGCGGGGAAATATCGTTGTGAAGTTAGTGCCCCATCTGAGCAAGG CCAAAACCTGGAAGAGGATACAGTCACTCTGGAAGTATTAGTGGCTCCAGCAGTTCCATCATG TGAAGTACCCTCTTCTGCTCTGAGTGGAACTGTGGTAGAGCTACGATGTCAAGACAAAGAAGG GAATCCAGCTCCTGAATACACATGGTTTAAGGATGGCATCCGTTTGCTAGAAAATCCCAGACT TGGCTCCCAAAGCACCAACAGCTCATACACAATGAATACAAAAACTGGAACTCTGCAATTTAA TACTGTTTCCAAACTGGACACTGGAGAATATTCCTGTGAAGCCCGCAATTCTGTTGGATATCG ${\tt CAGGTGTCCTGGGAAACGAATGCAAGTAGATGATCTCAACATAAGTGGCATCATAGCAGCCGT}$ AGTAGTTGTGGCCTTAGTGATTTCCGTTTGTGGCCTTGGTGTATGCTCAGAGGAAAGG CTACTTTCAAAAGAAACCTCCTTCCAGAAGAGTAATTCTTCATCTAAAGCCACGACAATGAG ACGAGGTCAGGAGTTC TAG ACCAGTCTGGCCAATATGGTGAAACCCCATCTCTACTAAAATACAAAAATTAGCTGGGCATGGTGGCATGTGCCTGCAGTTCCAGCTGCTTGGGAGACAGGAGAATC ACTTGAACCCGGGAGGCGGAGGTTGCAGTGAGCTGAGATCACGCCACTGCAGTCCAGCCTGGG TGTAGAATTCTTACAATAAATATAGCTTGATATTC

336/550

FIGURE 336

MARRSRHRLLLLLRYLVVALGYHKAYGFSAPKDQQVVTAVEYQEAILACKTPKKTVSSRLEW KKLGRSVSFVYYQQTLQGDFKNRAEMIDFNIRIKNVTRSDAGKYRCEVSAPSEQGQNLEEDTV TLEVLVAPAVPSCEVPSSALSGTVVELRCQDKEGNPAPEYTWFKDGIRLLENPRLGSQSTNSS YTMNTKTGTLQFNTVSKLDTGEYSCEARNSVGYRRCPGKRMQVDDLNISGIIAAVVVVALVIS VCGLGVCYAQRKGYFSKETSFQKSNSSSKATTMSENVQWLTPVIPALWKAAAGGSRGQEF

Important features:

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 130-144, 238-258

N-glycosylation site.

amino acids 98-102, 187-191, 236-240, 277-281

Casein kinase II phosphorylation site.

amino acids 39-43, 59-63, 100-104, 149-153, 205-209, 284-288

N-myristoylation site.

amino acids 182-188, 239-245, 255-261, 257-263, 305-311

Amidation site.

amino acids 226-230

337/550

FIGURE 337

GGAGCCGCCTGGGTGTCAGCGGCTCGGCTCCCGCGCACGCTCCGGCCGTCGCGCAGCCTCGG TGATTTCCCTCCCGGGGCCCCTGGTGACCAACTTGCTGCGGTTTTTGTTCCTGGGGCTGAGTG CCCTCGCGCCCCCTCGCGGGCCCAGCTGCAACTGCACTTGCCCGCCAACCGGTTGCAGGCGG TGGAGGGAGGGAAGTGGTGCTTCCAGCGTGGTACACCTTGCACGGGGAGGTGTCTTCATCCC TGTCCTACATCAATGGGGTCACAACAAGCAAACCTGGAGTATCCTTGGTCTACTCCATGCCCT CCCGGAACCTGTCCCTGCGGCTGGAGGGTCTCCAGGAGAAAGACTCTGGCCCCTACAGCTGCT CCGTGAATGTGCAAGACAAACAAGGCAAATCTAGGGGCCACAGCATCAAAACCTTAGAACTCA ATGTACTGGTTCCTCCAGCTCCTCCATCCTGCCGTCTCCAGGGTGTGCCCCATGTGGGGGCAA ACGTGACCCTGAGCTGCCAGTCTCCAAGGAGTAAGCCCGCTGTCCAATACCAGTGGGATCGGC AGCTTCCATCCTTCCAGACTTTCTTTGCACCAGCATTAGATGTCATCCGTGGGTCTTTAAGCC TCACCAACCTTTCGTCTTCCATGGCTGGAGTCTATGTCTGCAAGGCCCACAATGAGGTGGGCA CTGCCCAATGTAATGTGACGCTGGAAGTGAGCACAGGGCCTGGAGCTGCAGTGGTTGCTGGÅG GGGGCAAGGCCCTGGAGGAGCCAGCCAATGATATCAAGGAGGATGCCATTGCTCCCCGGACCC TGCCCTGGCCCAAGAGCTCAGACACAATCTCCAAGAATGGGACCCTTTCCTCTGTCACCTCCG CACGAGCCCTCCGGCCACCCCATGGCCCTCCCAGGCCTGGTGCATTGACCCCCACGCCCAGTC TCTCCAGCCAGGCCCTGCCCTCACCAAGACTGCCCACGACAGATGGGGCCCACCCTCAACCAA TATCCCCCATCCTGGTGGGGTTTCTTCCTCTGGCTTGAGCCGCATGGGTGCTGTGCCTGTGA TGGTGCCTGCCCAGAGTCAAGCTGGCTCTCTGGTA**TGA**TGACCCCACCACTCATTGGCTAAAG GATTTGGGGTCTCTCCTTCCTATAAGGGTCACCTCTAGCACAGAGGCCTGAGTCATGGGAAAG AGTCACACTCCTGACCCTTAGTACTCTGCCCCCACCTCTCTTTACTGTGGGAAAACCATCTCA GTAAGACCTAAGTGTCCAGGAGACAGAAGGAGAAGAGGAAGTGGATCTGGAATTGGGAGGAGC CTCCACCCACCCTGACTCCTTATGAAGCCAGCTGCTGAAATTAGCTACTCACCAAGAGT GAGGGGCAGAGACTTCCAGTCACTGAGTCTCCCAGGCCCCCTTGATCTGTACCCCACCCCTAT GTTAGGTTTTACTGGGGCAGAGGATAGGGAATCTCTTATTAAAACTAACATGAAATATGTGTT GTTTTCATTTGCAAATTTAAATAAAGATACATAATGTTTGTATGAAAAA

338/550

FIGURE 338

MISLPGPLVTNLLRFLFLGLSALAPPSRAQLQLHLPANRLQAVEGGEVVLPAWYTLHGEVSSS QPWEVPFVMWFFKQKEKEDQVLSYINGVTTSKPGVSLVYSMPSRNLSLRLEGLQEKDSGPYSC SVNVQDKQGKSRGHSIKTLELNVLVPPAPPSCRLQGVPHVGANVTLSCQSPRSKPAVQYQWDR QLPSFQTFFAPALDVIRGSLSLTNLSSSMAGVYVCKAHNEVGTAQCNVTLEVSTGPGAAVVAG AVVGTLVGLGLLAGLVLLYHRRGKALEEPANDIKEDAIAPRTLPWPKSSDTISKNGTLSSVTS ARALRPPHGPPRPGALTPTPSLSSQALPSPRLPTTDGAHPQPISPIPGGVSSSGLSRMGAVPV MVPAQSQAGSLV

Important features:

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 245-267

N-glycosylation site.

amino acids 108-112, 169-173, 213-217, 236-240, 307-311

N-myristoylation site.

amino acids 90-96, 167-173, 220-226, 231-237, 252-258, 256-262, 262-268, 308-314, 363-369, 364-370

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 164-175

339/550

FIGURE 339

 $\verb|CCCTTCTC| \textbf{ATG} \\ \texttt{GGACTTTGGGGACAAAGCGTCCCGACCGCCTCGAGCGCTCGAGCAGGGCGCTATCCAGGAGCCA} \\$ GGACAGCGTCGGGAACCAGACCATGGCTCCTGGACCCCAAGATCCTTAAGTTCGTCGTCTTCATCGTCGCGGTTC TGCTGCCGGTCCGGGTTGACTCTGCCACCATCCCCCGGCAGGACGAAGTTCCCCAGCAGACAGTGGCCCCACAGC AACAGAGGCGCAGCCTCAAGGAGGAGGAGTGTCCAGCAGGATCTCATAGATCAGAATATACTGGAGCCTGTAACC CGTGCACAGAGGGTGTGGATTACACCATTGCTTCCAACAATTTGCCTTCTTGCCTGCTATGTACAGTTTGTAAAAT CAGGTCAAACAAATAAAAGTTCCTGTACCACGACCAGAGACACCGTGTGTCAGTGTGAAAAAGGAAGCTTCCAGG ATAAAAACTCCCCTGAGATGTGCCGGACGTGTAGAACAGGGTGTCCCAGAGGGATGGTCAAGGTCAGTAATTGTA CGCCCGGAGTGACATCAAGTGCAAAAATGAATCAGCTGCCAGTTCCACTGGGAAAACCCCAGCAGCGGAGGAGA CAGTGACCACCATCCTGGGGATGCTTGCCTCTCCCTATCACTACCTTATCATCATAGTGGTTTTAGTCATCATTT TAGCTGTGGTTGTGGTTTCATGTCGGAAGAAATTCATTTCTTACCTCAAAGGCATCTGCTCAGGTGGTG GAGGAGGTCCCGAACGTGTGCACAGAGTCCTTTTCCGGCGGCGTTCATGTCCTTCACGAGTTCCTGGGGCGGAGG AGGAGCTGGCAGAGCTAACAGGTGTGACTGTAGAGTCGCCAGAGGAGCCACAGCGTCTGCTGGAACAGGCAGAAG ATGCCTCGGCAACACTGGAAGAAGGACATGCAAAGGAAACAATTCAGGACCAACTGGTGGGCTCCGAAAAGCTCT $\verb|TTTATGAAGAAGATGAGGCAGGCTCTGCTACGTCCTGCTGTGAAAGAATCTCTTCAGGAAACCAGAGCTTCCCT|$ CATTTACCTTTTCTCCTACAAAGGGAAGCAGCCTGGAAGAAACAGTCCAGTACTTGACCCATGCCCCAACAAACT CTACTATCCAATATGGGGCAGCTTACCAATGGTCCTAGAACTTTGTTAACGCACTTGGAGTAATTTTTATGAAAT ACTGCGTGTGATAAGCAAACGGGAGAAATTTATATCAGATTCTTGGCTGCATAGTTATACGATTGTGTATTAAGG GTCGTTTTAGGCCACATGCGGTGGCTCATGCCTGTAATCCCAGCACTTTGATAGGCTGAGGCAGGTGGATTGCTT $\verb|CTACTGGTGTGCATTTAATGACATCTAACTACAGATGCCGCACAGCCACAATGCTTTGCCTTATAGTTTTTTA| \\$ ACTTTAGAACGGGATTATCTTGTTATTACCTGTATTTTCAGTTTCGGATATTTTTGACTTAATGATGAGATTATC AAGACGTAGCCCTATGCTAAGTCATGAGCATATGGACTTACGAGGGTTCGACTTAGAGTTTTGAGCTTTAAGATA GGATTATTGGGGCTTACCCCCACCTTAATTAGAGAAACATTTATATTGCTTACTACTGTAGGCTGTACATCTCTT TTCCGATTTTTGTATAATGATGTAAACATGGAAAAACTTTAGGAAATGCACTTATTAGGCTGTTTACATGGGTTG ATTTATAAGTAGATGTTTACATATGCCCAGGATTTTGAAGAGCCTGGTATCTTTGGGAAGCCATGTGTCTGGTTT GTCGTGCTGGGACAGTCATGGGACTGCATCTTCCGACTTGTCCACAGCAGATGAGGACAGTGAGAATTAAGTTAG ATCCGAGACTGCGAAGAGCTTCTCTTTCAAGCGCCATTACAGTTGAACGTTAGTGAATCTTGAGCCTCATTTGGG CTCAGGGCAGAGCAGGTGTTTATCTGCCCCGGCATCTGCCATGGCATCAAGAGGGAAGAGTGGACGGTGCTTGGG AATGGTGTGAAATGGTTGCCGACTCAGGCATGGATGGGCCCCTCTCGCTTCTGGTGGTCTGTGAACTGAGTCCCT GGGATGCCTTTTAGGGCAGAGATTCCTGAGCTGCGTTTTAGGGTACAGATTCCCTGTTTGAGGAGCTTGGCCCCT CTGTAAGCATCTGACTCATCTCAGAGATATCAATTCTTAAACACTGTGACAACGGGATCTAAAATGGCTGACACA ${\tt TTTGTCCTTGTGTCACGTTCCATTATTTTATTTAAAAACCTCAGTAATCGTTTTAGCTTCTTTCCAGCAAACTCT}$ TCTCCACAGTAGCCCAGTCGTGGTAGGATAAATTACGGATATAGTCATTCTAGGGGTTTCAGTCTTTTCCATCTC AAGGCATTGTGTGTTTTGTTCCGGGACTGGTTTGGCTGGGACAAAGTTAGAACTGCCTGAAGTTCGCACATTCAG ATTGTTGTGTCCATGGAGTTTTAGGAGGGGATGGCCTTTCCGGTCTTCGCACTTCCATCCTCCCACTTCCATC TGGCGTCCCACACCTTGTCCCCTGCACTTCTGGATGACACAGGGTGCTGCTGCCTCCTAGTCTTTGCCTTTGCTG AGAGGCCTTCCTTGAAGATGCATCTAGACTACCAGCCTTATCAGTGTTTAAGCTTATTCCTTTAACATAAGCTTC **АААААААААААААААААААААААА**

340/550

FIGURE 340

MGLWGQSVPTASSARAGRYPGARTASGTRPWLLDPKILKFVVFIVAVLLPVRVDSATIPRQDEVPQQTVAPQQQR RSLKEEECPAGSHRSEYTGACNPCTEGVDYTIASNNLPSCLLCTVCKSGQTNKSSCTTTRDTVCQCEKGSFQDKN SPEMCRTCRTGCPRGMVKVSNCTPRSDIKCKNESAASSTGKTPAAEETVTTILGMLASPYHYLIIIVVLVIILAV VVVGFSCRKKFISYLKGICSGGGGGPERVHRVLFRRRSCPSRVPGAEDNARNETLSNRYLQPTQVSEQEIQGQEL AELTGVTVESPEEPQRLLEQAEAEGCQRRRLLVPVNDADSADISTLLDASATLEEGHAKETIQDQLVGSEKLFYE EDEAGSATSCL

Important features:

Transmembrane domains:

amino acids 35-52, 208-230

N-glycosylation sites.

amino acids 127-131, 182-186, 277-281

Glycosaminoglycan attachment site.

amino acids 245-249

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 260-264

N-myristoylation sites.

amino acids 21-27, 86-92, 102-108, 161-167, 242-248, 270-276, 297-303, 380-386

ATP/GTP-binding site motif A (P-loop).

amino acids 185-193

TNFR/NGFR cysteine-rich region.

amino acids 99-139

341/550

FIGURE 341

GCCTCTGAATTGTTGGGCAGTCTGGCAGTGGAGCTCTCCCCGGTCTGACAGCCACTCCAGAGG $\verb|CC| \underline{\textbf{ATG}} \\ \texttt{CTTCGTTTCTTGCCAGATTTGGCTTTCAGCTTCCTGTTAATTCTGGCTTTGGGCCAGG| \\ \\ \texttt{CC} \underline{\textbf{ATG}} \\ \texttt{CTTCGTTTCTTGCCAGATTTGGCTTTCAGCTTCCTGTTAATTCTGGCTTTGGGCCAGG| \\ \\ \texttt{CC} \underline{\textbf{ATG}} \\ \texttt{CTTCGTTTCTTGCCAGATTTGGCCTTTCAGCTTCCTGTTAATTCTGGCTTTGGGCCAGG| \\ \\ \texttt{CC} \underline{\textbf{ATG}} \\ \texttt{CTTCGTTTCTTGGCCAGATTTGGGCTTTCAGCTTCCTGTTAATTCTGGCTTTGGGCCAGG| \\ \\ \texttt{CC} \underline{\textbf{ATG}} \\ \texttt{CTTCGTTTCTTGGCCAGATTTGGGCTTTCAGGCTTCCTGTTAATTCTGGCTTTGGGCCAGG| \\ \\ \texttt{CC} \underline{\textbf{ATG}} \\ \texttt{CC} \underline{\textbf{ATG}}$ CAGTCCAATTTCAAGAATATGTCTTTCTCCAATTTCTGGGCTTAGATAAGGCGCCTTCACCCC AGAAGTTCCAACCTGTGCCTTATATCTTGAAGAAAATTTTCCAGGATCGCGAGGCAGCAGCGA CCACTGGGGTCTCCCGAGACTTATGCTACGTAAAGGAGCTGGGCGTCCGCGGGAATGTACTTC GCTTTCTCCCAGACCAAGGTTTCTTTCTTTACCCAAAGAAAATTTCCCAAGCTTCCTCCTGCC AGCTGGGCCTGGACTTGGGGCCCAATTCTTACTATAACCTGGGACCAGAGCTGGAACTGGCTC TGTTCCTGGTTCAGGAGCCTCATGTGTGGGGCCAGACCACCCCTAAGCCAGGTAAAATGTTTG TGTTGCGGTCAGTCCCATGGCCACAAGGTGCTGTTCACTTCAACCTGCTGGATGTAGCTAAGG ATTGGAATGACAACCCCGGAAAAATTTCGGGTTATTCCTGGAGATACTGGTCAAAGAAGATA GAGACTCAGGGGTGAATTTTCAGCCTGAAGACACCTGTGCCAGACTAAGATGCTCCCTTCATG CTTCCCTGCTGGTGGTGACTCTCAACCCTGATCAGTGCCACCCTTCTCGGAAAAGGAGAGCAG CCATCCCTGTCCCCAAGCTTTCTTGTAAGAACCTCTGCCACCGTCACCAGCTATTCATTAACT TCCGGGACCTGGGTTGGCACAAGTGGATCATTGCCCCCAAGGGGTTCATGGCAAATTACTGCC ATGGAGAGTGTCCCTTCTCACTGACCATCTCTCTCAACAGCTCCAATTATGCTTTCATGCAAG CCCTGATGCATGCCGTTGACCCAGAGATCCCCCAGGCTGTGTGTATCCCCACCAAGCTGTCTC CCATTTCCATGCTCTACCAGGACAATAATGACAATGTCATTCTACGACATTATGAAGACATGG ${ t TAGTCGATGAATGTGGGTGTGGG} { t TAG} { t GATGTCAGAAATGGGAATAGAAGGAGTGTTCTTAGGG}$ TAAATCTTTTAATAAAACTACCTATCTGGTTTATGACCACTTAGATCGAAATGTC

342/550

FIGURE 342

MLRFLPDLAFSFLLILALGQAVQFQEYVFLQFLGLDKAPSPQKFQPVPYILKKIFQDREAAAT
TGVSRDLCYVKELGVRGNVLRFLPDQGFFLYPKKISQASSCLQKLLYFNLSAIKEREQLTLAQ
LGLDLGPNSYYNLGPELELALFLVQEPHVWGQTTPKPGKMFVLRSVPWPQGAVHFNLLDVAKD
WNDNPRKNFGLFLEILVKEDRDSGVNFQPEDTCARLRCSLHASLLVVTLNPDQCHPSRKRRAA
IPVPKLSCKNLCHRHQLFINFRDLGWHKWIIAPKGFMANYCHGECPFSLTISLNSSNYAFMQA
LMHAVDPEIPQAVCIPTKLSPISMLYQDNNDNVILRHYEDMVVDECGCG

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 112-116, 306-310

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 96-100

N-myristoylation site.

amino acids 77-83

TGF-beta family proteins.

amino acids 264-299, 327-341, 345-364

343/550

FIGURE 343

TTTTTTCCATCTCTGGGCCAGCTTGGGATCCTAGGCCGCCCTGGGAAGACATTTGTGTTTTTACACACATAAGGAT GCTCAGTGCTTGCTTGCACTTATCTGCCTAGGTACATCGAAGTCTTTTGACCTCCATACAGTGATTATGCCTGTC ATCGCTGGTGGTATCCTGGCGGCCTTGCTCCTGCTGATAGTTGTCGTGCTCTTTTACTTCAAAATACACAAC GCGCTAAAAGCTGCAAAGGAACCTGAAGCTGTGGCTGTAAAAAATCACAACCCAGACAAGGTGTGGTGGGCCCAAG AACAGCCAGGCCAAAACCATTGCCACGGAGTCTTGTCCTGCCCTGCAGTGCTGTGAAGGATATAGAATGTGTGCC AGTTTTGATTCCCTGCCACCTTGCTGTTGCGACATAAATGAGGGCCTCTGAGTTAGGAAAGGCTCCCTTCTCAAA GCAGAGCCCTGAAGACTTCAATGATGTCAATGAGGCCACCTGTTTGTGATGTGCAGGCACAGAAGAAAAGGCACAG CTCCCCATCAGTTTCATGGAAAATAACTCAGTGCCTGCTGGGAACCAGCTGCTGGAGATCCCTACAGAGAGCTTC CACTGGGGGCAACCCTTCCAGGAAGGAGTTGGGGAGAGAACCCTCACTGTGGGGAATGCTGATAAACCAGTCA CACAGCTGCTCTATTCTCACACAAATCTACCCCTTGCGTGGCTGGAACTGACGTTTCCCTGGAGGTGTCCAGAAA GCTGATGTAACACAGAGCCTATAAAAGCTGTCGGTCCTTAAGGCTGCCCAGCGCCTTGCCAAA<u>ATG</u>GAGCTTGTA AGAAGGCTCATGCCATTGACCCTCTTAATTCTCTCTGTTTGGCGGAGCTGACAATGGCGGAGGCTGAAGGCAAT GCAAGCTGCACAGTCAGTCTAGGGGGTGCCAATATGGCAGAGACCCACAAAGCCATGATCCTGCAACTCAATCCC AGTGAGAACTGCACCTGGACAATAGAAAGACCAGAAAACAAAAGCATCAGAATTATCTTTTCCTATGTCCAGCTT GATCCAGATGGAAGCTGTGAAAGTGAAAACATTAAAGTCTTTGACGGAACCTCCAGCAATGGGCCTCTGCTAGGG CAAGTCTGCAGTAAAAACGACTATGTTCCTGTATTTGAATCATCATCCAGTACATTGACGTTTCAAATAGTTACT GACTCAGCAAGAATTCAAAGAACTGTCTTTGTCTTCTACTACTTCTTCTCTCTAACATCTCTATTCCAAACTGT GGCGGTTACCTGGATACCTTGGAAGGATCCTTCACCAGCCCCAATTACCCAAAGCCGCATCCTGAGCTGGCTTAT TGTGTGTGGCACATACAAGTGGAGAAAGATTACAAGATAAAACTAAACTTCAAAGAGATTTTCCTAGAAATAGAC AAACAGTGCAAATTTGATTTTCTTGCCATCTATGATGGCCCCTCCACCAACTCTGGCCTGATTGGACAAGTCTGT GGCCGTGTGACTCCCACCTTCGAATCGTCATCAAACTCTCTGACTGTCGTGTTGTCTACAGATTATGCCAATTCT TACCGGGGATTTTCTGCTTCCTACACCTCAATTTATGCAGAAAACATCAACACTACATCTTTAACTTGCTCTTCT GACAGGATGAGAGTTATTATAAGCAAATCCTACCTAGAGGCTTTTAACTCTAATGGGAATAACTTGCAACTAAAA GACCCAACTTGCAGACCAAAATTATCAAATGTTGTGGAATTTTCTGTCCCTCTTAATGGATGTGGTACAATCAGA AAGGTAGAAGATCAGTCAATTACTTACACCAATATAATCACCTTTTCTGCATCCTCAACTTCTGAAGTGATCACC CGTCAGAAACAACTCCAGATTATTGTGAAGTGTGAAATGGGACATAATTCTACAGTGGAGATAATATACATAACA GAAGATGATGTAATACAAAGTCAAAATGCACTGGGCAAATATAACACCAGCATGGCTCTTTTTGAATCCAATTCA TTTGAAAAGACTATACTTGAATCACCATATTATGTGGATTTGAACCAAACTCTTTTTGTTCAAGTTAGTCTGCAC ACCTCAGATCCAAATTTGGTGGTGTTTCTTGATACCTGTAGAGCCTCTCCCACCTCTGACTTTGCATCTCCAACC TACGACCTAATCAAGAGTGGATGTAGTCGAGATGAAACTTGTAAGGTGTATCCCTTATTTGGACACTATGGGAGA TTCCAGTTTAATGCCTTTAAATTCTTGAGAAGTATGAGCTCTGTGTATCTGCAGTGTAAAGTTTTGATATGTGAT AGCAGTGACCACCAGTCTCGCTGCAATCAAGGTTGTGTCTCCAGAAGCAAACGAGACATTTCTTCATATAAATGG AAAACAGATTCCATCATAGGACCCATTCGTCTGAAAAGGGATCGAAGTGCAAGTGGCAATTCAGGATTTCAGCAT GAAACACATGCGGAAGAAACTCCAAACCAGCCTTTCAACAGTGTGCATCTGTTTTCCTTCATGGTTCTAGCTCTG AATGTGGTGACTGTAGCGACAATCACAGTGAGGCATTTTGTAAATCAACGGGCAGACTACAAATACCAGAAGCTG CAGAACTATTAACTAACAGGTCCAACCCTAAGTGAGACATGTTTCTCCAGGATGCCAAAGGAAATGCTACCTCGT GGCTACACATATTATGAATAAATGAGGAAGGGCCTGAAAGTGACACACGGCCTGCATGTAAAAAAA

344/550

FIGURE 344

MELVRRLMPLTLLILSCLAELTMAEAEGNASCTVSLGGANMAETHKAMILQLNPSENCTWTIE
RPENKSIRIIFSYVQLDPDGSCESENIKVFDGTSSNGPLLGQVCSKNDYVPVFESSSSTLTFQ
IVTDSARIQRTVFVFYYFFSPNISIPNCGGYLDTLEGSFTSPNYPKPHPELAYCVWHIQVEKD
YKIKLNFKEIFLEIDKQCKFDFLAIYDGPSTNSGLIGQVCGRVTPTFESSSNSLTVVLSTDYA
NSYRGFSASYTSIYAENINTTSLTCSSDRMRVIISKSYLEAFNSNGNNLQLKDPTCRPKLSNV
VEFSVPLNGCGTIRKVEDQSITYTNIITFSASSTSEVITRQKQLQIIVKCEMGHNSTVEIIYI
TEDDVIQSQNALGKYNTSMALFESNSFEKTILESPYYVDLNQTLFVQVSLHTSDPNLVVFLDT
CRASPTSDFASPTYDLIKSGCSRDETCKVYPLFGHYGRFQFNAFKFLRSMSSVYLQCKVLICD
SSDHQSRCNQGCVSRSKRDISSYKWKTDSIIGPIRLKRDRSASGNSGFQHETHAEETPNQPFN
SVHLFSFMVLALNVVTVATITVRHFVNQRADYKYQKLQNY

Important features:

Signal sequence:

amino acids 1-24

Transmembrane domain:

amino acids 571-586

N-glycosylation site.

amino acids 29-33, 57-61, 67-71, 148-152, 271-275, 370-374, 394-398, 419-423

Casein kinase II phosphorylation site.

amino acids 22-26, 108-112, 289-293, 348-352, 371-375, 379-383, 408-412, 463-467, 520-524, 556-560

Tyrosine kinase phosphorylation site.

amino acids 172-180, 407-415, 407-416, 519-528

N-myristoylation site.

amino acids 28-34, 38-44, 83-89, 95-101, 104-110, 226-232

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 7-18

345/550

FIGURE 345

GGCCTTGCTGTGTCAGGTCTGGAGCTCTGGGGTGTTCGAACTGAAGCTGCAGGAGTTCGTCAACAAGAAGGGGCT GCTGGGGAACCGCAATTGCTGCCGCGGGGGCGCGGGCCACCGCCGTGCGCCTGCCGGACCTTCTTCCGCGTGTG CCTCAAGCACTACCAGGCCAGCGTGTCCCCCGAGCCGCCCTGCACCTACGGCAGCGCCGTCACCCCGTGCTGGG CGTCGACTCCTTCAGTCTGCCCGACGGCGGGGGGCGCCGACTCCGCGTTCAGCAACCCCATCCGCTTCCGC CTTCACCTGGCCGGGCACCTTCTCTCTGATTATTGAAGCTCTCCACACAGATTCTCCTGATGACCTCGCAACAGA AAACCCAGAAAGACTCATCAGCCGCCTGGCCACCCAGAGGCACCTGACGGTGGGCGAGGAGTGGTCCCAGGACCT GCACAGCAGCGGCCGCACGGACCTCAAGTACTCCTACCGCTTCGTGTGTGACGAACACTACTACGGAGAGGGCTG CTCCGTTTCTGCCGTCCCCGGGACGATGCCTTCGGCCACTTCACCTGTGGGGAGCGTGGGGAGAAAGTGTGCAA CAAACCAGGGGAATGCAAGTGCAGAGTGGGCTGGCAGGGCCGGTACTGTGACGAGTGTATCCGCTATCCAGGCTG TCTCCATGGCACCTGCCAGCAGCCCTGGCAGTGCAACTGCCAGGAAGGCTGGGGGGGCCTTTTCTGCAACCAGGA CCTGAACTACTGCACACACATAAGCCCTGCAAGAATGGAGCCACCTGCACCAACACGGGCCAGGGGAGCTACAC TTGCTCTTGCCGGCCTGGGTACACAGGTGCCACCTGCGAGCTGGGGGATTGACGAGTGTGACCCCAGCCCTTGTAA GAACGGAGGGAGCTGCACGGATCTCGAGAACAGCTACTCCTGTACCTGCCCACCCGGCTTCTACGGCAAAATCTG TGAATTGAGTGCCATGACCTGTGCGGACGCCCTTGCTTTAACGGGGGTCGGTGCTCAGACAGCCCCGATGGAGG GTACAGCTGCCGCTGCCCCGTGGGCTACTCCGGCTTCAACTGTGAGAAAAATTGACTACTGCAGCTCTTCACC CTGTTCTAATGGTGCCAAGTGTGTGGACCTCGGTGATGCCTACCTGTGCCGCTGCCAGGCCGGCTTCTCGGGGAG GCACTGTGACGACAACGTGGACGACTGCGCCTCCTCCCCGTGCGCCAACGGGGGCACCTGCCGGGATGGCGTGAA $\tt CGACTTCTCCTGCACCTGCCCGGCTGGCTACACGGGCAGGAACTGCAGTGCCCCCGTCAGCAGGTGCGAGCACGC$ ACCCTGCCACAATGGGGCCACCTGCCACGAGAGGGGCCACCGCTATGTGTGCGAGTGTGCCCGAGGCTACGGGGG TCCCAACTGCCAGTTCCTGCTCCCCGAGCTGCCCCCGGGCCCAGCGGTGGTGGACCTCACTGAGAAGCTAGAGGG CCAGGGCCGGCCATTCCCCTGGGTGGCCGTGTGCGCCGGGGTCATCCTTGTCCTCATGCTGCTGCTGGGCTGTGC CGCTGTGGTGGTCTGCGTCCGGCTGAGGCTGCAGAAGCACCGGCCCCCAGCCGACCCCTGCCGGGGGAGACGGA GAACACCAACAAGAAGGCGGACTTCCACGGGGACCACAGCGCCGACAAGAATGGCTTCAAGGCCCGCTACCCAGC GGTGGACTATAACCTCGTGCAGGACCTCAAGGGTGACGACACCGCCGTCAGGGACGCGCACAGCAAGCGTGACAC ${\tt CAAGTGCCAGGGCTCCTCAGGGGAGGAGGAGGGGACCCCGACCACACTCAGGGGTGGAGAAGCATCTGA}$ AAGAAAAAGGCCGGACTCGGGCTGTTCAACTTCAAAAGACACCAAGTACCAGTCGGTGTACGTCATATCCGAGGA ${\tt GAAGGATGAGTGCGTCATAGCAACTGAGGTG} \underline{{\tt TAA}} {\tt AATGGAAGTGAGATGGCAAGACTCCCGTTTCTCTTAAAATA}$ ACCGAGTTCAGACCGAGCAGGTTCTCCTCCTGAGGTCCTCGACGCCTGCCGACAGCCTGTCGCGGCCCGGCCGCC GAACTGAATTACGCATAAGAAGCATGCACTGCCTGAGTGTATATTTTGGATTCTTATGAGCCAGTCTTTTCTTGA ATTAGAAACACAAACACTGCCTTTATTGTCCTTTTTGATACGAAGATGTGCTTTTTCTAGATGGAAAAGATGTGT $\tt GTTATTTTTGGATTTGTAAAAATATTTTTCATGATATCTGTAAAGCTTGAGTATTTTGTGATGTTCGTTTTTTA$ TTATGGAATATTGTGCAAATGTTATTTGAGTTTTTTACTGTTTTGTTAATGAAGAAATTCCTTTTTAAAATATTT AAAAAAA

346/550

FIGURE 346

MGSRCALALAVLSALLCQVWSSGVFELKLQEFVNKKGLLGNRNCCRGGAGPPPCACRTFFRVC LKHYQASVSPEPPCTYGSAVTPVLGVDSFSLPDGGGADSAFSNPIRFPFGFTWPGTFSLIIEA LHTDSPDDLATENPERLISRLATQRHLTVGEEWSQDLHSSGRTDLKYSYRFVCDEHYYGEGCS VFCRPRDDAFGHFTCGERGEKVCNPGWKGPYCTEPICLPGCDEQHGFCDKPGECKCRVGWQGR YCDECIRYPGCLHGTCQQPWQCNCQEGWGGLFCNQDLNYCTHHKPCKNGATCTNTGQGSYTCS CRPGYTGATCELGIDECDPSPCKNGGSCTDLENSYSCTCPPGFYGKICELSAMTCADGPCFNG GRCSDSPDGGYSCRCPVGYSGFNCEKKIDYCSSSPCSNGAKCVDLGDAYLCRCQAGFSGRHCD DNVDDCASSPCANGGTCRDGVNDFSCTCPPGYTGRNCSAPVSRCEHAPCHNGATCHERGHRYV CECARGYGGPNCQFLLPELPPGPAVVDLTEKLEGQGGPFPWVAVCAGVILVLMLLLGCAAVVV CVRLRLQKHRPPADPCRGETETMNNLANCQREKDISVSIIGATQIKNTNKKADFHGDHSADKN GFKARYPAVDYNLVQDLKGDDTAVRDAHSKRDTKCQPQGSSGEEKGTPTTLRGGEASERKRPD SGCSTSKDTKYQSVYVISEEKDECVIATEV

Important features:

Signal sequence:

Amino acids 1-21

Transmembrane domain:

Amino acids 546-566

N-glycosylation site:

Amino acids 477-481

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 660-664

Tyrosine kinase phosphorylation sites:

Amino acids 176-185;252-261

N-myristoylation sites:

Amino acids 2-8;37-43;40-46;98-104;99-105;262-268;281-287; 282-288;301-307;310-316;328-334;340-344;378-384;387-393;512-518; 676-682;683-689;695-701

Aspartic acid and asparagine hydroxylation sites:

Amino acids 343-355;420-432;458-470

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 552-563

EGF-like domain cysteine pattern signature:

Amino acids 243-255;274-286;314-326;352-364;391-403;429-441;467-479;505-517

347/550

FIGURE 347

CCCACGCGTCCGCACCTCGGCCCCGGGCTCCGAAGCGGCTCGGGGGCGCCCTTTCGGTCAACA GGAGCCGGCCGGGAAGCGCGATGGGGGCCCCAGCCGCCTCGCTCCTGCTCCTGCTGCTGT CTGATGAACAGTGGTGGCTGGTGGCACCGTGGTGCTCAAGTGCCAAGTGAAAGATCACGAGG ACTCATCCCTGCAATGGTCTAACCCTGCTCAGCAGACTCTCTACTTTGGGGAGAAGAGAGCCC TTCGAGATAATCGAATTCAGCTGGTTACCTCTACGCCCCACGAGCTCAGCATCAGCATCAGCA ATGTGGCCCTGGCAGACGAGGGCGAGTACACCTGCTCAATCTTCACTATGCCTGTGCGAACTG CCAAGTCCCTCGTCACTGTGCTAGGAATTCCACAGAAGCCCATCATCACTGGTTATAAATCTT CATTACGGGAAAAAGACACCACCCTAAACTGTCAGTCTTCTGGGAGCAAGCCTGCAGCCC CCAATGGTAAAACCTTCACTGTCAGCAGCTCGGTGACATTCCAGGTTACCCGGGAGGATGATG GGGCGAGCATCGTGTGCTCTGTGAACCATGAATCTCTAAAGGGAGCTGACAGATCCACCTCTC AACGCATTGAAGTTTTATACACACCAACTGCGATGATTAGGCCAGACCCTCCCCATCCTCGTG AGGGCCAGAAGCTGTTGCTACACTGTGAGGGTCGCGGCAATCCAGTCCCCCAGCAGTACCTAT GGGAGAAGGAGGCCAGTGTGCCACCCCTGAAGATGACCCAGGAGAGTGCCCTGATCTTCCCTT TCCTCAACAAGAGTGACAGTGGCACCTACGGCTGCACAGCCACCAGCAACATGGGCAGCTACA AGGCCTACTACACCCTCAATGTTAATGACCCCAGTCCGGTGCCCTCCTCCTCCAGCACCTACC ACGCCATCATCGGTGGGATCGTGGCTTTCATTGTCTTCCTGCTGCTCATCATGCTCATCTTCC TTGGCCACTACTTGATCCGGCACAAAGGAACCTACCTGACACATGAGGCAAAAGGCTCCGACG ATGCTCCAGACGCGGACACGGCCATCATCAATGCAGAAGGCGGGCAGTCAGGAGGGGACGACA AGAAGGAATATTTCATCTAGAGGCGCCTGCCCACTTCCTGCGCCCCCAGGGGCCCTGTGGGG ACTGCTGGGGCCGTCACCAACCCGGACTTGTACAGAGCAACCGCAGGGCCGCCCCTCCCGCTT GCTCCCCAGCCCACCCCCCTGTACAGAATGTCTGCTTTGGGTGCGGTTTTGTACTCGGT CTCTGCATTTGGGTTATTATTTTTTTTTTAACAATCCCAAATCAAATCTGTCTCCAGGCTGGA

348/550

FIGURE 348

MGAPAASLLLLLLLFACCWAPGGANLSQDDSQPWTSDETVVAGGTVVLKCQVKDHEDSSLQWS
NPAQQTLYFGEKRALRDNRIQLVTSTPHELSISISNVALADEGEYTCSIFTMPVRTAKSLVTV
LGIPQKPIITGYKSSLREKDTATLNCQSSGSKPAARLTWRKGDQELHGEPTRIQEDPNGKTFT
VSSSVTFQVTREDDGASIVCSVNHESLKGADRSTSQRIEVLYTPTAMIRPDPPHPREGQKLLL
HCEGRGNPVPQQYLWEKEGSVPPLKMTQESALIFPFLNKSDSGTYGCTATSNMGSYKAYYTLN
VNDPSPVPSSSSTYHAIIGGIVAFIVFLLLIMLIFLGHYLIRHKGTYLTHEAKGSDDAPDADT
AIINAEGGQSGGDDKKEYFI

Important features:

Signal sequence:

amino acids 1-20

Transmembrane domain:

amino acids 331-352

N-glycosylation site.

amino acids 25-29, 290-294

Casein kinase II phosphorylation site.

amino acids 27-31, 35-39, 89-93, 141-145, 199-203, 388-392

N-myristoylation site.

amino acids 2-8, 23-29, 156-162, 218-224, 295-301, 298-304, 306-310, 334-340, 360-364, 385-389, 386-390

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 7-18

349/550

FIGURE 349

ACTTGCCATCACCTGTTGCCAGTGTGGAAAAATTCTCCCTGTTGAATTTTTTGCACATGGAGGACAGCAAAG AGGGCAACACGCTGATAAGACCAGAGACAGCAGGGAGATTATTTTACCATACGCCCTCAGGACGTTCCCTCTA TTTCCCACCACATGTATTTTATTTCCGTACTTCAGAAATGGGCCTACAGACCACAAAGTGGCCCAGCCATGGGG GTGTGTGCCGCTGCGACAGGAACTTTGTCTACTGTAATGAGCGAAGCTTGACCTCAGTGCCTCTTGGGATCCCGG AGGGCGTAACCGTACTCTACCTCCACAACAACCAAATTAATAATGCTGGATTTCCTGCAGAACTGCACAATGTAC AGTCGGTGCACACGGTCTACCTGTATGGCAACCAACTGGACGAATTCCCCATGAACCTTCCCAAGAATGTCAGAG TTCTCCATTTGCAGGAAAACAATATTCAGACCATTTCACGGGCTGCTCTTGCCCAGCTCTTGAAGCTTGAAGAGC TGCACCTGGATGACAACTCCATATCCACAGTGGGGGTGGAAGACGGGGCCTTCCGGGAGGCTATTAGCCTCAAAT TGTTGTTTTTGTCTAAGAATCACCTGAGCAGTGTGCCTGTTGGGCTTCCTGTGGACTTGCAAGAGCTGAGAGTGG ATGAAAATCGAATTGCTGTCATATCCGACATGGCCTTCCAGAATCTCACGAGCTTGGAGCGTCTTATTGTGGACG GGAACCTCCTGACCAACAAGGGTATCGCCGAGGGCACCTTCAGCCATCTCACCAAGCTCAAGGAATTTTCAATTG TACGTAATTCGCTGTCCCACCTCCTCCCGATCTCCCAGGTACGCATCTGATCAGGCTCTATTTGCAGGACAACC TGCGGATGCTGACTCAAGGGGTTTTTGATAATCTCTCCAACCTGAAGCAGCTCACTGCTCGGAATAACCCTTGGT TTTGTGACTGCAGTATTAAATGGGTCACAGAATGGCTCAAATATATCCCTTCATCTCTCAACGTGCGGGGTTTCA TGTGCCAAGGTCCTGAACAAGTCCGGGGGATGGCCGTCAGGGAATTAAATATGAATCTTTTGTCCTGTCCCACCA CGACCCCGGCCTGCCTCTCTCACCCCAGCCCCAAGTACAGCTTCTCCGACCACTCAGCCTCCCACCCTCTCTA TTCCAAACCCTAGCAGAAGCTACACGCCTCCAACTCCTACCACATCGAAACTTCCCACGATTCCTGACTGGGATG GCAGAGAAAGAGTGACCCCACCTATTTCTGAACGGATCCAGCTCTCTATCCATTTTGTGAATGATACTTCCATTC AAGTCAGCTGGCTCTCTCTCTCACCGTGATGGCATACAAACTCACATGGGTGAAAATGGGCCACAGTTTAGTAG GGGGCATCGTTCAGGAGCGCATAGTCAGCGGTGAGAAGCAACACCTGAGCCTGGTTAACTTAGAGCCCCGATCCA CCTATCGGATTTGTTTAGTGCCACTGGATGCTTTTAACTACCGCGCGGTAGAAGACACCATTTGTTCAGAGGCCA CCACCCATGCCTCCTATCTGAACAACGGCAGCAACACGCCGTCCAGCCATGAGCAGACGACGTCCCACAGCATGG GCTCCCCTTTCTGCTGGCGGGGCTTGATCGGGGGGCGCGGTGATATTTGTGCTGGTGGTCTTGCTCAGCGTCTTTT GCTGGCATATGCACAAAAAGGGGCGCTACACCTCCCAGAAGTGGAAATACAACCGGGGCCGGCGGAAAGATGATT ATTGCGAGGCAGCACCAAGAAGGACAACTCCATCCTGGAGATGACAGAAACCAGTTTTCAGATCGTCTCCTTAA ACTGCCATATCCCCAACAACATGCGATACTGCAACAGCGTGCCAGACCTGGAGCACTGCCATACG<u>TGA</u>CAGC CAGAGGCCCAGCGTTATCAAGGCGGACAATTAGACTCTTGAGAACACACTCGTGTGTGCACATAAAGACACGCAG ATTACATTTGATAAATGTTACACAGATGCATTTGTGCATTTGAATACTCTGTAATTTATACGGTGTACTATATAA TGGGATTTAAAAAAAGTGCTATCTTTTCTATTTCAAGTTAATTACAAACAGTTTTGTAACTCTTTTGCTTTTTAAA TCTT

350/550

FIGURE 350

MGLQTTKWPSHGAFFLKSWLIISLGLYSQVSKLLACPSVCRCDRNFVYCNERSLTSVPLGIPE GVTVLYLHNNQINNAGFPAELHNVQSVHTVYLYGNQLDEFPMNLPKNVRVLHLQENNIQTISR AALAQLLKLEELHLDDNSISTVGVEDGAFREAISLKLLFLSKNHLSSVPVGLPVDLQELRVDE NRIAVISDMAFQNLTSLERLIVDGNLLTNKGIAEGTFSHLTKLKEFSIVRNSLSHPPPDLPGT HLIRLYLQDNQINHIPLTAFSNLRKLERLDISNNQLRMLTQGVFDNLSNLKQLTARNNPWFCD CSIKWVTEWLKYIPSSLNVRGFMCQGPEQVRGMAVRELNMNLLSCPTTTPGLPLFTPAPSTAS PTTQPPTLSIPNPSRSYTPPTPTTSKLPTIPDWDGRERVTPPISERIQLSIHFVNDTSIQVSW LSLFTVMAYKLTWVKMGHSLVGGIVQERIVSGEKQHLSLVNLEPRSTYRICLVPLDAFNYRAV EDTICSEATTHASYLNNGSNTASSHEQTTSHSMGSPFLLAGLIGGAVIFVLVVLLSVFCWHMH KKGRYTSQKWKYNRGRRKDDYCEAGTKKDNSILEMTETSFQIVSLNNDQLLKGDFRLQPIYTP NGGINYTDCHIPNNMRYCNSSVPDLEHCHT

Important features:

Signal peptide:

amino acids 1-42

Transmembrane domain:

amino acids 542-561

N-glycosylation site.

amino acids 202-206, 298-302, 433-437, 521-525, 635-639, 649-653

Casein kinase II phosphorylation site.

amino acids 204-208, 407-411, 527-531, 593-597, 598-602, 651-655

Tyrosine kinase phosphorylation site.

amino acids 319-328

N-myristoylation site.

amino acids 2-8, 60-66, 149-155, 213-219, 220-226, 294-300, 522-528, 545-551, 633-639

Amidation site.

amino acids 581-585

Leucine zipper pattern.

amino acids 164-186

Phospholipase A2 aspartic acid active site.

amino acids 39-50

351/550

FIGURE 351

AGCCGACGCTGCTCAAGCTGCAACTCTGTTGCAGTTGGCAGTTCTTTTCGGTTTCCCTCCTGCTGTTTTGGGGGCCA GCGGTGCTGGGGCGCTGGCCGGTCCGACAGCGGCGGTCGCGGGGAACTCGGGCAGCCCTCTGGGGTAGCCGCC GAGCGCCCATGCCCCACTACCTGCCGCTGCCTCGGGGACCTGCTGGACTGCAGTCGTAAGCGGCTAGCGCGTCTT CCCGAGCCACTCCCGTCCTGGGTCGCTCGGCTGGACTTAAGTCACAACAGATTATCTTTCATCAAGGCAAGTTCC ATGAGCCACCTTCAAAGCCTTCGAGAAGTGAAACTGAACAACAATGAATTGGAGACCATTCCAAATCTGGGACCA GTCTCGGCAAATATTACACTTCTCTCCTTGGCTGGAAACAGGATTGTTGAAATACTCCCTGAACATCTGAAAGAG TTTCAGTCCCTTGAAACTTTGGACCTTAGCAGCAACAATATTTCAGAGCTCCAAACTGCATTTCCAGCCCTACAG CTCAAATATCTGTATCTCAACAGCAACCGAGTCACATCAATGGAACCTGGGTATTTTGACAATTTGGCCAACACA CATCTCGAATTGAACCGAAACAAGATTAAAAATGTAGATGGACTGACATTCCAAGGCCTTGGTGCTCTGAAGTCT $\verb|CTCAGCCAAAATGCCATCAACAGGATCAGCCCTGATGCCTGGGAGTTCTGCCAGAAGCTCAGTGAGCTGGACCTA|\\$ ACTTTCAATCACTTATCAAGGTTAGATGATTCAAGCTTCCTTGGCCTAAGCTTACTAAATACACTGCACATTGGG AACAACAGAGTCAGCTACATTGCTGATTGTGCCTTCCGGGGGCTTTCCAGTTTAAAGACTTTGGATCTGAAGAAC AATGAAATTTCCTGGACTATTGAAGACATGAATGGTGCTTTCTCTGGGCTTGACAAACTGAGGCGACTGATACTC CAAGGAAATCGGATCCGTTCTATTACTAAAAAAGCCTTCACTGGTTTGGATGCATTGGAGCATCTAGACCTGAGT GACAACGCAATCATGTCTTTACAAGGCAATGCATTTTCACAAATGAAGAAACTGCAACAATTGCATTTAAATACA AATGCCAGTTGTGCCCATCCTCAGCTGCTAAAAGGAAGAAGCATTTTTGCTGTTAGCCCAGATGGCTTTGTGTGT GATGATTTTCCCAAACCCCAGATCACGGTTCAGCCAGAAACACAGTCGGCAATAAAAGGTTCCAATTTGAGTTTC ATCTGCTCAGCTGCCAGCAGCAGTGATTCCCCAATGACTTTTGCTTGGAAAAAAAGACAATGAACTACTGCATGAT GCTGAAATGGAAAATTATGCACACCTCCGGGCCCAAGGTGGCGAGGTGATGGAGTATACCACCATCCTTCGGCTG CGCGAGGTGGAATTTGCCAGTGAGGGGAAATATCAGTGTGTCATCTCCAATCACTTTGGTTCATCCTACTCTGTC TTCCCAGCTGCACGGGAGAGACGCATGCATGTGATGCCCGAGGATGACGTGTTCTTTATCGTGGATGTGAAGATA GAGGACATTGGGGTATACAGCTGCACAGCTCAGAACAGTGCAGGAAGTATTTCAGCAAATGCAACTCTGACTGTC $\verb|CTAGAAACACCATCATTTTTGCGGCCACTGTTGGACCGAACTGTAACCAAGGGAGAAACAGCCGTCCTACAGTGC|\\$ ATTGCTGGAGGAAGCCCTCCCCCTAAACTGAACTGGACCAAAGATGATAGCCCATTGGTGGTAACCGAGAGGCAC TTTTTTGCAGCAGGCAATCAGCTTCTGATTATTGTGGACTCAGATGTCAGTGATGCTGGGAAATACACATGTGAG ATGTCTAACACCCTTGGCACTGAGAGAGGAAACGTGCGCCTCAGTGTGATCCCCACTCCAACCTGCGACTCCCCT CAGATGACAGCCCCATCGTTAGACGATGACGGATGGGCCACTGTGGGTGTCGTGATCATAGCCGTGGTTTGCTGT GTGGTGGCACGTCACTCGTGTGGGTGGTCATCATATACCACACAGGCGGAGGAATGAAGATTGCAGCATTACC AACACAGATGAGACCAACTTGCCAGCAGATATTCCTAGTTATTTGTCATCTCAGGGAACGTTAGCTGACAGGCAG GATGGGTACGTGTCTTCAGAAAGTGGAAGCCACCACCAGTTTGTCACATCTTCAGGTGCTGGATTTTTCTTACCA ${\tt CAACATGACAGTAGTGGGACCTGCCATATTGACAATAGCAGTGAAGCTGATGTGGAAGCTGCCACAGATCTGTTC}$ CTTTGTCCGTTTTTGGGATCCACAGGCCCTATGTATTTGAAGGGAAATGTGTATGGCTCAGATCCTTTTGAAACA TATCATACAGGTTGCAGTCCTGACCCAAGAACAGTTTTAATGGACCACTATGAGCCCAGTTACATAAAGAAAAAG GAGTGCTACCCATGTTCTCATCCTTCAGAAGAATCCTGCGAACGGAGCTTCAGTAATATATCGTGGCCTTCACAT GTGAGGAAGCTACTTAACACTAGTTACTCTCACAATGAAGGACCTGGAATGAAAAATCTGTGTCTAAACAAGTCC TCTTTAGATTTTAGTGCAAATCCAGAGCCAGCGTCGGTTGCCTCGAGTAATTCTTTCATGGGTACCTTTGGAAAA GCTCTCAGGAGACCTCACCTAGATGCCTATTCAAGCTTTGGACAGCCATCAGATTGTCAGCCAAGAGCCTTTTAT GAAAATCACATTTGTACCTTTAAACAGACTTTAGAAAACTACAGGACTCCAAATTTTCAGTCTTATGACTTGGAC AAAAAGTTATGAAAATTTTTATACTGGGAATGATGCTCATATAAGAATACCTTTTTAAACTATTTTTAACTTTG TTTTATGCAAAAAGTATCTTACGTAAATTAATGATATAAATCATGATTATTTTATGTATTTTATAATGCCAGA TTTCTTTTTATGGAAAATGAGTTACTAAAGCATTTTAAATAATACCTGCCTTGTACCATTTTTTAAATAGAAGTT

352/550

FIGURE 352

MSAPSLRARAAGLGLLLCAVLGRAGRS DSGGRGELGQPSGVAAERPCPTTCRCLGDLLDCSRKRLARLPEPLPSW VARLDLSHNRLSFIKASSMSHLQSLREVKLNNNELETIPNLGPVSANITLLSLAGNRIVEILPEHLKEFQSLETL DLSSNNISELQTAFPALQLKYLYLNSNRVTSMEPGYFDNLANTLLVLKLNRNRISAIPPKMFKLPQLQHLELNRN KIRNVDGLTFQGLGALKSLKMQRNGVTKLMDGAFWGLSNMEILQLDHNNLTEITKGWLYGLLMLQELHLSQNAIN RISPDAWEFCQKLSELDLTFNHLSRLDDSSFLGLSLLNTLHIGNNRVSYIADCAFRGLSSLKTLDLKNNEISWTI EDMNGAFSGLDKLRRLILQGNRIRSITKKAFTGLDALEHLDLSDNAIMSLQGNAFSQMKKLQQLHLNTSSLLCDC QLKWLPQWVAENNFQSFVNASCAHPQLLKGRSIFAVSPDGFVCDDFPKPQITVQPETQSAIKGSNLSFICSAASS SDSPMTFAWKKDNELLHDAEMENYAHLRAQGGEVMEYTTILRLREVEFASEGKYQCVISNHFGSSYSVKAKLTVN MLPSFTKTPMDLTIRAGAMARLECAAVGHPAPQIAWQKDGGTDFPAARERRMHVMPEDDVFFIVDVKIEDIGVYS CTAQNSAGSISANATLTVLETPSFLRPLLDRTVTKGETAVLQCIAGGSPPPKLNWTKDDSPLVVTERHFFAAGNQ LLIIVDSDVSDAGKYTCEMSNTLGTERGNVRLSVIPTPTCDSPQMTAPSLDDDGWATVGVVIIAVVCCVVGTSLV WVVIIYHTRRRNEDCSITNTDETNLPADIPSYLSSQGTLADRQDGYVSSESGSHHQFVTSSGAGFFLPQHDSSGT CHIDNSSEADVEAATDLFLCPFLGSTGPMYLKGNVYGSDPFETYHTGCSPDPRTVLMDHYEPSYIKKKECYPCSH PSEESCERSFSNISWPSHVRKLLNTSYSHNEGPGMKNLCLNKSSLDFSANPEPASVASSNSFMGTFGKALRRPHL DAYSSFGQPSDCQPRAFYLKAHSSPDLDSGSEEDGKERTDFQEENHICTFKQTLENYRTPNFQSYDLDT

Important features:

Signal sequence:

amino acids 1-27

Transmembrane domain:

amino acids 808-828

N-glycosylation site.

amino acids 122-126, 156-160, 274-278, 442-446, 469-473, 515-519, 688-692, 729-733, 905-909, 987-991, 999-1003, 1016-1020

Glycosaminoglycan attachment site.

amino acids 886-890

Casein kinase II phosphorylation site.

amino acids 99-103, 180-184, 263-267, 314-318, 324-328, 374-378, 383-387, 407-411, 524-528, 608-612, 692-696, 709-713, 731-735, 799-803, 843-847, 863-867, 907-911, 1003-1007, 1018-1022, 1073-1077, 1079-1083, 1081-1085

Tyrosine kinase phosphorylation site.

amino acids 667-675

N-myristoylation site.

amino acids 14-20, 36-42, 239-245, 257-263, 380-386, 427-433, 513-519, 588-594, 672-678, 683-687, 774-780, 933-939

Leucine zipper pattern.

amino acids 58-80, 65-87

FIGURE 353

GGGGGTTAGGGAGGAAGGAATCCACCCCCACCCCCAAACCCTTTTCTTCTCCTTTCCTGGCTTCGGACATTGG **AGCACTAAATGAACTTGAATTGTGTCTGTGGCGAGCAGGATGGTCGCTGTTACTTTGTGATGAGATCGGGGATGA** ATTGCTCGCTTTAAAAAATGCTGCTTTGGATTCTGTTGCTGGAGACGTCTCTTTGTTTTGCCGCTGGAAACGTTAC AGGGGACGTTTGCAAAGAGAAGATCTGTTCCTGCAATGAGATAGAAGGGGACCTACACGTAGACTGTGAAAAAAA CACTCGACTTTTCCCTAATGAGTTCGCTAACTTTTATAATGCGGTTAGTTTGCACATGGAAAACAATGGCTTGCA TGAAATCGTTCCGGGGGCTTTTCTGGGGCTGCAGCTGGTGAAAAGGCTGCACATCAACAACAACAAGATCAAGTC TTTTCGAAAGCAGACTTTTCTGGGGCTGGACGATCTGGAATATCTCCAGGCTGATTTTAATTTATTACGAGATAT AGACCCGGGGGCCTTCCAGGACTTGAACAAGCTGGAGGTGCTCATTTTAAATGACAATCTCATCAGCACCCTACC TGCCAACGTGTTCCAGTATGTGCCCATCACCCACCTCGACCTCCGGGGTAACAGGCTGAAAACGCTGCCCTATGA GGAGGTCTTGGAGCAAATCCCTGGTATTGCGGAGATCCTGCTAGAGGATAACCCTTGGGACTGCACCTGTGATCT GCTCTCCCTGAAAGAATGGCTGGAAAACATTCCCAAGAATGCCCTGATCGGCCGAGTGGTCTGCGAAGCCCCCAC CAGACTGCAGGGTAAAGACCTCAATGAAACCACCGAACAGGACTTGTGTCCTTTGAAAAACCGAGTGGATTCTAG TCTCCCGGCGCCCCTGCCCAAGAAGAGACCTTTGCTCCTGGACCCCTGCCAACTCCTTTCAAGACAAATGGGCA AGAGGATCATGCCACACCAGGGTCTGCTCCAAACGGAGGTACAAAGATCCCAGGCAACTGGCAGATCAAAATCAG ACCCACAGCAGCGATAGCGACGGGTAGCTCCAGGAACAAACCCTTAGCTAACAGTTTACCCTGCCCTGGGGGCTG CAGCTGCGACCACATCCCAGGGTCGGGTTTAAAGATGAACTGCAACAACAGGAACGTGAGCAGCTTGGCTGATTT GAAGCCCAAGCTCTCTAACGTGCAGGAGCTTTTCCTACGAGATAACAAGATCCACAGCATCCGAAAATCGCACTT TGTGGATTACAAGAACCTCATTCTGTTGGATCTGGGCAACAATAACATCGCTACTGTAGAGAACAACACTTTCAA GAACCTTTTGGACCTCAGGTGGCTATACATGGATAGCAATTACCTGGACACGCTGTCCCGGGAGAAATTCGCGGG GCTGCAAAACCTAGAGTACCTGAACGTGGAGTACAACGCTATCCAGCTCATCCTCCCGGGCACTTTCAATGCCAT GCTCTCTAAACTCAGCCTGCACAACAATTACTTCATGTACCTCCCGGTGGCAGGGGTGCTGGACCAGTTAACCTC CATCATCCAGATAGACCTCCACGGAAACCCCTGGGAGTGCTCCTGCACAATTGTGCCTTTCAAGCAGTGGGCAGA ACGCTTGGGTTCCGAAGTGCTGATGAGCGACCTCAAGTGTGAGACGCCGGTGAACTTCTTTAGAAAGGATTTCAT GCTCCTCTCCAATGACGAGATCTGCCCTCAGCTGTACGCTAGGATCTCGCCCACGTTAACTTCGCACAGTAAAAA GGTCCCGGGACTGCTGCTGGTGTTTGTCACCTCCGCCTTCACCGTGGTGGGCATGCTCGTGTTTATCCTGAGGAA TTCCTACTGGCACAATGGGCCTTACAACGCAGATGGGGCCCACAGAGTGTATGACTGTGGCTCTCACTCGCTCTC AGAC<u>TAA</u>GACCCCAACCCCAATAGGGGAGGGCAGAGGGGAAGGCGATACATCCTTCCCCACCGCAGGCACCCCGGG GCGCAGCCAGCTCGCTCTTTGCTGAGAGCCCCTTTTGACAGAAAGCCCAGCACGACCCTGCTGGAAGAACTGACA GTGCCCTCGCCCTCGGCCCCGGGCCTGTGGGGTTGGATGCCGCGGTTCTATACATATACATATATCCACATC TATATAGAGAGATAGATATCTATTTTTCCCCTGTGGATTAGCCCCGTGATGGCTCCCTGTTGGCTACGCAGGGAT GGGCAGTTGCACGAAGGCATGAATGTATTGTAAATAAGTAACTTTGACTTCTGAC

354/550

FIGURE 354

MLLWILLETSLCFAAGNVTGDVCKEKICSCNEIEGDLHVDCEKKGFTSLQRFTAPTSQFYHL
FLHGNSLTRLFPNEFANFYNAVSLHMENNGLHEIVPGAFLGLQLVKRLHINNNKIKSFRKQTF
LGLDDLEYLQADFNLLRDIDPGAFQDLNKLEVLILNDNLISTLPANVFQYVPITHLDLRGNRL
KTLPYEEVLEQIPGIAEILLEDNPWDCTCDLLSLKEWLENIPKNALIGRVVCEAPTRLQGKDL
NETTEQDLCPLKNRVDSSLPAPPAQEETFAPGPLPTPFKTNGQEDHATPGSAPNGGTKIPGNW
QIKIRPTAAIATGSSRNKPLANSLPCPGGCSCDHIPGSGLKMNCNNRNVSSLADLKPKLSNVQ
ELFLRDNKIHSIRKSHFVDYKNLILLDLGNNNIATVENNTFKNLLDLRWLYMDSNYLDTLSRE
KFAGLQNLEYLNVEYNAIQLILPGTFNAMPKLRILILNNNLLRSLPVDVFAGVSLSKLSLHNN
YFMYLPVAGVLDQLTSIIQIDLHGNPWECSCTIVPFKQWAERLGSEVLMSDLKCETPVNFFRK
DFMLLSNDEICPQLYARISPTLTSHSKNSTGLAETGTHSNSYLDTSRVSISVLVPGLLLVFVT
SAFTVVGMLVFILRNRKRSKRRDANSSASEINSLQTVCDSSYWHNGPYNADGAHRVYDCGSHS
LSD

Important features:

Signal sequence:

amino acids 1-15

Transmembrane domain:

amino acids 618-638

N-glycosylation site.

amino acids 18-22, 253-257, 363-367, 416-420, 595-599, 655-659

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 122-126, 646-650

Casein kinase II phosphorylation site.

amino acids 30-34, 180-184, 222-226, 256-260, 366-370, 573-577, 608-612, 657-661, 666-670, 693-697

N-myristoylation site.

amino acids 17-23, 67-73, 100-106, 302-308, 328-334, 343-349, 354-360, 465-471, 493-499, 598-604, 603-609

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 337-348

355/550

FIGURE 355

AGTCGACTGCGTCCCCTGTACCCGGCGCCAGCTGTGTTCCTGACCCCAGAATAACTCAGGGCTGCACCGGGCCTG GCAGCGCTCCGCACACATTTCCTGTCGCGGCCTAAGGGAAACTGTTGGCCGCTGGGCCCGCGGGGGGATTCTTGG GGCGGTGACCGCGCTCCAGACACAGCTCTGCGTCCTCGAGCGGGACAGATCCAAGTTGGGAGCAGCTCTGCGTGC GGGGCCTCAGAGA<u>ATG</u>AGGCCGGCGTTCGCCCTGTGCCTCTGGCAGGCGCTCTGGCCCGGGCCGGGCGGCGGCGG CGAACACCCCACTGCCGACCGTGCTGGCTGCTCGGCCTCGGGGGCCTGCTACAGCCTGCACCACGCTACCATGAA GGAGCGCAGGCGTTCCCACTGCACCCTGGAGAACGAGCCTTTGCGGGGTTTCTCCTGGCTGTCCTCCGACCCCGG CGGTCTCGAAAGCGACACGCTGCAGTGGGTGGAGGAGCCCCAACGCTCCTGCACCGCGGGAGATGCGCGGTACT CCAGGCCACCGGTGGGGTCGAGCCCGCAGGCTGGAAGGAGATGCGATGCCACCTGCGCCCAACGGCTACCTGTG CAAGTACCAGTTTGAGGTCTTGTGTCCTGCGCCGCGCCCCGGGGCCGCCTCTAACTTGAGCTATCGCGCGCCCCTT $\tt CCAGCTGCACAGCGCCGCTCTGGACTTCAGTCCACCTGGGACCGAGGTGAGTGCGCTCTGCCGGGGACAGCTCCC$ CCCCGGGAGGTACCTCCGTGCTGGCAAATGCGCAGAGCTCCCTAACTGCCTAGACGACTTGGGAGGCTTTGCCTG CGAATGTGCTACGGGCTTCGAGCTGGGGAAGGACGCCGCTCTTGTGTGACCAGTGGGGAAGGACAGCCGACCCT TGGGGGGACCGGGGTGCCCACCAGGCGCCCGCCGCCACTGCAACCAGCCCCGTGCCGCAGAGAACATGGCCAAT CAGGGTCGACGAGAAGCTGGGAGAGACACCACTTGTCCCTGAACAAGACAATTCAGTAACATCTATTCCTGAGAT TCCTCGATGGGGATCACAGAGCACGATGTCTACCCTTCAAATGTCCCTTCAAGCCGAGTCAAAGGCCACTATCAC TGCCGTGGTCTTCATATTTGTGAGCACAGCAGTAGTAGTGTTGGTGATCTTGACCATGACAGTACTGGGGCTTGT GCGGGACAGAGCAGAGGGTGCCTTGCTGGCGGAGTCCCCTCTTGGCTCTAGTGATGCA<u>TAG</u>GGAAACAGGGGACA TTTCTGCAGAAATCCCCCTTCCTCTAAATTCCCTTTACTCCACTGAGGAGCTAAATCAGAACTGCACACTCCTTC CCTGATGATAGAGGAAGTGGAAGTGCCTTTAGGATGGTGATACTGGGGGACCGGGTAGTGCTGGGGAGAGATATT TTCTTATGTTTATTCGGAGAATTTGGAGAAGTGATTGAACTTTTCAAGACATTGGAAACAAATAGAACACAATAT **AATTTACATTAAAAAATAATTTCTACCAAAATGGAAAGGAAATGTTCTATGTTGTTCAGGCTAGGAGTATATTGG** TTCGAAATCCCAGGGAAAAAAATAAAAATAAAAATTAAAGGATTGTTGAT

356/550

FIGURE 356

MRPAFALCLLWQALWPGPGGGEHPTADRAGCSASGACYSLHHATMKRQAAEEACILRGGALST VRAGAELRAVLALLRAGPGPGGGSKDLLFWVALERRRSHCTLENEPLRGFSWLSSDPGGLESD TLQWVEEPQRSCTARRCAVLQATGGVEPAGWKEMRCHLRANGYLCKYQFEVLCPAPRPGAASN LSYRAPFQLHSAALDFSPPGTEVSALCRGQLPISVTCIADEIGARWDKLSGDVLCPCPGRYLR AGKCAELPNCLDDLGGFACECATGFELGKDGRSCVTSGEGQPTLGGTGVPTRRPPATATSPVP QRTWPIRVDEKLGETPLVPEQDNSVTSIPEIPRWGSQSTMSTLQMSLQAESKATITPSGSVIS KFNSTTSSATPQAFDSSSAVVFIFVSTAVVVLVILTMTVLGLVKLCFHESPSSQPRKESMGPP GLESDPEPAALGSSSAHCTNNGVKVGDCDLRDRAEGALLAESPLGSSDA

Important features:

Signal sequence:

amino acids 1-16.

Transmembrane domain:

amino acids 399-418

N-glycosylation site.

amino acids 189-193, 381-385

Glycosaminoglycan attachment site.

amino acids 289-293

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 98-102, 434-438

Casein kinase II phosphorylation site.

amino acids 275-279, 288-292, 342-346, 445-449

N-myristoylation site.

amino acids 30-36, 35-41, 58-64, 59-65, 121-127, 151-157, 185-191, 209-215, 267-273, 350-356, 374-380, 453-459, 463-469, 477-483

Aspartic acid and asparagine hydroxylation site.

amino acids 262-274

357/550

FIGURE 357

CCCATCTCAAGCTGATCTTGGCACCTCTCATGCTCTGCTCTTCAACCAGACCTCTACATTCCATTTTGGAAGA AGACTAAAAAATGGTGTTTCCAATGTGGACACTGAAGAGACAAATTCTTATCCTTTTTAACATAATCCTAATTTCC AAACTCCTTGGGGCTAGATGGTTTCCTAAAACTCTGCCCTGTGATGTCACTCTGGATGTTCCAAAGAACCATGTG ATCGTGGACTGCACAGACAAGCATTTGACAGAAATTCCTGGAGGTATTCCCACGAACACCACGAACCTCACCCTC ACCATTAACCACATACCAGACATCTCCCCAGCGTCCTTTCACAGACTGGACCATCTGGTAGAGATCGATTTCAGA TGCAACTGTGTACCTATTCCACTGGGGTCAAAAAACAACATGTGCATCAAGAGGCTGCAGATTAAACCCAGAAGC CCTAGCTTACAGCTTCTCAGCCTTGAGGCCAACAACATCTTTTCCATCAGAAAAGAGAATCTAACAGAACTGGCC AACATAGAAATACTCTACCTGGGCCAAAACTGTTATTATCGAAATCCTTGTTATGTTTCATATTCAATAGAGAAA GATGCCTTCCTAAACTTGACAAAGTTAAAAGTGCTCTCCCTGAAAGATAACAATGTCACAGCCGTCCCTACTGTT TTGCCATCTACTTTAACAGAACTATATCTCTACAACAACATGATTGCAAAAATCCAAGAAGATGATTTTAATAAC CTCAACCAATTACAAATTCTTGACCTAAGTGGAAATTGCCCTCGTTGTTATAATGCCCCATTTCCTTGTGCGCCG TGTAAAAATAATTCTCCCCTACAGATCCCTGTAAATGCTTTTGATGCGCTGACAGAATTAAAAGTTTTACGTCTA CACAGTAACTCTCTTCAGCATGTGCCCCCAAGATGGTTTAAGAACATCAACAAACTCCAGGAACTGGATCTGTCC CAAAACTTCTTGGCCAAAGAAATTGGGGATGCTAAATTTCTGCATTTTCTCCCCAGCCTCATCCAATTGGATCTG TCTTTCAATTTTGAACTTCAGGTCTATCGTGCATCTATGAATCTATCACAAGCATTTTCTTCACTGAAAAGCCTG AAAATTCTGCGGATCAGAGGATATGTCTTTAAAGAGTTGAAAAGCTTTAACCTCTCGCCATTACATAATCTTCAA AATCTTGAAGTTCTTGATCTTGGCACTAACTTTATAAAAATTGCTAACCTCAGCATGTTTAAACAATTTAAAAGA CTGAAAGTCATAGATCTTTCAGTGAATAAAATATCACCTTCAGGAGATTCAAGTGAAGTTGGCTTCTGCTCAAAT GCCAGAACTTCTGTAGAAAGTTATGAACCCCAGGTCCTGGAACAATTACATTATTTCAGATATGATAAGTATGCA AGGAGTTGCAGATTCAAAAACAAAGAGGCTTCTTTCATGTCTGTTAATGAAAGCTGCTACAAGTATGGGCAGACC AATCTGTCAGGAAATCTCATTAGCCAAACTCTTAATGGCAGTGAATTCCAACCTTTAGCAGAGCTGAGATATTTG GACTTCTCCAACAACCGGCTTGATTTACTCCATTCAACAGCATTTGAAGAGCTTCACAAACTGGAAGTTCTGGAT ATAAGCAGTAATAGCCATTATTTTCAATCAGAAGGAATTACTCATATGCTAAACTTTACCAAGAACCTAAAGGTT ACTCTGGAATTCAGAGGAAATCACTTAGATGTTTTATGGAGAGGAGGTGATAACAGATACTTACAATTATTCAAG AATCTGCTAAAATTAGAGGAATTAGACATCTCTAAAAATTCCCTAAGTTTCTTGCCTTCTGGAGTTTTTGATGGT ATGCCTCCAAATCTAAAGAATCTCTCTTTGGCCAAAAATGGGCTCAAATCTTTCAGTTGGAAGAAACTCCAGTGT AGAAGCCTCAAGAATCTGATTCTTAAGAATAATCAAATCAGGAGTCTGACGAAGTATTTTCTACAAGATGCCTTC CAGTTGCGATATCTGGATCTCAGCTCAAATAAAATCCAGATGATCCAAAAGACCAGCTTCCCAGAAAATGTCCTC AACAATCTGAAGATGTTGCTTTTGCATCATAATCGGTTTCTGTGCACCTGTGATGCTGTGTGGTTTGTCTGGTGG GTTAACCATACGGAGGTGACTATTCCTTACCTGGCCACAGATGTGACTTGTGTGGGGCCAGGAGCACAAGGGC CAAAGTGTGATCTCCCTGGATCTGTACACCTGTGAGTTAGATCTGACTAACCTGATTCTGTTCTCACTTTCCATA TCTGTATCTCTCTTTCTCATGGTGATGATGACAGCAAGTCACCTCTATTTCTGGGATGTGTGGTATATTTACCAT TTCTGTAAGGCCAAGATAAAGGGGTATCAGCGTCTAATATCACCAGACTGTTGCTATGATGCTTTTATTGTGTAT GACACTAAAGACCCAGCTGTGACCGAGTGGGTTTTTGGCTGAGCTGGTGGCCAAACTGGAAGACCCAAGAGAGAAAA CATTTAATTTATGTCTCGAGGAAAGGGACTGGTTACCAGGGCAGCCAGTTCTGGAAAACCTTTCCCAGAGCATA CAGCTTAGCAAAAAGACAGTGTTTGTGATGACAGACAAGTATGCAAAGACTGAAAATTTTAAGATAGCATTTTAC TTGTCCCATCAGAGGCTCATGGATGAAAAAGTTGATGTGATTATCTTGATATTTCTTGAGAAGCCCCTTTCAGAAG TCCAAGTTCCTCCAGCTCCGGAAAAGGCTCTGTGGGAGTTCTGTCCTTGAGTGGCCAACAAACCCGCAAGCTCAC CCATACTTCTGGCAGTGTCTAAAGAACGCCCTGGCCACAGACAATCATGTGGCCTATAGTCAGGTGTTCAAGGAA $\verb|ACGGTC| \textbf{TAG} \\ \verb|CCCTTCTTTGCAAAACACAACTGCCTAGTTTACCAAGGAGAGGCCTGGC| \\ \\ |ACGGTC| \textbf{TAG} \\ |CCCTTCTTTGCAAAACACAACTGCCTAGTTTACCAAGGAGAGGCCTGGC| \\ |ACGGTC| \textbf{TAG} \\ |ACGGT$

358/550

FIGURE 358

MVFPMWTLKROILILFNIILISKLLGARWFPKTLPCDVTLDVPKNHVIVDCTDKHLTEIPGGI PTNTTNLTLTINHIPDISPASFHRLDHLVEIDFRCNCVPIPLGSKNNMCIKRLQIKPRSFSGL TYLKSLYLDGNOLLEIPOGLPPSLQLLSLEANNIFSIRKENLTELANIEILYLGQNCYYRNPC YVSYSIEKDAFLNLTKLKVLSLKDNNVTAVPTVLPSTLTELYLYNNMIAKIQEDDFNNLNQLQ ILDLSGNCPRCYNAPFPCAPCKNNSPLQIPVNAFDALTELKVLRLHSNSLQHVPPRWFKNINK LOELDLSONFLAKEIGDAKFLHFLPSLIQLDLSFNFELQVYRASMNLSQAFSSLKSLKILRIR GYVFKELKSFNLSPLHNLONLEVLDLGTNFIKIANLSMFKQFKRLKVIDLSVNKISPSGDSSE VGFCSNARTSVESYEPOVLEQLHYFRYDKYARSCRFKNKEASFMSVNESCYKYGQTLDLSKNS IFFVKSSDFQHLSFLKCLNLSGNLISQTLNGSEFQPLAELRYLDFSNNRLDLLHSTAFEELHK LEVLDISSNSHYFQSEGITHMLNFTKNLKVLQKLMMNDNDISSSTSRTMESESLRTLEFRGNH LDVLWREGDNRYLQLFKNLLKLEELDISKNSLSFLPSGVFDGMPPNLKNLSLAKNGLKSFSWK KLOCLKNLETLDLSHNOLTTVPERLSNCSRSLKNLILKNNQIRSLTKYFLQDAFQLRYLDLSS NKIOMIOKTSFPENVLNNLKMLLLHHNRFLCTCDAVWFVWWVNHTEVTIPYLATDVTCVGPGA HKGQSVISLDLYTCELDLTNLILFSLSISVSLFLMVMMTASHLYFWDVWYIYHFCKAKIKGYQ RLISPDCCYDAFIVYDTKDPAVTEWVLAELVAKLEDPREKHFNLCLEERDWLPGQPVLENLSQ SIOLSKKTVFVMTDKYAKTENFKIAFYLSHORLMDEKVDVIILIFLEKPFQKSKFLQLRKRLC GSSVLEWPTNPQAHPYFWQCLKNALATDNHVAYSQVFKETV

Important features:

Signal sequence:

amino acids 1-26

Transmembrane domain:

amino acids 840-860

359/550

FIGURE 359

GACGGCTGGCCACCATGCACGCTCCTGCAGTTTCCTGATGCTTCTGCTGCCGCTACTGCTAC TGCTGGTGGCCACCACAGGCCCCGTTGGAGCCCTCACAGATGAGGAGAAACGTTTGATGGTGG AGCTGCACAACCTCTACCGGGCCCAGGTATCCCCGACGGCCTCAGACATGCTGCACATGAGAT GGGACGAGGAGCTGGCCGCCTTCGCCAAGGCCTACGCACGGCAGTGCGTGTGGGGCCACAACA AGGAGCGCGGGCGCGGCGAGAATCTGTTCGCCATCACAGACGAGGGCATGGACGTGCCGC TGGCCATGGAGGAGTGGCACCACGAGCGTGAGCACTACAACCTCAGCGCCGCCACCTGCAGCC CAGGCCAGATGTGCGGCCACTACACGCAGGTGGTATGGGCCAAGACAGAGAGGATCGGCTGTG GTTCCCACTTCTGTGAGAAGCTCCAGGGTGTTGAGGAGACCAACATCGAATTACTGGTGTGCA ACTATGAGCCTCCGGGGAACGTGAAGGGGAAACGGCCCTACCAGGAGGGGACTCCGTGCTCCC AATGTCCCTCTGGCTACCACTGCAAGAACTCCCTCTGTGAACCCATCGGAAGCCCGGAAGATG CTCAGGATTTGCCTTACCTGGTAACTGAGGCCCCATCCTTCCGGGCGACTGAAGCATCAGACT CTAGGAAAATGGGTACTCCTTCTTCCCTAGCAACGGGGATTCCGGCTTTCTTGGTAACAGAGG TCTCAGGCTCCCTGGCAACCAAGGCTCTGCCTGCTGTGGAAACCCAGGCCCCAACTTCCTTAG CAACGAAAGACCCGCCCTCCATGGCAACAGAGGCTCCACCTTGCGTAACAACTGAGGTCCCTT CCATTTTGGCAGCTCACAGCCTGCCCTCCTTGGATGAGGAGCCAGTTACCTTCCCCAAATCGA GCCCAGAGAACTCTCTGGACCCCAAGATGTCCCTGACAGGGGCAAGGGAACTCCTACCCCATG CCCAGGAGGAGGCTGAGGCTGAGGTTGCCTCCTTCCAGTGAGGTCTTGGCCTCAGTTT TTCCAGCCCAGGACAAGCCAGGTGAGCTGCAGGCCACACTGGACCACACGGGGCACACCTCCT CCAAGTCCCTGCCCAATTTCCCCAATACCTCTGCCACCGCTAATGCCACGGGTGGGCGTGCCC TGGCTCTGCAGTCGTCCTTGCCAGGTGCAGAGGGCCCTGACAAGCCTAGCGTTGTCAGGGC TGAACTCGGGCCCTGGTCATGTGTGGGGCCCTCTCCTGGGACTACTGCTCCTGCCTCCTGG TGTTGGCTGGAATCTTC**TGA**ATGGGATACCACTCAAAGGGTGAAGAGGTCAGCTGTCCTCCTG TCATCTTCCCCACCCTGTCCCCAGCCCCTAAACAAGATACTTCTTGGTTAAGGCCCTCCGGAA GCTGCGAGCTCAGGAGGCCGCCTGAGGACTGCACACCGGGCCCACACCTCTCCTGCCCCTCCC TCCTGAGTCCTGGGGGTGGGAGGATTTGAGGGAGCTCACTGCCTACCTGGCCTGGGGCTGTCT GCCCACACAGCATGTGCGCTCTCCCTGAGTGCCTGTGTAGCTGGGGATGGGGATTCCTAGGGG CAGATGAAGGACAAGCCCCACTGGAGTGGGGTTCTTTGAGTGGGGGAGGCAGGGACGAGGGAA GGAAAGTAACTCCTGACTCTCCAATAAAAACCTGTCCAACCTGTGAAA

360/550

FIGURE 360

MHGSCSFLMLLLPLLLLLVATTGPVGALTDEEKRLMVELHNLYRAQVSPTASDMLHMRWDEEL

AAFAKAYARQCVWGHNKERGRRGENLFAITDEGMDVPLAMEEWHHEREHYNLSAATCSPGQMC
GHYTQVVWAKTERIGCGSHFCEKLQGVEETNIELLVCNYEPPGNVKGKRPYQEGTPCSQCPSG
YHCKNSLCEPIGSPEDAQDLPYLVTEAPSFRATEASDSRKMGTPSSLATGIPAFLVTEVSGSL
ATKALPAVETQAPTSLATKDPPSMATEAPPCVTTEVPSILAAHSLPSLDEEPVTFPKSTHVPI
PKSADKVTDKTKVPSRSPENSLDPKMSLTGARELLPHAQEEAEAEAELPPSSEVLASVFPAQD
KPGELQATLDHTGHTSSKSLPNFPNTSATANATGGRALALQSSLPGAEGPDKPSVVSGLNSGP
GHVWGPLLGLLLPPLVLAGIF

Important features:

Signal sequence:

amino acids 1-22

N-glycosylation site.

amino acids 114-118, 403-407, 409-413

Glycosaminoglycan attachment site.

amino acids 439-443

Casein kinase II phosphorylation site.

amino acids 29-33, 50-54, 156-160, 195-199, 202-206, 299-303

N-myristoylation site.

amino acids 123-129, 143-149, 152-158, 169-175, 180-186, 231-237, 250-256

Amidation site.

amino acids 82-86, 172-176

Peroxidases proximal heme-ligand signature.

amino acids 287-298

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 1.

amino acids 127-138

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 signature 2.

amino acids 160-172

361/550

FIGURE 361

GACTAGTTCTCTTGGAGTCTGGGAGGGGGGAGCGGAGCCGGCAGGGAGCCGACCAGGACTGG GGTGACGGCAGGGCAGGGGGCGCCTGGCCGGGGAGAAGCGCGGGGGCTGGAGCACCAACT GGAGGGTCCGGAGTAGCGAGCGCCCCGAAGGAGGCCATCGGGGAGCCGGGAGGGGGGACTGCG AGAGGACCCCGGCGTCCGGGCTCCCGGTGCCAGCGCT**ATG**AGGCCACTCCTCGTCCTGCTGCT CCTGGGCCTGGCGGCCGGCTCGCCCCACTGGACGACAACAAGATCCCCAGCCTCTGCCCGGG GCACCCGGCCTTCCAGGCACGCCGGGCCACCATGGCAGCCAGGGCTTGCCGGGCCGCGATGG CCGCGACGCCGCGCGCGCCCCGGGGCTCCGGGAGAGAAAGGCGAGGCCGGAGGCCGGG ACTGCCGGGACCTCGAGGGGACCCCGGGCCGCGAGGAGGCGGGACCCGCGGGGCCCACCGG GCCTGCCGGGGAGTGCTCGGTGCCTCCGCGATCCGCCTTCAGCGCCAAGCGCTCCGAGAGCCG GGTGCCTCCGCCGTCTGACGCACCCTTGCCCTTCGACCGCGTGCTGGTGAACGAGCAGGGACA TTACGACGCCGTCACCGGCAAGTTCACCTGCCAGGTGCCTGGGGTCTACTACTTCGCCGTCCA TGCCACCGTCTACCGGGCCAGCCTGCAGTTTGATCTGGTGAAGAATGGCGAATCCATTGCCTC GCTGGAGCCTGAGGACCAAGTGTGGGTGCAGGTGGGTGTGGGTGACTACATTGGCATCTATGC CAGCATCAAGACAGCACCTTCTCCGGATTTCTGGTGTACTCCGACTGGCACAGCTCCCC AGTCTTTGCT**TAG**TGCCCACTGCAAAGTGAGCTCATGCTCTCACTCCTAGAAGGAGGGTGTGA GGCTGACAACĆAGGTCATCCAGGAGGGCTGGCCCCCTGGAATATTGTGAATGACTAGGGAGG TGGGGTAGAGCACTCTCCGTCCTGCTGGCAAGGAATGGGAACAGTGGCTGTCTGCGATCA CAAGTGTAAGTCCCCCAGTTGCTCTGGTCCAGGAGCCCACGGTGGGGTGCTCTCTTCCTGGTC

362/550

FIGURE 362

MRPLLVLLLLGLAAGSPPLDDNKIPSLCPGHPGLPGTPGHHGSQGLPGRDGRDGRDGAPGAPG EKGEGGRPGLPGPRGDPGPRGEAGPAGPTGPAGECSVPPRSAFSAKRSESRVPPPSDAPLPFD RVLVNEQGHYDAVTGKFTCQVPGVYYFAVHATVYRASLQFDLVKNGESIASFFQFFGGWPKPA SLSGGAMVRLEPEDQVWVQVGVGDYIGIYASIKTDSTFSGFLVYSDWHSSPVFA

Important features:

Signal sequence.

amino acids 1-15

N-myristoylation sites.

amino acids 11-17, 68-74, 216-222

Cell attachment sequence.

amino acids 77-80

363/550

FIGURE 363

 ${\tt GGAGAGCGAAGCTGGATAACAGGGGACCG} {\color{red} {\bf ATG}} {\tt ATGTGGCGACCATCAGTTCTGCTGCT}$ TCTGTTGCTACTGAGGCACGGGGCCCAGGGGAAGCCATCCCCAGACGCAGGCCCTCATGGCCA GGGGAGGGTGCACCAGGCGCCCCCTGAGCGACGCTCCCCATGATGACGCCCACGGGAACTT CCAGTACGACCATGAGGCTTTCCTGGGACGGGAAGTGGCCAAGGAATTCGACCAACTCACCCC AGAGGAAAGCCAGGCCCGTCTGGGGCGGATCGTGGACCGCATGGACCGCGCGGGGGACGCGA CGGCTGGGTGTCGCCGAGCTTCGCGCGTGGATCGCGCACACGCAGCAGCGCACATACG GGACTCGGTGAGCGCGGCCTGGGACACGTACGACACGGACCGCGACGGCGTGTGGGTTGGGA GGAGCTGCGCAACGCCACCTATGGCCACTACGCGCCCGGTGAAGAATTTCATGACGTGGAGGA TGCAGAGACCTACAAAAAGATGCTGGCTCGGGACGAGCGGCGTTTCCGGGTGGCCGACCAGGA TGGGGACTCGATGGCCACTCGAGAGGAGCTGACAGCCTTCCTGCACCCCGAGGAGTTCCCTCA . CATGCGGGACATCGTGATTGCTGAAACCCTGGAGGACCTGGACAGAAACAAAGATGGCTATGT CCAGGTGGAGGAGTACATCGCGGATCTGTACTCAGCCGAGCCTGGGGAGGAGGAGCCGGCGTG GGTGCAGACGGAGAGCAGCAGTTCCGGGACTTCCGGGATCTGAACAAGGATGGGCACCTGGA TGGGAGTGAGGTGGGCCACTGGGTGCCCCCTGCCCAGGACCAGCCCCTGGTGGAAGCCAA CCACCTGCTGCACGAGAGCGACACGGACAAGGATGGGCGGCTGAGCAAAGCGGAAATCCTGGG TAATTGGAACATGTTTGTGGGCAGTCAGGCCACCAACTATGGCGAGGACCTGACCCGGCACCA CGATGAGCTGTGAGCACCGCGCACCTGCCACAGCCTCAGAGGCCCGCACAATGACCGGAGGAG GGGCCGCTGTGGTCTGGCCCCCTCCCTGTCCAGGCCCCGCAGGAGGCAGATGCAGTCCCAGGC ATCCTCCTGCCCTGGGCTCTCAGGGACCCCCTGGGTCGGCTTCTGTCCCTGTCACACCCCCA GCCTGGCCTGGGACACCTCCTCTCTGCCAGGAGGCAATAAAAGCCAGCGCCGGGACCTTGAAA

364/550

FIGURE 364

MMWRPSVLLLLLLRHGAQGKPSPDAGPHGQGRVHQAAPLSDAPHDDAHGNFQYDHEAFLGRE VAKEFDQLTPEESQARLGRIVDRMDRAGDGDGWVSLAELRAWIAHTQQRHIRDSVSAAWDTYD TDRDGRVGWEELRNATYGHYAPGEEFHDVEDAETYKKMLARDERRFRVADQDGDSMATREELT AFLHPEEFPHMRDIVIAETLEDLDRNKDGYVQVEEYIADLYSAEPGEEEPAWVQTERQQFRDF RDLNKDGHLDGSEVGHWVLPPAQDQPLVEANHLLHESDTDKDGRLSKAEILGNWNMFVGSQAT NYGEDLTRHHDEL

Important features:

Signal sequence:

amino acids 1-20

N-glycosylation site.

amino acids 140-144

Casein kinase II phosphorylation site.

amino acids 72-76, 98-102, 127-131, 184-188, 208-212, 289-293, 291-295, 298-302

N-myristoylation site.

amino acids 263-269, 311-317

Endoplasmic reticulum targeting sequence.

amino acids 325-330

365/550

FIGURE 365

GTCTGTTCCCAGGAGTCCTTCGGCGGCTGTTGTGTCAGTGGCCTGATCGCGATGGGACAAAG GCGCAAGTCGAGAGGAAACTGTTGTGCCTCTTCATATTGGCGATCCTGTTGTGCTCCCTGGCA TTGGGCAGTGTTACAGTGCACTCTTCTGAACCTGAAGTCAGAATTCCTGAGAATAATCCTGTG AAGTTGTCCTGTGCCTACTCGGGCTTTTCTTCTCCCCGTGTGGAGTGGAAGTTTGACCAAGGA GACACCACCAGACTCGTTTGCTATAATAACAAGATCACAGCTTCCTATGAGGACCGGGTGACC TTCTTGCCAACTGGTATCACCTTCAAGTCCGTGACACGGGAAGACACTGGGACATACACTTGT ATGGTCTCTGAGGAAGGCGGCAACAGCTATGGGGAGGTCAAGGTCAAGCTCATCGTGCTTGTG CCTCCATCCAAGCCTACAGTTAACATCCCCTCCTCTGCCACCATTGGGAACCGGGCAGTGCTG ACATGCTCAGAACAAGATGGTTCCCCACCTTCTGAATACACCTGGTTCAAAGATGGGATAGTG ATGCCTACGAATCCCAAAAGCACCCGTGCCTTCAGCAACTCTTCCTATGTCCTGAATCCCACA ACAGGAGAGCTGGTCTTTGATCCCCTGTCAGCCTCTGATACTGGAGAATACAGCTGTGAGGCA CGGAATGGGTATGGGACACCCATGACTTCAAATGCTGTGCGCATGGAAGCTGTGGAGCGGAAT GTGGGGGTCATCGTGGCAGCCGTCCTTGTAACCCTGATTCTCCTGGGAATCTTGGTTTTTGGC GTGATTTACAGCCAGCCTAGTGCCCGAAGTGAAGGAGAATTCAAACAGACCTCGTCATTCCTG GTGTGAGCCTGGTCGGCTCACCGCCTATCATCTGCATTTGCCTTACTCAGGTGCTACCGGACT CTGGCCCTGATGTCTGTAGTTTCACAGGATGCCTTATTTGTCTTCTACACCCCACAGGGCCC CCTACTTCTTCGGATGTGTTTTTAATAATGTCAGCTATGTGCCCCATCCTCCTTCATGCCCTC CCTCCCTTTCCTACCACTGCTGAGTGGCCTGGAACTTGTTTAAAGTGTTTATTCCCCATTTCT TTGAGGGATCAGGAAGGAATCCTGGGTATGCCATTGACTTCCCTTCTAAGTAGACAGCAAAAA TATCTTGAGCTTGGTTCTGGGCTCTTTCCTTGTGTACTGACGACCAGGGCCAGCTGTTCTAGA GCGGGAATTAGAGGCTAGAGCGGCTGAAATGGTTGTTTGGTGATGACACTGGGGTCCTTCCAT CTCTGGGGCCCACTCTCTTCTGTCTTCCCATGGGAAGTGCCACTGGGATCCCTCTGCCCTGTC CTCCTGAATACAAGCTGACTGACATTGACTGTGTCTGTGGAAAATGGGAGCTCTTGTTGTGGA GAGCATAGTAAATTTTCAGAGAACTTGAAGCCAAAAGGATTTAAAAACCGCTGCTCTAAAGAAA CACCTGAGGTCGGGAGTTCGGGATCAGCCTGACCAACATGGAGAAACCCTACTGGAAATACAA AGTTAGCCAGGCATGGTGGTGCATGCCTGTAGTCCCAGCTGCTCAGGAGCCTGGCAACAAGAG CAAAACTCCAGCTCAAAAAAAAAAAAAAAAA

366/550

FIGURE 366

MGTKAQVERKLLCLFILAILLCSLALGSVTVHSSEPEVRIPENNPVKLSCAYSGFSSPRVEWK
FDQGDTTRLVCYNNKITASYEDRVTFLPTGITFKSVTREDTGTYTCMVSEEGGNSYGEVKVKL
IVLVPPSKPTVNIPSSATIGNRAVLTCSEQDGSPPSEYTWFKDGIVMPTNPKSTRAFSNSSYV
LNPTTGELVFDPLSASDTGEYSCEARNGYGTPMTSNAVRMEAVERNVGVIVAAVLVTLILLGI
LVFGIWFAYSRGHFDRTKKGTSSKKVIYSQPSARSEGEFKQTSSFLV

Important features:

Signal sequence:

amino acids 1-27

Transmembrane domain:

amino acids 238-255

N-glycosylation site.

amino acids 185-189

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 270-274

Casein kinase II phosphorylation site.

amino acids 34-38, 82-86, 100-104, 118-122, 152-156, 154-158, 193-197, 203-207, 287-291

N-myristoylation site.

amino acids 105-111, 116-122, 158-164, 219-225, 237-243, 256-262

367/550

FIGURE 367

GAAGCTTTTTCTTGTGAGCCCTGGATCTTAACACAAATGTGTATATGTGCACACAGGGAGCATTCAAGAATGAAA CCACCCCAAAAAAAGGATGATTGGAAATGAAGAACCGAGGATTCACAAAGAAAAAGTATGTTCATTTTTCTC TATAAAGGAGAAAGTGAGCCAAGGAGATATTTTTGGAATGAAAAGTTTGGGGCTTTTTTAGTAAAGTAAAGAACT GGTGTGGTGGTGTTTTCCTTTCTTTTTGAATTTCCCACAAGAGGAGAGAATTAATAATACATCTGCAAAGAAA TTTTATTCCTTTTGGTATCAAGATCATGCGTTTTCTCTTGTTCTTAACCACCTGGATTTCCATCTGGATGTTGCT GTGATCAGTCTGAAATACAACTGTTTGAATTCCAGAAGGACCAACACCAGATAAATTATGA<u>ATG</u>TTGAACAAGAT GACCTTACATCCACAGCAGATAATGATAGGTCCTAGGTTTAACAGGGCCCTATTTGACCCCCTGCTTGTGGTGCT ${\tt GCTGGCTCTTCAACTTCTTGTGGTGGCTGGTCTGGTGCGGGCTCAGACCTGCCCTTCTGTGTGCTCCTGCAGCAA}$ CCAGTTCAGCAAGGTGATTTGTGTTCGGAAAAACCTGCGTGAGGTTCCGGATGGCATCTCCACCAACACACGGCT GCTGAACCTCCATGAGAACCAAATCCAGATCATCAAAGTGAACAGCTTCAAGCACTTGAGGCACTTGGAAATCCT ACAGTTGAGTAGGAACCATATCAGAACCATTGAAATTGGGGCTTTCAATGGTCTGGCGAACCTCAACACTCTGGA ${\tt ACTCTTTGACAATCGTCTTACTACCATCCCGAATGGAGCTTTTGTATACTTGTCTAAACTGAAGGAGCTCTGGTT}$ GCGAAACAACCCCATTGAAAGCATCCCTTCTTATGCTTTTAACAGAATTCCTTCTTTGCGCCGACTAGACTTAGG GGAATTGAAAAGACTTTCATACATCTCAGAAGGTGCCTTTGAAGGTCTGTCCAACTTGAGGTATTTGAACCTTGC CATGTGCAACCTTCGGGAAATCCCTAACCTCACACCGCTCATAAAACTAGATGAGCTGGATCTTTCTGGGAATCA TTTATCTGCCATCAGGCCTGGCTCTTTCCAGGGTTTGATGCACCTTCAAAAACTGTGGATGATACAGTCCCAGAT TCAAGTGATTGAACGGAATGCCTTTGACAACCTTCAGTCACTAGTGGAGATCAACCTGGCACACAATAATCTAAC ATTACTGCCTCATGACCTCTTCACTCCTTTGCATCATCTAGAGCGGATACATTTACATCACAACCCTTTGGAACTG TAACTGTGACATACTGTGGCTCAGCTGGTGGATAAAAGACATGGCCCCCTCGAACACAGCTTGTTGTGCCCGGTG TAACACTCCTCCCAATCTAAAGGGGAGGTACATTGGAGAGCTCGACCAGAATTACTTCACATGCTATGCTCCGGT GATTGTGGAGCCCCTGCAGACCTCAATGTCACTGAAGGCATGGCAGCTGAAATGTCGGGCCTCCACATC ${\tt CCTGACATCTGTATCTTGGATTACTCCAAATGGAACAGTCATGACACATGGGGCGTACAAAGTGCGGATAGCTGT}$ GCTCAGTGATGGTACGTTAAATTTCACAAATGTAACTGTGCAAGATACAGGCATGTACACATGTATGGTGAGTAA TTCCGTTGGGAATACTACTGCTTCAGCCACCCTGAATGTTACTGCAGCAACCACTACTCCTTTCTCTTACTTTTC AACCGTCACAGTAGAGACTATGGAACCGTCTCAGGATGAGGCACGGACCACAGATAACAATGTGGGTCCCACTCC AGTGGTCGACTGGGAGACCACCAATGTGACCACCTCTCTCACACCACAGAGCACAAGGTCGACAGAGAAAACCTT CACCATCCCAGTGACTGATATAAACAGTGGGATCCCAGGAATTGATGAGGTCATGAAGACTACCAAAATCATCAT TGGGTGTTTTGTGGCCATCACACTCATGGCTGCAGTGATGCTGGTCATTTTCTACAAGATGAGGAAGCAGCACCA TCGGCAAAACCATCACGCCCCAACAAGGACTGTTGAAATTATTAATGTGGATGATGAGATTACGGGAGACACACC CATGGAAAGCCACCTGCCCATGCCTGCTATCGAGCATGAGCACCTAAATCACTATAACTCATACAAATCTCCCTT CAACCACACACACAGTTAACACAATAAATTCAATACACAGTTCAGTGCATGAACCGTTATTGATCCGAATGAA AAAAGAAAAGAAATTTATTTATTAAAAATTCTATTGTGATCTAAAGCAGACAAAAA

368/550

FIGURE 368

MLNKMTLHPQQIMIGPRFNRALFDPLLVVLLALQLLVVAGLVRAQTCPSVCSCSNQFSKVICVRKNLREVPDGIS
TNTRLLNLHENQIQIIKVNSFKHLRHLEILQLSRNHIRTIEIGAFNGLANLNTLELFDNRLTTIPNGAFVYLSKL
KELWLRNNPIESIPSYAFNRIPSLRRLDLGELKRLSYISEGAFEGLSNLRYLNLAMCNLREIPNLTPLIKLDELD
LSGNHLSAIRPGSFQGLMHLQKLWMIQSQIQVIERNAFDNLQSLVEINLAHNNLTLLPHDLFTPLHHLERIHLHH
NPWNCNCDILWLSWWIKDMAPSNTACCARCNTPPNLKGRYIGELDQNYFTCYAPVIVEPPADLNVTEGMAAELKC
RASTSLTSVSWITPNGTVMTHGAYKVRIAVLSDGTLNFTNVTVQDTGMYTCMVSNSVGNTTASATLNVTAATTTP
FSYFSTVTVETMEPSQDEARTTDNNVGPTPVVDWETTNVTTSLTPQSTRSTEKTFTIPVTDINSGIPGIDEVMKT
TKIIIGCFVAITLMAAVMLVIFYKMRKQHHRQNHHAPTRTVEIINVDDEITGDTPMESHLPMPAIEHEHLNHYNS
YKSPFNHTTTVNTINSIHSSVHEPLLIRMNSKDNVQETQI

Important features:

Signal sequence:

amino acids 1-44

Transmembrane domain:

amino acids 523-543

N-glycosylation site.

amino acids 278-282, 364-368, 390-394, 412-416, 415-419, 434-438, 442-446, 488-492, 606-610

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 183-187

Casein kinase II phosphorylation site.

amino acids 268-272, 417-421, 465-469, 579-583, 620-624

N-myristoylation site.

amino acids 40-46, 73-79, 118-124, 191-197, 228-234, 237-243, 391-397, 422-428, 433-439, 531-537

369/550

FIGURE 369

CAAAACTTGCGTCGCGGAGAGCGCCCAGCTTGACTTGAATGGAAGGAGCCCGAGCCCGCGGAGCGCAGCTGAGAC TGGGGGAGCGCGTTCGGCCTGTGGGGCGCCGCTCGGCGCCGGGGCGCAGCAGGGAAGGGGAAGCTGTGGTCTGCC CTGCTCCACGAGGCGCCACTGGTGTGAACCGGGAGAGCCCCTGGGTGGTCCCGTCCCCTATCCCTCTTTATATA GAAACCTTCCACACTGGGAAGGCAGCGGCGAGGCAGGAGGGCTCATGGTGAGCAAGGAGGCCGGCTGATCTGCAG GCGCACAGCATTCCGAGTTTACAGATTTTTACAGATACCAA<u>ATG</u>GAAGGCGAGGAGGCAGAACAGCCTGCCTGGT TCCATCAGCCCTGCGCGCCCAGGCGCATCTGACTCGGCACCCCTGCAGGCACCATGGCCCAGAGCCGGGTGCTGC TGCTCCTGCTGCTGCCGCCACAGCTGCACCTGGGACCTGTGCTTGCCGTGAGGGCCCCAGGATTTGGCCGAA GTGGCGGCCACAGCCTGAGCCCCGAAGAGAACGAATTTGCGGAGGAGGAGCCGGTGCTGGTACTGAGCCCTGAGG AGCCCGGCCTGGCCCAGCCGCGGTCAGCTGCCCCCGAGACTGTGCCTGTTCCCAGGAGGGCGTCGTGGACTGTG TGGAAAAGATCTACCCTGAGGAGCTCTCCCGGCTGCACCGGCTGGAGACACTGAACCTGCAAAACAACCGCCTGA CTTCCCGAGGGCTCCCAGAGAAGGCGTTTGAGCATCTGACCAACCTCAATTACCTGTACTTGGCCAATAACAAGC TGACCTTGGCACCCCGCTTCCTGCCAAACGCCCTGATCAGTGTGGACTTTGCTGCCAACTATCTCACCAAGATCT ATGGGCTCACCTTTGGCCAGAAGCCAAACTTGAGGTCTGTGTACCTGCACAACAACAACATGGCAGACGCCGGGC $\tt TGCCGGACAACATGTTCAACGGCTCCAGCAACGTCGAGGTCCTCATCCTGTCCAGCAACTTCCTGCGCCACGTGC$ CCAAGCACCTGCCGCCTGTACAAGCTGCACCTCAAGAACAAGCTGGAGAAGATCCCCCCGGGGGCCT $\verb| CCTTCTGGAAGCTCTCCAGCCTGGAGTACCTGGATCTGTCCAGCAACAACCTGTCTCGGGTCCCAGCTGGGCTGC| \\$ $\tt CGCGCAGCCTGGTGCTGCACTTGGAGAAGAACGCCATCCGGAGCGTGGACGCGAATGTGCTGACCCCCATCC$ GCACCCTCATGATCCTGCACAACCAGATCACAGGCATTGGCCGCGAAGACTTTGCCACCACCTACTTCCTGGAGG GCTCGCTGGACCTGTCGGGCAACCGGCTGCACACGCTGCCACCTGGGCTGCCTCGAAATGTCCATGTGCTGAAGG TCAAGCGCAATGAGCTGGCTGCCTTGGCACGAGGGGCGCTGGCGGGCATGGCTCAGCTGCGTGAGCTGTACCTCA CCAGCAACCGACTGCGCAGCCGAGCCCTGGGCCCCGTGCCTGGGTGGACCTCGCCCATCTGCAGCTGCTGGACA TCGCCGGGAATCACCTCACAGAGATCCCCGAGGGGCTCCCCGAGTCACTTGAGTACCTGTACCTGCAGAACAACA AGATTAGTGCGGTGCCCGCCAATGCCTTCGACTCCACGCCCAACCTCAAGGGGATCTTTCTCAGGTTTAACAAGC TGGCTGTGGGCTCCGTGGTGGACAGTGCCTTCCGGAGGCTGAAGCACCTGCAGGTCTTGGACATTGAAGGCAACT AGGAAGAGAAACAAGATAGTGACAAGGTGATGCAGATGTGACCTAGGATGATGGACCGCCGGACTCTTTTCTGC TCCCACATGACACGGGCTGACACAGTCTCATATCCCCACCCCTTCCCACGGCGTGTCCCACGGCCAGACACATGC GGAACTCACAAAAGCTGGCTTTTATTCCTTTCCCATCCTATGGGGACAGGAGCCTTCAGGACTGCTGGCC CAGGCACTTTTCCAATGGGCAAGCCCAGTGGAGGCAGGATGGGAGAGCCCCCTGGGTGCTGCTGGGGCCTTGGGG

370/550

FIGURE 370

MEGEEAEQPAWFHQPWRPGASDSAPPAGTMAQSRVLLLLLLLPPQLHLGPVLAVRAPGFGRSG
GHSLSPEENEFAEEEPVLVLSPEEPGPGPAAVSCPRDCACSQEGVVDCGGIDLREFPGDLPEH
TNHLSLQNNQLEKIYPEELSRLHRLETLNLQNNRLTSRGLPEKAFEHLTNLNYLYLANNKLTL
APRFLPNALISVDFAANYLTKIYGLTFGQKPNLRSVYLHNNKLADAGLPDNMFNGSSNVEVLI
LSSNFLRHVPKHLPPALYKLHLKNNKLEKIPPGAFSELSSLRELYLQNNYLTDEGLDNETFWK
LSSLEYLDLSSNNLSRVPAGLPRSLVLLHLEKNAIRSVDANVLTPIRSLEYLLLHSNQLREQG
IHPLAFQGLKRLHTVHLYNNALERVPSGLPRRVRTLMILHNQITGIGREDFATTYFLEELNLS
YNRITSPQVHRDAFRKLRLLRSLDLSGNRLHTLPPGLPRNVHVLKVKRNELAALARGALAGMA
QLRELYLTSNRLRSRALGPRAWVDLAHLQLLDIAGNQLTEIPEGLPESLEYLYLQNNKISAVP
ANAFDSTPNLKGIFLRFNKLAVGSVVDSAFRRLKHLQVLDIEGNLEFGDISKDRGRLGKEKEE
EEEEEEEEEEE

Important features:

Signal sequence:

amino acids 1-48

N-qlycosylation site.

amino acids 243-247, 310-314, 328-332, 439-443

Casein kinase II phosphorylation site.

amino acids 68-72, 84-88, 246-250, 292-296, 317-321, 591-595

N-myristoylation site.

amino acids 19-25, 107-113, 213-219, 217-223, 236-242, 335-341, 477-483, 498-502, 539-545, 548-554

Leucine zipper pattern.

amino acids 116-138, 251-273, 258-280, 322-344, 464-486, 471-493, 535-557

371/550

FIGURE 371

CACTTTCTCCCTCTCTTTACTTTCGAGAAACCGCGCTTCCGCTTCTGGTCGCAGAGACCTCGGAGACCGCG TGCCGTCCTCCGGAAGACCTTTTCCCCTGCTCTGTTTCCTTCACCGAGTCTGTGCATCGCCCCGGACCTGGCCGG GAGTCGTGTGCCCCATGTCCAGGGGGAACAGCAGGAGTGGGAGGGGACTGAGGAGCTGCCGTCGCCTCCGGACCA TGCCGAGAGGGCTGAAGAACAACATGAAAAATACAGGCCCAGTCAGGACCAGGGGCTCCCTGCTTCCCGGTGCTT GCGCTGCTGTGACCCCGGTACCTCCATGTACCCGGCGACCGCCGTGCCCCAGATCAACATCACTATCTTGAAAGG GGAGAAGGGTGACCGCGGAGATCGAGGCCTCCAAGGGAAATATGGCAAAACAGGCTCAGCAGGGGCCAGGGGCCA CACTGGACCCAAAGGGCAGAAGGGCTCCATGGGGGCCCCTGGGGAGCGGTGCAAGAGCCACTACGCCGCCTTTTC GGTGGGCCGGAAGAAGCCCATGCACAACCACTACTACCAGACGGTGATCTTCGACACGGAGTTCGTGAACCT CTACGACCACTTCAACATGTTCACCGGCAAGTTCTACTGCTACGTGCCCGGCCTCTACTTCTTCAGCCTCAACGT GCACACCTGGAACCAGAAGGAGACCTACCTGCACATCATGAAGAACGAGGAGGAGGTGGTGATCTTGTTCGCGCA GGTGGGCGACCGCAGCATCATGCAAAGCCAGAGCCTGATGCTGGAGCTGCGAGAGCAGGACCAGGTGTGGGTACG CCTCTACAAGGGCGAACGTGAGAACGCCATCTTCAGCGAGGAGCTGGACACCTACATCACCTTCAGTGGCTACCT TGACCCCACCGCCTCTTCCCCGATCCCTGGACTCCGACTCCCTGGCTTTGGCATTCAGTGAGACGCCCTGCACAC ACAGAAAGCCAAAGCGATCGGTGCTCCCAGATCCCGCAGCCTCTGGAGAGAGCTGACGGCAGATGAAATCACCAG GGCGGGGCACCCGCGAGAACCCTCTGGGACCTTCCGCGGCCCTCTCTGCACACATCCTCAAGTGACCCCGCACGG CGAGACGCGGGTGCCGCAGGCGTCCCAGGGTGCGGCACCGCGGCTCCAGTCCTTGGAAATAATTAGGCAAATT CCTGCTGGCTCCCAAGAGAGAGGCCTTTTCAGTTGAGACTCTGCTTAAGAGAAGATCCAAAGTTAAAGCTCTGGG GTCAGGGGAGGGCCGGGGGCAGGAAACTACCTCTGGCTTAATTCTTTTAAGCCACGTAGGAACTTTCTTGAGGG ATAGGTGGACCCTGACATCCCTGTGGCCTTGCCCAAGGGCTCTGCTGGTCTTTCTGAGTCACAGCTGCGAGGTGA TGGGGGCTGGGGCCCCAGGCGTCAGCCTCCCAGAGGGACAGCTGAGCCCCCTGCCTTGGCTCCAGGTTGGTAGAA GCAGCCGAAGGGCTCCTGACAGTGGCCAGGGACCCCTGGGTCCCCCAGGCCTGCAGATGTTTCTATGAGGGGCAG AGCTCCTTGGTACATCCATGTGTGGCTCTGCTCCACCCCTGTGCCACCCCAGAGCCCTGGGGGGGTGGTCTCCATG CCTGCCACCCTGGCATCGGCTTTCTGTGCCGCCTCCCACACAAATCAGCCCCAGAAGGCCCCGGGGCCTTGGCTT CTGTTTTTTATAAAACACCTCAAGCAGCACTGCAGTCTCCCATCTCCTCGTGGGCTAAGCATCACCGCTTCCACG TGTGTTGTTGGTTGGCAGCAAGGCTGATCCAGACCCCTTCTGCCCCCACTGCCCTCATCCAGGCCTCTGACCA GTAGCCTGAGAGGGGCTTTTTCTAGGCTTCAGAGCAGGGGAGAGCTGGAAGGGGCTAGAAAGCTCCCGCTTGTCT GTTTCTCAGGCTCCTGTGAGCCTCAGTCCTGAGACCAGAGTCAAGAGGAAGTACACGTCCCAATCACCCGTGTCA GGATTCACTCTCAGGAGCTGGGTGGCAGGAGAGGCAATAGCCCCTGTGGCAATTGCAGGACCAGCTGGAGCAGGG TTGCGGTGTCTCCACGGTGCTCTCGCCCTGCCCATGGCCACCCCAGACTCTGATCTCCAGGAACCCCATAGCCCC TCTCCACCTCACCCCATGTTGATGCCCAGGGTCACTCTTGCTACCCGCTGGGCCCCCAAACCCCGCTGCCTCTC TTCCTTCCCCCATCCCCACCTGGTTTTGACTAATCCTGCTTCCCTCTCTGGGCCTGGCTGCCGGGATCTGGGG TCCCTAAGTCCCTCTCTTTAAAGAACTTCTGCGGGTCAGACTCTGAAGCCGAGTTGCTGTGGGCGTGCCCGGAAG CAGAGCGCCACACTCGCTGCTTAAGCTCCCCCAGCTCTTTCCAGAAAACATTAAACTCAGAATTGTGTTTTCAA

372/550

FIGURE 372

MGSRGQGLLLAYCLLLAFASGLVLSRVPHVQGEQQEWEGTEELPSPPDHAERAEEQHEKYRPS
QDQGLPASRCLRCCDPGTSMYPATAVPQINITILKGEKGDRGDRGLQGKYGKTGSAGARGHTG
PKGQKGSMGAPGERCKSHYAAFSVGRKKPMHSNHYYQTVIFDTEFVNLYDHFNMFTGKFYCYV
PGLYFFSLNVHTWNQKETYLHIMKNEEEVVILFAQVGDRSIMQSQSLMLELREQDQVWVRLYK
GERENAIFSEELDTYITFSGYLVKHATEP

Important features:

Signal sequence.

amino acids 1-25

N-glycosylation site.

amino acids 93-97

N-myristoylation sites.

amino acids 7-13, 21-27, 67-73, 117-123, 129-135

Amidation site.

amino acids 150-154

Cell attachment sequence.

amino acids 104-107

PCT/US00/32678

373/550

FIGURE 373

CGGAGTGGTGCGCCAACGTGAGAGGAAACCCGTGCGCGGCTGCGCTTTCCTGTCCCCAAGCCG TTCTAGACGCGGGAAAAATGCTTTCTGAAAGCAGCTCCTTTTTGAAGGGTGTGATGCTTGGAA GCATTTCTGTGCTTTGATCACTATGCTAGGACACATTAGGATTGGTCATGGAAATAGAATGC ACCACCATGAGCATCATCACCTACAAGCTCCTAACAAAGAAGATATCTTGAAAATTTCAGAGG ATGAGCGCATGGAGCTCAGTAAGAGCTTTCGAGTATACTGTATTATCCTTGTAAAACCCAAAG ATGTGAGTCTTTGGGCTGCAGTAAAGGAGACTTGGACCAAACACTGTGACAAAGCAGAGTTCT TCAGTTCTGAAAATGTTAAAGTGTTTGAGTCAATTAATATGGACACAAATGACATGTGGTTAA TGATGAGAAAAGCTTACAAATACGCCTTTGATAAGTATAGAGACCAATACAACTGGTTCTTCC TTGCACGCCCCACTACGTTTGCTATCATTGAAAACCTAAAGTATTTTTTGTTAAAAAAGGATC CATCACAGCCTTTCTATCTAGGCCACACTATAAAATCTGGAGACCTTGAATATGTGGGTATGG AAGGAGGAATTGTCTTAAGTGTAGAATCAATGAAAAGACTTAACAGCCTTCTCAATATCCCAG AAAAGTGTCCTGAACAGGGAGGGATGATTTGGAAGATATCTGAAGATAAACAGCTAGCAGTTT GCCTGAAATATGCTGGAGTATTTGCAGAAAATGCAGAAGATGCTGATGGAAAAGATGTATTTA ATACCAAATCTGTTGGGCTTTCTATTAAAGAGGCAATGACTTATCACCCCAACCAGGTAGTAG TGATGTATGGGGTATACCGCCTTAGGGCATTTGGGCATATTTTCAATGATGCATTGGTTTTCT ${ t TACCTCCAAATGGTTCTGACAATGAC}{ t TGA}{ t GAAGTGGTAGAAAAGCGTGAATATGATCTTTGTA$ TAGGACGTGTGTCATTATTTGTAGTAGTAACTACATATCCAATACAGCTGTATGTTTCTT TTTCTTTTCTAATTTGGTGGCACTGGTATAACCACACATTAAAGTCAGTAGTACATTTTTAAA TGAGGGTGGTTTTTTTTTTTAAAACACATGAACATTGTAAATGTGTTGGAAAGAAGTGTTTTA AGAATAATAATTTTGCAAATAAACTATTAATAAATATTATATGTGATAAATTCTAAATTATGA ACATTAGAAATCTGTGGGGCACATATTTTTGCTGATTGGTTAAAAAATTTTAACAGGTCTTTA GCGTTCTAAGATATGCAAATGATATCTCTAGTTGTGAATTTGTGATTAAAGTAAAACTTTTAG CTGTGTGTTCCCTTTACTTCTAATACTGATTTATGTTCTAAGCCTCCCCAAGTTCCAATGGAT TTGCCTTCTCAAAATGTACAACTAAGCAACTAAAGAAAATTAAAGTGAAAGTTGAAAAAT

374/550

FIGURE 374

MLSESSFLKGVMLGSIFCALITMLGHIRIGHGNRMHHHEHHHLQAPNKEDILKISEDERMELSKSFRVYCIILV KPKDVSLWAAVKETWTKHCDKAEFFSSENVKVFESINMDTNDMWLMMRKAYKYAFDKYRDQYNWFFLARPTTFAI IENLKYFLLKKDPSQPFYLGHTIKSGDLEYVGMEGGIVLSVESMKRLNSLLNIPEKCPEQGGMIWKISEDKQLAV CLKYAGVFAENAEDADGKDVFNTKSVGLSIKEAMTYHPNQVVEGCCSDMAVTFNGLTPNQMHVMMYGVYRLRAFG HIFNDALVFLPPNGSDND

Important features:

Signal sequence:

amino acids 1-33

N-glycosylation site.

amino acids 121-125, 342-346

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 319-323, 464-468

Casein kinase II phosphorylation site.

amino acids 64-132, 150-154, 322-326, 331-335, 368-372, 385-389, 399-403, 409-413, 473-477, 729-733, 748-752

Tyrosine kinase phosphorylation site.

amino acids 736-743

N-myristoylation site.

amino acids 19-25, 23-29, 136-142, 397-403, 441-447, 544-550, 558-564, 651-657, 657-663, 672-672

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 14-25

Cell attachment sequence.

amino acids 247-250



FIGURE 375

GTTGTGTCCTTCAGCAAAACAGTGGATTTAAATCTCCTTGCACAAGCTTGAGAGCAACACAAT CTATCAGGAAAGAAAGAAAAAAACCGAACCTGACAAAAAAGAAGAAAAAAGAAGAAGAAGAA AAAAATCATGAAAACCATCCAGCCAAAAATGCACAATTCTATCTCTTGGGCAATCTTCACGGG GCTGGCTGCTCTGTGTCTCTCCAAGGAGTGCCCGTGCGCAGCGGAGATGCCACCTTCCCCAA AGCTATGGACAACGTGACGGTCCGGCAGGGGGGAGAGCGCCACCCTCAGGTGCACTATTGACAA CCGGGTCACCCGGGTGGCCTGGCTAAACCGCAGCACCATCCTCTATGCTGGGAATGACAAGTG GTGCCTGGATCCTCGCGTGGTCCTTCTGAGCAACACCCAAACGCAGTACAGCATCGAGATCCA GACCTCTAGGGTCCACCTCATTGTGCAAGTATCTCCCAAAATTGTAGAGATTTCTTCAGATAT CTCCATTAATGAAGGGAACAATATTAGCCTCACCTGCATAGCAACTGGTAGACCAGAGCCTAC AATTCAGGGCATCACCCGGGAGCAGTCAGGGGACTACGAGTGCAGTGCCTCCAATGACGTGGC CGCGCCCGTGGTACGGAGAGTAAAGGTCACCGTGAACTATCCACCATACATTTCAGAAGCCAA GGGTACAGGTGTCCCCGTGGGACAAAAGGGGACACTGCAGTGTGAAGCCTCAGCAGTCCCCTC GGAAAACAGACCTTTCCTCTCAAAACTCATCTTCTTCAATGTCTCTGAACATGACTATGGGAA CTACACTTGCGTGGCCTCCAACAAGCTGGGCCACACCAATGCCAGCATCATGCTATTTGGTCC AGGCGCCGTCAGCGAGGTGAGCAACGGCACGTCGAGGAGGGCAGGCTGCGTCTGGCTGCCC TCTTCTGGTCTTGCACCTGCTTCTCAAATTT**TGA**TGTGAGTGCCACTTCCCCACCCGGGAAAG GCTGCCGCCACCACCACCACACACACAGCAATGGCAACACCGACAGCAACCAATCAGATA GAATACTTTGGGGGGAAAAGAGTTTTAAAAAAGAAATTGAAAATTGCCTTGCAGATATTTAGG TACAATGGAGTTTTCTTTTCCCAAACGGGAAGAACACAGCACACCCGGCTTGGACCCACTGCA AGCTGCATCGTGCAACCTCTTTGGTGCCAGTGTGGGCAAGGGCTCAGCCTCTCTGCCCACAGA GTGCCCCCACGTGGAACATTCTGGAGCTGGCCATCCCAAATTCAATCAGTCCATAGAGACGAA CAGAATGAGACCTTCCGGCCCAAGCGTGGCGCTGCGGGCACTTTGGTAGACTGTGCCACCACG

FIGURE 376

MKTIQPKMHNSISWAIFTGLAALCLFQGVPVRSGDATFPKAMDNVTVRQGESATLRCTIDNRV
TRVAWLNRSTILYAGNDKWCLDPRVVLLSNTQTQYSIEIQNVDVYDEGPYTCSVQTDNHPKTS
RVHLIVQVSPKIVEISSDISINEGNNISLTCIATGRPEPTVTWRHISPKAVGFVSEDEYLEIQ
GITREQSGDYECSASNDVAAPVVRRVKVTVNYPPYISEAKGTGVPVGQKGTLQCEASAVPSAE
FQWYKDDKRLIEGKKGVKVENRPFLSKLIFFNVSEHDYGNYTCVASNKLGHTNASIMLFGPGA
VSEVSNGTSRRAGCVWLLPLLVLHLLLKF

Important features:

Signal peptide:

amino acids 1-28

FIGURE 377

CTTCTTTGAAAAGGATTATCACCTGATCAGGTTCTCTCTGCATTTGCCCCCTTTAGATTGTGAA TATGGCTTCCACACTCCAGCATCAGACATCCAGATCATATGGCTATTTGAGAGACCCCACACA ATGCCCAAATACTTACTGGGCTCTGTGAATAAGTCTGTGGTTCCTGACTTGGAATACCAACAC AAGTTCACCATGATGCCACCCAATGCATCTCTGCTTATCAACCCACTGCAGTTCCCTGATGAA GGCAATTACATCGTGAAGGTCAACATTCAGGGAAATGGAACTCTATCTGCCAGTCAGAAGATA GTGGAGTATGTGGGGAACATGACCCTGACATGCCATGTGGAAGGGGGCACTCGGCTAGCTTAC CAATGGCTAAAAATGGGAGACCTGTCCACACCAGCTCCACCTACTCCTTTTCTCCCCAAAAC AATACCCTTCATATTGCTCCAGTAACCAAGGAAGACATTGGGAATTACAGCTGCCTGGTGAGG AACCCTGTCAGTGAAATGGAAAGTGATATCATTATGCCCATCATATATTATGGACCTTATGGA CTTCAAGTGAATTCTGATAAAGGGCTAAAAGTAGGGGAAGTGTTTACTGTTGACCTTGGAGAG GCCATCCTATTTGATTGTTCTGCTGATTCTCATCCCCCCAACACCTACTCCTGGATTAGGAGG ACTGACAATACTACATATATCATTAAGCATGGGCCTCGCTTAGAAGTTGCATCTGAGAAAGTA ACTCATTTCACAGTTATCATCACTTCCGTAGGACTGGAGAAGCTTGCACAGAAAGGAAAATCA TTGTCACCTTTAGCAAGTATAACTGGAATATCACTATTTTTGATTATATCCATGTGTCTTCTC ACAGAATACAGGAAAGCTCAAACATTTTCAGGCCATGAAGATGCTCTGGATGACTTCGGAATA TATGAATTTGTTGCTTTTCCAGATGTTTCTGGTGTTTCCAGGATTCCAAGCAGGTCTGTTCCA GCCTCTGATTGTGTATCGGGGCAAGATTTGCACAGTACAGTGTATGAAGTTATTCAGCACATC CCTGCCCAGCAGCAAGACCATCCAGAG<u>TGA</u>ACTTTCATGGGCTAAACAGTACATTCGAGTGAA ATTCTGAAGAAACATTTTAAGGAAAAACAGTGGAAAAGTATATTAATCTGGAATCAGTGAAGA AACCAGGACCAACACCTCTTACTCATTATTCCTTTACATGCAGAATAGAGGCATTTATGCAAA TTGAACTGCAGGTTTTTCAGCATATACACAATGTCTTGTGCAACAGAAAAACATGTTGGGGAA ATATTCCTCAGTGGAGAGTCGTTCTCATGCTGACGGGGAGAACGAAAGTGACAGGGGTTTCCT CATAAGTTTTGTATGAAATATCTCTACAAACCTCAATTAGTTCTACTCTACACTTTCACTATC ATCAACACTGAGACTATCCTGTCTCACCTACAAATGTGGAAACTTTACATTGTTCGATTTTTC AGCAGACTTTGTTTATTAAATTTTTATTAGTGTTAAGAATGCTAAATTTATGTTTCAATTTT ATTTCCAAATTTCTATCTTGTTATTTGTACAACAAAGTAATAAGGATGGTTGTCACAAAAAACA AAACTATGCCTTCTCTTTTTTTTCAATCACCAGTAGTATTTTTGAGAAGACTTGTGAACACTT ATTCTGTTTTTGCTTTTAAAAAAAAAAAAAAAA

FIGURE 378

MWLKVFTTFLSFATGACSGLKVTVPSHTVHGVRGQALYLPVHYGFHTPASDIQIIWLFERPHTMPKYLLGSVNKS
VVPDLEYQHKFTMMPPNASLLINPLQFPDEGNYIVKVNIQGNGTLSASQKIQVTVDDPVTKPVVQIHPPSGAVEY
VGNMTLTCHVEGGTRLAYQWLKNGRPVHTSSTYSFSPQNNTLHIAPVTKEDIGNYSCLVRNPVSEMESDIIMPII
YYGPYGLQVNSDKGLKVGEVFTVDLGEAILFDCSADSHPPNTYSWIRRTDNTTYIIKHGPRLEVASEKVAQKTMD
YVCCAYNNITGRQDETHFTVIITSVGLEKLAQKGKSLSPLASITGISLFLIISMCLLFLWKKYQPYKVIKQKLEG
RPETEYRKAQTFSGHEDALDDFGIYEFVAFPDVSGVSRIPSRSVPASDCVSGQDLHSTVYEVIQHIPAQQQDHPE

Important features:

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 341-359

N-glycosylation site.

amino acids 73-77, 92-96, 117-121, 153-157, 189-193, 204-208, 276-280, 308-312

Casein kinase II phosphorylation site.

amino acids 129-133, 198-202, 214-218, 388-392, 426-430, 433-437

Tyrosine kinase phosphorylation site.

amino acids 272-280

N-myristoylation site.

amino acids 15-21, 19-25, 118-124, 163-167, 203-209, 231-237, 239-245

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 7-18

FIGURE 379

FIGURE 380

MYRHKNSWRLGLKYPPSSKEETQVPKTLISGLPGRKSSSRVGEKLQSAHKMPLSPGLLLLLLS GATATAALPLEGGPTGRDSEHMQEAAGIRKSSLLTFLAWWFEWTSQASAGPLIGEEAREVARR QEGAPPQQSARRDRMPCRNFFWKTFSSCK

Important features:

Transmembrane domain:

amino acids 51-69

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 35-39, 92-96

N-myristoylation sites.

amino acids 64-70, 75-81, 90-96

Amidation site.

amino acids 33-37

FIGURE 381

GGCGCCGGTGCACCGGGCGGGCTGAGCGCCTCCTGCGGCCCGGCCTGCGCGCCCCGGCCCGGCCCGCC GCGCCGCCACGCCCAACCCCGGCCCGCGCCCCTAGCCCCGGCCCGGGCCCGCGCCCGCGC CGGCCGGCGGGGAACCGGCGGATTCCTCGCGCGTCAAACCACCTGATCCCATAAAACATTC ATCCTCCCGGCGCCCCCCTGCGAGCGCCCCGCCAGTCCGCCGCCGCCGCCCCTCGCCCTG CGCCGAGCCTCGTCCCGCGGCCGGGCCGGGCCGGGCCGTAGCGGCGCCGCGCTGGATGCGGAC ACCCCTACGATGAAGAGGGCGTCCGCTGGAGGGAGCCGGCTGCTGGCATGGGTGCTGTGGCTG CAGGCCTGGCAGGTGGCAGCCCCATGCCCAGGTGCCTGCGTATGCTACAATGAGCCCAAGGTG AACCTCACCATCCTGTGGCTGCACTCGAATGTGCTGGCCCGAATTGATGCGGCTGCCTTCACT GGCCTGGCCCTCCTGGAGCAGCTGGACCTCAGCGATAATGCACAGCTCCGGTCTGTGGACCCT GCCACATTCCACGGCCTGGGCCGCCTACACACGCTGCACCTGGACCGCTGCGGCCTGCAGGAG CTGGGCCCGGGCTGTTCCGCGGCCTGCCTGCAGTACCTCTACCTGCAGGACAACGCG CTGCAGGCACTGCCTGATGACACCTTCCGCGACCTGGGCAACCTCACACACCTCTTCCTGCAC GGCAACCGCATCTCCAGCGTGCCCGAGCGCGCCTTCCGTGGGCTGCACAGCCTCGACCGTCTC CTACTGCACCAGAACCGCGTGGCCCATGTGCACCCGCATGCCTTCCGTGACCTTGGCCGCCTC ATGACACTCTATCTGTTTGCCAACAATCTATCAGCGCTGCCCACTGAGGCCCTGGCCCCCTG CGTGCCCTGCAGTACCTGAGGCTCAACGACAACCCCTGGGTGTGACTGCCGGGCACGCCCA CTCTGGGCCTGGCTGCAGAAGTTCCGCGGCTCCTCCTCCGAGGTGCCCTGCAGCCTCCCGCAA CGCCTGGCTGGCCGTGACCTCAAACGCCTAGCTGCCAATGACCTGCAGGGCTGCGCTGTGGCC ACCGGCCCTTACCATCCCATCTGGACCGGCAGGGCCACCGATGAGGAGCCGCTGGGGCTTCCC AAGTGCTGCCAGCCAGATGCCGCTGACAAGGCCTCAGTACTGGAGCCTGGAAGACCAGCTTCG GCAGGCAATGCGCTGAAGGGACGCGTGCCGCCGGTGACAGCCCGCCGGGCAACGGCTCTGGC CCACGGCACATCAATGACTCACCCTTTGGGACTCTGCCTGGCTCTGCTGAGCCCCCGCTCACT GCAGTGCGGCCCGAGGCTCCGAGCCACCAGGGTTCCCCACCTCGGGCCCTCGCCGGAGGCCA GGCGGGACTGGTGACTCAGAAGGCTCAGGTGCCCTACCCAGCCTCACCTGCAGCCTCACCCCC $\mathtt{CTGGGCCTGGCGGTGCTGTGGACAGTGCTTGGGCCCTGC}$ CCCATCTCCACCCCATCATGTTTACAGGGTTCGGCGGCAGCGTTTGTTCCAGAACGCCGCCTC CCACCCAGATCGCGGTATATAGAGATATGCATTTTATTTTACTTGTGTAAAAATATCGGACGA CGTGGAATAAAGAGCTCTTTTCTTAAAAAAA

382/550

FIGURE 382

MKRASAGGSRLLAWVLWLQAWQVAAPCPGACVCYNEPKVTTSCPQQGLQAVPVGIPAASQRIF
LHGNRISHVPAASFRACRNLTILWLHSNVLARIDAAAFTGLALLEQLDLSDNAQLRSVDPATF
HGLGRLHTLHLDRCGLQELGPGLFRGLAALQYLYLQDNALQALPDDTFRDLGNLTHLFLHGNR
ISSVPERAFRGLHSLDRLLLHQNRVAHVHPHAFRDLGRLMTLYLFANNLSALPTEALAPLRAL
QYLRLNDNPWVCDCRARPLWAWLQKFRGSSSEVPCSLPQRLAGRDLKRLAANDLQGCAVATGP
YHPIWTGRATDEEPLGLPKCCQPDAADKASVLEPGRPASAGNALKGRVPPGDSPPGNGSGPRH
INDSPFGTLPGSAEPPLTAVRPEGSEPPGFPTSGPRRRPGCSRKNRTRSHCRLGQAGSGGGGT
GDSEGSGALPSLTCSLTPLGLALVLWTVLGPC

Important features:

Signal peptide:

amino acids 1-26

Leucine zipper pattern.

amino acids 135-156

Glycosaminoglycan attachment site.

amino acids 436-439

N-glycosylation site.

amino acids 82-85, 179-183, 237-240, 372-375 and 423-426

VWFC domain

amino acids 411-425

FIGURE 383

TTCGTGACCCTTGAGAAAAGAGTTGGTGGTAAATGTGCCACGTCTTCTAAGAAGGGGGAGTCCTGAACTTGTCTG ${\tt AAGCCCTTGTCCGTAAGCCTTGAACTACGTTCTTAAATCTATGAAGTCGAGGGACCTTTCGCTGCTTTTGTAGGG}$ TTGGGGCTTTGATCCCTGAACCAGAAGTGAAAATTGAAGTTCTCCAGAAGCCATTCATCTGCCATCGCAAGACCA AAGGAGGGGATTTGATGTTGGTCCACTATGAAGGCTACTTAGAAAAGGACGGCTCCTTATTTCACTCCACTCACA AACATAACAATGGTCAGCCCATTTGGTTTACCCTGGGCATCCTGGAGGCTCTCAAAGGTTGGGACCAGGGCTTGA AAGGAATGTGTGTAGGAGAGAGAGAAAGCTCATCATTCCTCCTGCTCTGGGCTATGGAAAAGAAGGAAAAGGTA AAATTCCCCCAGAAAGTACACTGATATTTAATATTGATCTCCTGGAGATTCGAAATGGACCAAGATCCCATGAAT CATTCCAAGAAATGGATCTTAATGATGACTGGAAACTCTCTAAAGATGAGGTTAAAGCATATTTAAAGAAGGAGT TTGAAAAACATGGTGCGGTGGATGAATGAAAGTCATCATGATGCTTTGGTGGAGGATATTTTTGATAAAGAAGATG AAGACAAAGATGGGTTTATATCTGCCAGAGAATTTACATATAAACACGATGAGTTATAAGAGATACATCTACCCTT CTTTCTGATAAGTTATTGGGAAGAAAAAGCTAATTGGTCTTTGAATAGAAGACTTCTGGACAATTTTTCACTTTC ACAGATATGAAGCTTTGTTTTACTTTCTCACTTATAAATTTTAAAATGTTGCAACTGGGAATATACCACGACATGA GACCAGGTTATAGCACAAATTAGCACCCTATATTTCTGCTTCCCTCTATTTTCTCCAAGTTAGAGGTCAACATTT GAAAAGCCTTTTGCAATAGCCCAAGGCTTGCTATTTTCATGTTATAATGAAATAGTTTATGTGTAACTGGCTCTG AGTCTCTGCTTGAGGACCAGAGGAAAATGGTTGTTGGACCTGACTTGTTAATGGCTACTGCTTTACTAAGGAGAT GTGCAATGCTGAAGTTAGAAACAAGGTTAATAGCCAGGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGA GGCTGAGGCGGGCGGATCACCTGAGGTTGGGAGTTCGAGACCAGCCTGACCAACACGGAGAAACCCTATCTCTAC TAAAAATACAAAGTAGCCCGGCGTGGTGATGCGTGCCTGTAATCCCAGCTACCCAGGAAGGCTGAGGCGGCAGAA TCACTTGAACCCGAGGCCGAGGTTGCGGTAAGCCGAGATCACCTNCAGCCTGGACACTCTGTCTCGAAAAAAGAA AAGAACACGGTTAATACCATATNAATATGTATGCATTGAGACATGCTACCTAGGACTTAAGCTGATGAAGCTTGG CTCCTAGTGATTGGTGGCCTATTATGATAAATAGGACAAATCATTTATGTGTGAGTTTCTTTGTAATAAAATGTA TCAATATGTTATAGATGAGGTAGAAAGTTATATTTATATTCAATATTTACTTCTTAAGGCTAGCGGAATATCCTT CCTGGTTCTTTAATGGGTAGTCTATAGTATATTATACTACAATAACATTGTATCATAAGATAAAGTAGTAAACCA GTCTACATTTTCCCATTTCTGTCTCATCAAAAACTGAAGTTAGCTGGGTGTGGTGGCTCATGCCTGTAATCCCAG CACTTTGGGGGCCAAGGAGGTGGATCACTTGAGATCAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCT TGTCTCTACTAAAAATACAAAAATTAGCCAGGCGTGGTGGTGCACACCTGTAGTCCCAGCTACTCGGGAGGCTGA GACAGGAGATTTGCTTGAACCCGGGAGGCGGAGGTTGCAGTGAGCCAAGATTGTGCCACTGCACTCCAGCCTGGG TCCTGGATTTT

FIGURE 384

MRLFLWNAVLTLFVTSLIGALIPEPEVKIEVLQKPFICHRKTKGGDLMLVHYEGYLEKDGSLF HSTHKHNNGQPIWFTLGILEALKGWDQGLKGMCVGEKRKLIIPPALGYGKEGKGKIPPESTLI FNIDLLEIRNGPRSHESFQEMDLNDDWKLSKDEVKAYLKKEFEKHGAVVNESHHDALVEDIFD KEDEDKDGFISAREFTYKHDEL

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 176-179

Casein kinase II phosphorylation site.

amino acids 143-146, 156-159, 178-181 and 200-203

Endoplasmic reticulum targeting sequence.

amino acids 208-211

FKBP-type peptidyl-prolyl cis-trans isomerase

amino acids 78-114 and 118-131

EF-hand calcium-binding domain.

amino acids 191-203, 184-203 and 140-159

S-100/ICaBP type calcium binding domain

amino acids 183-203



FIGURE 385

CTCCCACGGTGTCCAGCGCCCAGAATGCGGCTTCTGGTCCTGCTATGGGGTTGCCTGCTGCTC CCAGGTTATGAAGCCCTGGAGGGCCCAGAGGAAATCAGCGGGTTCGAAGGGGACACTGTGTCC CTGCAGTGCACCTACAGGGAAGAGCTGAGGGACCACCGGAAGTACTGGTGCAGGAAGGGTGGG ATCCTCTTCTCTCGCTGCTCTGGCACCATCTATGCAGAAGAAGAAGACCAGGAGACAATGAAG GGCAGGGTGTCCATCCGTGACAGCCGCCAGGAGCTCTCGCTCATTGTGACCCTGTGGAACCTC ACCCTGCAAGACGCTGGGGAGTACTGGTGTGGGGTCGAAAAACGGGGCCCCGATGAGTCTTTA CTGATCTCTGTTCGTCTTTCCAGGACCCTGCTGTCCTCCCCTCCCCTTCTCCCACCTTCCAG CCTCTGGCTACAACACGCCTGCAGCCCAAGGCAAAAGCTCAGCAAACCCAGCCCCCAGGATTG ACTTCTCCTGGGCTCTACCCGGCAGCCACCACAGCCAAGCAGGGGAAGACAGGGGCTGAGGCC CCTCCATTGCCAGGGACTTCCCAGTACGGGCACGAAAGGACTTCTCAGTACACAGGAACCTCT CCTCACCCAGCGACCTCTCCTCCTGCAGGGAGCTCCCGCCCCCCATGCAGCTGGACTCCACC TCAGCAGAGGACACCAGTCCAGCTCTCAGCAGTGGCAGCTCTAAGCCCAGGGTGTCCATCCCG ATGGTCCGCATACTGGCCCCAGTCCTGGTGCTGCTGAGCCTTCTGTCAGCCGCAGGCCTGATC GCCTTCTGCAGCCACCTGCTCCTGTGGAGAAAGGAAGCTCAACAGGCCACGGAGACACAGAGG AACGAGAAGTTCTGGCTCTCACGCTTGACTGCGGAGGAAAAGGAAGCCCCTTCCCAGGCCCCT GAGGGGGACGTGATCTCGATGCCTCCCCTCACACATCTGAGGAGGAGCTGGGCTTCTCGAAG TGGATCAGCACCGATTCCCGAAAGCTTTCCACCTCAGCCTCAGAGTCCAGCTGCCCGGACTCC AGGGCTCTCCCCACCCTCCCCAGGCTCTCCTCTTGCATGTTCCAGCCTGACCTAGAAGCGTTT GTCAGCCCTGGAGCCCAGAGCGGTGGCCTTGCTCTTCCGGCTGGAGACTGGGACATCCCTGAT AGGTTCACATCCCTGGGCAGAGTACCAGGCTGCTGACCCTCAGCAGGGCCAGACAAGGCTCAG TGGATCTGGTCTGAGTTTCAATCTGCCAGGAACTCCTGGGCCTCATGCCCAGTGTCGGACCCT CGGTCTCCTGCATCAGCTGGTGATGAAGAGGGGCATGCTGGGGTGAGACTGGGATTCTGGCTT CTCTTTGAACCACCTGCATCCAGCCCTTCAGGAAGCCTGTGAAAAACGTGATTCCTGGCCCCA CCAAGACCCACCAAAACCATCTCTGGGGCTTGGTGCAGGACTCTGAATTCTAACAATGCCCAGT GACTGTCGCACTTGAGTTTGAGGGCCAGTGGGCCTGATGAACGCTCACACCCCTTCAGCTTAG GATCCACGTGGGGACTCCCCTGAGGCCTGCTAAGTCCAGGCCTTGGTCAGGTCAGGTGCACAT TGCAGGATAAGCCCAGGACCGGCACAGAAGTGGTTGCCTTTNCCATTTGCCCTCCCTGGNCCA TTACTTGCCTATGGGTTCTGGTGGCTAGAGAGAAAAGTAGAAAACCAGAGTGCACGTAGGTGT CTAACACAGAGGAGAGTAGGAACAGGGCGGATACCTGAAGGTGACTCCGAGTCCAGCCCCCTG ATTGTTTTTTAAGACAGAATCTCGTGCTGCTGCCCAGGCTGGAGTGCAGTGGCACGATCTGCA AACTCCGCCTCCTGGGTTCAAGTGATTCTTCTGCCTCAGCCTCCCGAGTAGCTGGGATTACAG GCACGCACCACCACCTGGCTAATTTTTGTACTTTTAGTAGAGATGGGGTTTCACCATGTTG GCCAGGCTGGTCTTGAACTCCTGACCTCAAATGAGCCTCCTGCTTCAGTCTCCCAAATTGCCG GGATTACAGGCATGAGCCACTGTGTCTGGCCCTATTTCCTTTAAAAAGTGAAATTAAGAGTTG ACATAATTTGCCGGTGTTCTTTTTACAGAGCAATTATCTTGTATATACAACTTTGTATCCTGC CTTTTCCACCTTATCGTTCCATCACTTTATTCCAGCACTTCTCTGTGTTTTACAGACCTTTTT

FIGURE 386

MRLLVLLWGCLLLPGYEALEGPEEISGFEGDTVSLQCTYREELRDHRKYWCRKGGILFSRCSG TIYAEEEGQETMKGRVSIRDSRQELSLIVTLWNLTLQDAGEYWCGVEKRGPDESLLISLFVFP GPCCPPSPSPTFQPLATTRLQPKAKAQQTQPPGLTSPGLYPAATTAKQGKTGAEAPPLPGTSQ YGHERTSQYTGTSPHPATSPPAGSSRPPMQLDSTSAEDTSPALSSGSSKPRVSIPMVRILAPV LVLLSLLSAAGLIAFCSHLLLWRKEAQQATETQRNEKFWLSRLTAEEKEAPSQAPEGDVISMP PLHTSEEELGFSKFVSA

Important features:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 248-269

N-glycosylation site.

amino acids 96-99

Fibrinogen beta and gamma chains C-terminal domain.

amino acids 104-113

Ig like V-type domain:

amino acids 13-128



FIGURE 387

GCTGCAGCCACCTCGCGCGCACCCCGAGGCGCCCGCGCCCAGCTCGCCCGAGGTCCGTCGGAGG CGCCCGGCCCCCGGAGCCAAGCAGCAACTGAGCGGGAAGCGCCCGCGTCCGGGGATCGGG **ATG**TCCCTCCTCCTCTCTCTCTTGCTAGTTTCCTACTATGTTGGAACCTTGGGGACTCACACT GAGATCAAGAGAGTGGCAGAGGAAAAGGTCACTTTGCCCTGCCACCATCAACTGGGGCTTCCA GAAAAAGACACTCTGGATATTGAATGGCTGCTCACCGATAATGAAGGGAACCAAAAAGTGGTG ATCACTTACTCCAGTCGTCATGTCTACAATAACTTGACTGAGGAACAGAAGGGCCGAGTGGCC TTTGCTTCCAATTTCCTGGCAGGAGATGCCTCCTTGCAGATTGAACCTCTGAAGCCCAGTGAT GAGGGCCGGTACACCTGTAAGGTTAAGAATTCAGGGCGCTACGTGTGGAGCCATGTCATCTTA GACCTGACTTTGCAGTGTGAGTCATCCTCTGGCACAGAGCCCATTGTGTATTACTGGCAGCGA ATCCGAGAGAAAGAGGGAGGATGAACGTCTGCCTCCCAAATCTAGGATTGACTACAACCAC CCTGGACGAGTTCTGCTGCAGAATCTTACCATGTCCTACTCTGGACTGTACCAGTGCACAGCA GGCAACGAAGCTGGGAAGGAAAGCTGTGTGTGCGAGTAACTGTACAGTATGTACAAAGCATC GGCATGGTTGCAGGAGCAGTGACAGGCATAGTGGCTGGAGCCCTGCTGATTTTCCTCTTGGTG TGGCTGCTAATCCGAAGGAAAGACAAAGAAAGATATGAGGAAGAAGAGAGACCTAATGAAATT CGAGAAGATGCTGAAGCTCCAAAAGCCCGTCTTGTGAAACCCAGCTCCTCTTCCTCAGGCTCT CGGAGCTCACGCTCTGGTTCTTCCTCCACTCGCTCCACAGCAAATAGTGCCTCACGCAGCCAG CGGACACTGTCAACTGACGCAGCACCCCAGCCAGGCTGGCCACCCAGGCATACAGCCTAGTG GGGCCAGAGGTGAGAGGTTCTGAACCAAAGAAAGTCCACCATGCTAATCTGACCAAAGCAGAA ACCACACCCAGCATGATCCCCAGCCAGAGCAGAGCCTTCCAAACGGTCTGAATTACAATGGAC TTGACTCCCACGCTTTCCTAGGAGTCAGGGTCTTTGGACTCTTCTCGTCATTGGAGCTCAAGT CACCAGCCACACCAGATGAGAGGTCATCTAAGTAGCAGTGAGCATTGCACGGAACAGATT CAGATGAGCATTTTCCTTATACAATACCAAACAAGCAAAAGGATGTAAGCTGATTCATCTGTA AAAAGGCATCTTATTGTGCCTTTAGACCAGAGTAAGGGAAAGCAGGAGTCCAAATCTATTTGT TGACCAGGACCTGTGGTGAGAAGGTTGGGGAAAGGTGAGGTGAATATACCTAAAACTTTTAAT GTGGGATATTTTGTATCAGTGCTTTGATTCACAATTTTCAAGAGGAAATGGGATGCTGTTTGT AAATTTTCTATGCATTTCTGCAAACTTATTGGATTATTAGTTATTCAGACAGTCAAGCAGAAC CCACAGCCTTATTACACCTGTCTACACCATGTACTGAGCTAACCACTTCTAAGAAACTCCAAA AAAGGAAACATGTGTCTTCTATTCTGACTTAACTTCATTTGTCATAAGGTTTGGATATTAATT TCAAGGGGAGTTGAAATAGTGGGAGATGGAGAAGAGTGAATGAGTTTCTCCCACTCTATACTA ATCTCACTATTTGTATTGAGCCCAAAATAACTATGAAAGGAGACAAAAATTTGTGACAAAGGA TTGTGAAGAGCTTTCCATCTTCATGATGTTATGAGGATTGTTGACAAACATTAGAAATATATA ATGGAGCAATTGTGGATTTCCCCTCAAATCAGATGCCTCTAAGGACTTTCCTGCTAGATATTT ATGTGAAACCAGAATTGCAAGACTGGGTGGACTAGAAAGGGAGATTAGATCAGTTTTCTCTTA ATATGTCAAGGAAGGTAGCCGGGCATGGTGCCAGGCACCTGTAGGAAAATCCAGCAGGTGGAG GTTGCAGTGAGCCGAGATTATGCCATTGCACTCCAGCCTGGGTGACAGAGCGGGACTCCGTCTC

388/550

FIGURE 388

MSLLLLLLVSYYVGTLGTHTEIKRVAEEKVTLPCHHQLGLPEKDTLDIEWLLTDNEGNQKVV
ITYSSRHVYNNLTEEQKGRVAFASNFLAGDASLQIEPLKPSDEGRYTCKVKNSGRYVWSHVIL
KVLVRPSKPKCELEGELTEGSDLTLQCESSSGTEPIVYYWQRIREKEGEDERLPPKSRIDYNH
PGRVLLQNLTMSYSGLYQCTAGNEAGKESCVVRVTVQYVQSIGMVAGAVTGIVAGALLIFLLV
WLLIRRKDKERYEEEERPNEIREDAEAPKARLVKPSSSSSGSRSSRSGSSSTRSTANSASRSQ
RTLSTDAAPQPGLATQAYSLVGPEVRGSEPKKVHHANLTKAETTPSMIPSQSRAFQTV

Important freatures:

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 232-251



FIGURE 389

GCGGCACCTGGAAGATGCGCCCATTGGCTGGTGGCCTGCTCAAGGTGGTGTTCGTGGTCTTCG CCTCCTTGTGTGCCTGGTATTCGGGGTACCTGCTCGCAGAGCTCATTCCAGATGCACCCCTGT CCAGTGCTGCCTATAGCATCCGCAGCATCGGGGAGAGGCCTGTCCTCAAAGCTCCAGTCCCCA AAAGGCAAAAATGTGACCACTGGACTCCCTGCCCATCTGACACCTATGCCTACAGGTTACTCA GCGGAGGTGGCAGAAGCAAGTACGCCAAAATCTGCTTTGAGGATAACCTACTTATGGGAGAAC AGCTGGGAAATGTTGCCAGAGGAATAAACATTGCCATTGTCAACTATGTAACTGGGAATGTGA CAGCAACACGATGTTTTGATATGTATGAAGGCGATAACTCTGGACCGATGACAAAGTTTATTC AGAGTGCTGCTCCAAAATCCCTGCTCTTCATGGTGACCTATGACGACGGAAGCACAAGACTGA ATAACGATGCCAAGAATGCCATAGAAGCACTTGGAAGTAAAGAAATCAGGAACATGAAATTCA GGTCTAGCTGGGTATTTATTGCAGCAAAAGGCTTGGAACTCCCTTCCGAAATTCAGAGAGAAA ${\tt AAGGCTGCATACCCAAAGAACGAAGC} {\color{red}{\textbf{TGA}}} {\color{blue}{\textbf{CACTGCAGGGTCCTGAGTAAATGTGTTCTGTATA}}$ AACAAATGCAGCTGGAATCGCTCAAGAATCTTATTTTTCTAAATCCAACAGCCCATATTTGAT GAGTATTTTGGGTTTGTTAAACCAATGAACATTTGCTAGTTGTATCAAATCTTGGTACGCA AAATTCTTAAAAAAAAAAA



FIGURE 390

MRPLAGGLLKVVFVVFASLCAWYSGYLLAELIPDAPLSSAAYSIRSIGERPVLKAPVPKRQKC DHWTPCPSDTYAYRLLSGGGRSKYAKICFEDNLLMGEQLGNVARGINIAIVNYVTGNVTATRC FDMYEGDNSGPMTKFIQSAAPKSLLFMVTYDDGSTRLNNDAKNAIEALGSKEIRNMKFRSSWV FIAAKGLELPSEIQREKINHSDAKNNRYSGWPAEIQIEGCIPKERS

Important features:

Signal sequence.

amino acids 1-20

N-glycosylation sites.

amino acids 120-124, 208-212

Glycosaminoglycan attachment site.

amino acids 80-84

N-myristoylation sites.

amino acids 81-87, 108-114, 119-125



FIGURE 391

AGGGAAGAAGGAAGGGCCGGCCCCCTGCGCCCCGCGCCCTCTGCGCCCCTGTCCGCCCCGGCCC AGTGACCCTGGCCGGGGTCGGAGCCCAGGGCGCAGCCCTCGAGGACCCTGATTATTACGGGCAGGAGATCTGGAG GAAGTCGGCTCCGGAGCCGCCTCCACCAGGTAAACACAGCAACAAAAAAAGTTATGAGAACCAAGAGCTCTGAGAA GGCTGCCAACGATGATCACAGTGTCCGTGTGGCCCGTGAAGATGTCAGAAGAGTTGCCCACCTCTTGGTCTGGA AACCTTAAAAATCACAGACTTCCAGCTCCATGCCTCCACGGTGAAGCGCTATGGCCTGGGGGCACATCGAGGGAG ACTCAACATCCAGGCGGGCATTAATGAAAATGATTTTTATGACGGAGCGTGCTGCGCGGGAAGAAATGACCTCCA GCAGTGGATTGAAGTGGATGCTCGGCGCCTGACCAGATTCACTGGTGTCATCACTCAAGGGAGGAACTCCCTCTG GCTGAGTGACTGGGTGACATCCTATAAGGTCATGGTGAGCAATGACAGCCACACGTGGGTCACTGTTAAGAATGG ATCTGGAGACATGATATTTGAGGGAAACAGTGAGAAGGAGGATCCCTGTTCTCAATGAGCTACCCGTCCCCATGGT GGCCCGCTACATCCGCATAAACCCTCAGTCCTGGTTTGATAATGGGAGCATCTGCATGAGAATGGAGATCCTGGG $\verb|CTGCCCACTGCCAGATCCTAATAATTATTATCACCGCCGGAACGAGATGACCACCACTGATGACCTGGATTTTAA||$ CAACATTGGAAAAAGCCACCAGGGCCTGAAGCTGTATGCTGTGGAGATCTCAGATCACCCTGGGGAGCATGAAGT CGGTGAGCCCGAGTTCCACTACATCGCGGGGGCCCACGGCAATGAGGTGCTGGCCGGGAGCTGCTGCTGCTGCT $\tt CGTCCTCCCTCAACCCCGATGGCTACGAGAGGCCTACGAAGGGGGCTCGGAGCTGGGAGGCTGGTCCCT$ GGGACGCTGGACCCACGATGGAATTGACATCAACAACAACTTTCCTGATTTAAACACGCTGCTCTGGGAGGCAGA GGATCGACAGAATGTCCCCAGGAAAGTTCCCAATCACTATATTGCAATCCCTGAGTGGTTTCTGTCGGAAAATGC GGGCGGCGAGCTGGTGGTGGCGTATCCCTACGACCTGGTGCGGTCCCCCTGGAAGACGCAGGAACACACCCCCAC CCCCGATGACCACGTGTTCCGCTGGCTGGCCTACTCCTATGCCTCCACACACCGCCTCATGACAGACGCCCGGAG GAGGGTGTGCCACACGGAGGACTTCCAGAAGGAGGAGGGCACTGTCAATGGGGCCTCCTGGCACACCGTCGCTGG AAGTCTGAACGATTTCAGCTACCTTCATACAAACTGCTTCGAACTGTCCATCTACGTGGGCTGTGATAAATACCC ACATGAGAGCCAGCTGCCCGAGGAGTGGGAGAATAACCGGGAATCTCTGATCGTGTTCATGGAGCAGGTTCATCG TGGCATTAAAGGCTTGGTGAGAGATTCACATGGAAAAGGAATCCCAAACGCCATTATCTCCGTAGAAGGCATTAA $\verb|CCATGACATCCGAACAGCCAACGATGGGGGATTACTGGCGCCTCCTGAACCCTGGAGAGTATGTGGTCACAGCAAA||$ GGCCGAAGGTTTCACTGCATCCACCAAGAACTGTATGGTTGGCTATGACATGGGGGCCACAAGGTGTGACTTCAC ACTTAGCAAAACCAACATGGCCAGGATCCGAGAGATCATGGAGAAGTTTGGGAAGCAGCCCGTCAGCCTGCCAGC CAGGCGGCTGAAGCTGCGGGGGGGGGAAGAGACACCGTGGGT CCTCCTGGGCCCTTGAGACTCGTCTGGG ${\tt AAGTGCCTGGAAGAGAGGGTGCATTGTGAGGCAGGTCCCAAAAGGGAAGGCTGGAGGCTGAGGCTGTTTTCTTTT}$ CTTTGTTCCCATTTATCCAAATAACTTGGACAGAGCAGCAGCAGAGAAAAGCTGATGGGAGTGAGAGAACTCAGCAAG CCAACCTGGGAATCAGAGAGAAGGAGGAGGGGGGGGGGCCTGTCCGTTCAGAGCCTCTGGCTGCATAGAAAAGG ATTCTGGTGCTTCCCCTGTTTGCGTGGCAGCAAGGGTTCCACGTGCATTTGCAATTTGCACAGCTAAAATTGCAG CATTTCCCCAGCTGGGCTGTCCCAAATGTTACCATTTGAGATGCTCCCAGGCGTCCTAAGAGAATCCACCCTCTC TGGCCCTGGGACATTGCAAGCTGCTACAAATAAATTCTGTGTTCTTTTGACAATAGCGTCATTGCCAAGTGCACA GATCATTCAGGAGTTTGTTGGGCAGCAAGCATGGAGCTTCTTGCACAAATTCTGGGTCCATAAACAACCCCCAAA GTCCCTGCTGATCCAGTAGCCCTGGAGGTTCCCCAGGTAGGGAGAGCCAGAGGTGCCAGCCTTCCTGAAGGGCCA GAAAATTTAGCCTGGATCTCCTCTTTTACCTGCTAGGACTGGAAAGAGCCAGAAGTGGGGTGGCCTGAAGCCCTC TCTCTGCTTGAGGTATTGCCCCTGTGTGGAATTGAGTGCTCATGGGTTGGCCTCATATCAGCCTGGGAGTTATTT TTGATATGTAGAATGCCAGATCTTCCAGATTAGGCTAAATGTAATGAAAACCTCTTAGGATTATCTGTGGAGCAT CAGTTTGGGAAGAATTATTGAATTATCTTGCAAGAAAAAGTATGTCTCACTTTTTGTTAATGTTGCTGCCTCAT ААААААААААААА

392/550

FIGURE 392

MSRPGTATPALALVLLAVTLAGVGAQGAALEDPDYYGQEIWSREPYYARPEPELETFSPPLPA
GPGEEWERRPQEPRPPKRATKPKKAPKREKSAPEPPPPGKHSNKKVMRTKSSEKAANDDHSVR
VAREDVRESCPPLGLETLKITDFQLHASTVKRYGLGAHRGRLNIQAGINENDFYDGAWCAGRN
DLQQWIEVDARRLTRFTGVITQGRNSLWLSDWVTSYKVMVSNDSHTWVTVKNGSGDMIFEGNS
EKEIPVLNELPVPMVARYIRINPQSWFDNGSICMRMEILGCPLPDPNNYYHRRNEMTTTDDLD
FKHHNYKEMRQLMKVVNEMCPNITRIYNIGKSHQGLKLYAVEISDHPGEHEVGEPEFHYIAGA
HGNEVLGRELLLLLVQFVCQEYLARNARIVHLVEETRIHVLPSLNPDGYEKAYEGGSELGGWS
LGRWTHDGIDINNNFPDLNTLLWEAEDRQNVPRKVPNHYIAIPEWFLSENATVAAETRAVIAW
MEKIPFVLGGNLQGGELVVAYPYDLVRSPWKTQEHTPTPDDHVFRWLAYSYASTHRLMTDARR
RVCHTEDFQKEEGTVNGASWHTVAGSLNDFSYLHTNCFELSIYVGCDKYPHESQLPEEWENNR
ESLIVFMEQVHRGIKGLVRDSHGKGIPNAIISVEGINHDIRTANDGDYWRLLNPGEYVVTAKA
EGFTASTKNCMVGYDMGATRCDFTLSKTNMARIREIMEKFGKQPVSLPARRLKLRGRKRRQRG

393/550

FIGURE 393

GTCCCACATCCTGCTCAACTGGGTCAGGTCCCTCTTAGACCAGCTCTTGTCCATCATTTGCTGAAGTGGACCAAC TAGTTCCCCAGTAGGGGGTCTCCCCTGGCAATTCTTGATCGGCGTTTGGACATCTCAGATCGCTTCCAATGAAGA TGGCCTTGCCTTGGGGTCCTGCTTGTTTCATAATCATCTAACTATGGGACAAGGTTGTGCCGGCAGCTCTGGGGG AAGGAGCACGGGGCTGATCAAGCCATCCAGGAAACACTGGAGGACTTGTCCAGCCTTGAAAGAACTCTAGTGGTT TCTGAATCTAGCCCACTTGGCGGTAAGC<u>ATG</u>ATGCAACTTCTGCAACTTCTGCTGGGGCTTTTGGGGCCAGGTGG CTACTTATTTCTTTTAGGGGATTGTCAGGAGGTGACCACTCTCACGGTGAAATACCAAGTGTCAGAGGAAGTGCC ATCTGGTACAGTGATCGGGAAGCTGTCCCAGGAACTGGGCCGGGAGGAGGGGGAGGCCAAGCTGGGGCCGCCTT GGCTCTGATCCATGTGGAGATCCAAGTGCTGGACATCAATGACCACCAGCCACGGTTTCCCAAAGGCGAGCAGGA GCTGGAAATCTCTGAGAGCGCCTCTCTGCGAACCCGGATCCCCCTGGACAGAGCTCTTGACCCAGACACAGGCCC TAACACCCTGCACACCTACACTCTGTCTCCCAGTGAGCACTTTGCCTTGGATGTCATTGTGGGCCCTGATGAGAC CTATGACAATGGGAACCCCCCAAGTCAGGTACCAGCTTGGTCAAGGTCAACGTCTTGGACTCCAATGACAATAG CCCTGCGTTTGCTGAGAGTTCACTGGCACTGGAAATCCAAGAAGATGCTGCACCTGGTACGCTTCTCATAAAACT GACCGCCACAGACCCTGACCAAGGCCCCAATGGGGAGGTGGAGTTCTTCCTCAGTAAGCACATGCCTCCAGAGGT GCTGGACACCTTCAGTATTGATGCCAAGACAGGCCAGGTCATTCTGCGTCGACCTCTAGACTATGAAAAGAACCC TGCCTACGAGGTGGATGTTCAGGCAAGGGACCTGGGTCCCAATCCTATCCCAGCCCATTGCAAAGTTCTCATCAA GGTTCTGGATGTCAATGACAACATCCCAAGCATCCACGTCACATGGGCCTCCCAGCCATCACTGGTGTCAGAAGC TCTTCCCAAGGACAGTTTTATTGCTCTTGTCATGGCAGATGACTTGGATTCAGGACACAATGGTTTGGTCCACTG CACACTGGACAGAGAGCAGTGGCCCAAATATACCCTCACTCTGTTAGCCCAAGACCAAGGACTCCAGCCCTTATC AGCCAAGAAACAGCTCAGCATTCAGATCAGTGACATCAACGACAATGCACCTGTGTTTGAGAAAAGCAGGTATGA AGTCTCCACGCGGGAAAACAACTTACCCTCTCTCACCTCATTACCATCAAGGCTCATGATGCAGACTTGGGCAT TAATGGAAAAGTCTCATACCGCATCCAGGACTCCCCAGTTGCTCACTTAGTAGCTATTGACTCCAACACAGGAGA GGTCACTGCTCAGAGGTCACTGAACTATGAAGAGATGGCCGGCTTTGAGTTCCAGGTGATCGCAGAGGACAGCGG GCAACCCATGCTTGCATCCAGTGTCTCTGTGTGGGTCAGCCTCTTGGATGCCAATGATAATGCCCCAGAGGTGGT CCAGCCTGTGCTCAGCGATGGAAAAGCCAGCCTCTCCGTGCTTGTGAATGCCTCCACAGGCCACCTGCTGGTGCC CATCGAGACTCCCAATGGCTTGGGCCCAGCGGGCACTGACACCTCCACTGGCCACTCACAGCTCCCGGCCATT CCTTTTGACAACCATTGTGGCAAGAGATGCAGACTCGGGGGCAAATGGAGAGCCCCTCTACAGCATCCGCAATGG AAATGAAGCCCACCTCTTCATCCTCAACCCTCATACGGGGCAGCTGTTCGTCAATGTCACCAATGCCAGCAGCCT CATTGGGAGTGAGTGGGAGCTGGAGATAGTAGTAGAGGACCAGGGAAGCCCCCCTTACAGACCCGAGCCCTGTT GAGGGTCATGTTTGTCACCAGTGTGGACCACCTGAGGGACTCAGCCCGCAAGCCTGGGGCCTTGAGCATGTCGAT GCTGACGGTGATCTGCCTGGCTGTACTGTTGGGCATCTTCGGGTTGATCCTGGCTTTGTTCATGTCCATCTGCCG GACAGAAAAGAAGGACAACAGGGCCTACAACTGTCGGGAGGCCGAGTCCACCTACCGCCAGCAGCCCAAGAGGCC CCACCTCACCCGACCCTGTACAGGACGCTGCGTAATCAAGGCAACCAGGGAGCACCGGCGGAGAGCCGAGAGGT GCTGCAAGACACGGTCAACCTCCTTTTCAACCATCCCAGGCAGAGGAATGCCTCCCGGGAGAACCTGAACCTTCC TGGAGACCAGGGCAGTGAGGAAGCCCCACAGAGGCCACCAGCCTCCTCTGCAACCCTGAGACGGCAGCGACATCT TGCCTTCGCCGAGCGGAACCCCGTGGAGGAGCTCACTGTGGATTCTCCTCCTGTTCAGCAAATCTCCCAGCTGCT AGGGCCTTTGGATCCTGAAGAGGACCTCTCTGTGAAGCAACTGCTAGAAGAAGAGCTGTCAAGTCTGCTGGACCC CAGCACAGGTCTGGCCCTGGACCGGCTGAGCGCCCTGACCCGGCCTGGATGGCGAGACTCTCTTTGCCCCTCAC CACCAACTACCGTGACAATGTGATCTCCCCGGATGCTGCAGCCACGGAGGAGCCGAGGACCTTCCAGACGTTCGG CAAGGCAGAGGCACCAGAGCTGAGCCCAACAGGCACGAGGCTGGCCAGCACCTTTGTCTCGGAGATGAGCTCACT GCTGGAGATGCTGCTGGAACAGCGCTCCAGCATGCCCGTGGAGGCCGCCTCCGAGGCGCTGCGGCGGCTCTCGGT CTGCGGGAGGACCCTCAGTTTAGACTTGGCCACCAGTGCAGCCTCAGGCATGAAAGTGCAAGGGGACCCAGGTGG $\mathtt{AAA}\mathtt{GACGGGGACTGAGGGCAGAGAGCAGCAGCAGCAGCAGCAGGTGCCTG}$ CGGCGGCCTGAGAACTTTAGGGTGACTGATGCTACCCCCACAGAGGGGGCAAGAGCCCCAGGACTAACAGCTGAC TGACCAAAGCAGCCCCTTGTAAGCAGCTCTGAGTCTTTTGGAGGACAGGGACGGTTTGTGGCTGAGATAAGTGTT AAAGGGTGGCCTTCTTGGGTAGCAGGAGTCAGGGGGGCTGTACCCTGGGGGTGCCAGGAAATGCTCTCTGACCTAT

394/550

FIGURE 394

MMQLLQLLLGLLGPGGYLFLLGDCQEVTTLTVKYQVSEEVPSGTVIGKLSQELGREERRRQAG AAFQVLQLPQALPIQVDSEEGLLSTGRRLDREQLCRQWDPCLVSFDVLATGDLALIHVEIQVL DINDHQPRFPKGEQELEISESASLRTRIPLDRALDPDTGPNTLHTYTLSPSEHFALDVIVGPD ETKHAELIVVKELDREIHSFFDLVLTAYDNGNPPKSGTSLVKVNVLDSNDNSPAFAESSLALE IQEDAAPGTLLIKLTATDPDQGPNGEVEFFLSKHMPPEVLDTFSIDAKTGQVILRRPLDYEKN PAYEVDVQARDLGPNPIPAHCKVLIKVLDVNDNIPSIHVTWASQPSLVSEALPKDSFIALVMA DDLDSGHNGLVHCWLSQELGHFRLKRTNGNTYMLLTNATLDREQWPKYTLTLLAQDQGLQPLS AKKQLSIQISDINDNAPVFEKSRYEVSTRENNLPSLHLITIKAHDADLGINGKVSYRIQDSPV AHLVAI DSNTGEVTAQRSLNYEEMAGFEFQVIAEDSGQPMLASSVSVWVSLLDANDNAPEVVQ PVLSDGKASLSVLVNASTGHLLVPIETPNGLGPAGTDTPPLATHSSRPFLLTTIVARDADSGA NGEPLYSIRNGNEAHLFILNPHTGQLFVNVTNASSLIGSEWELEIVVEDQGSPPLQTRALLRV MFVTSVDHLRDSARKPGALSMSMLTVICLAVLLGIFGLILALFMSICRTEKKDNRAYNCREAE STYRQQPKRPQKHIQKADIHLVPVLRGQAGEPCEVGQSHKDVDKEAMMEAGWDPCLQAPFHLT $\verb"PTLYRTLRNQGNQGAPAESREVLQDTVNLLFNHPRQRNASRENLNLPEPQPATGQPRSRPLKV"$ AGSPTGRLAGDQGSEEAPQRPPASSATLRRQRHLNGKVSPEKESGPRQILRSLVRLSVAAFAE RNPVEELTVDSPPVQQISQLLSLLHQGQFQPKPNHRGNKYLAKPGGSRSAIPDTDGPSARAGG OTDPEQEEGPLDPEEDLSVKQLLEEELSSLLDPSTGLALDRLSAPDPAWMARLSLPLTTNYRD NVISPDAAATEEPRTFQTFGKAEAPELSPTGTRLASTFVSEMSSLLEMLLEQRSSMPVEAASE ALRRLSVCGRTLSLDLATSAASGMKVQGDPGGKTGTEGKSRGSSSSSRCL

Important features:

Signal peptide:

amino acids 1-13

Transmembrane domain:

amino acids 719-739

N-glycosylation site.

amino acids 415-418, 582-585, 659-662, 662-665 amd 857-860

Cadherins extracellular repeated domain signature.

amino acids 123-133, 232-242, 340-350, 448-458 and 553-563

395/550

FIGURE 395

CCCAGGCTCTAGTGCAGGAGGAGGAGGAGGAGGAGGAGGAGGTGGAGATTCCCAGTTAAAAGG CTCCAGAATCGTGTACCAGGCAGAGAACTGAAGTACTGGGGCCTCCTCCACTGGGTCCGAATC AGTAGGTGACCCGCCCTGGATTCTGGAAGACCTCACCATGGGACGCCCCCGACCTCGTGCG GCCAAGACGTGGATGTTCCTGCTCTTGCTGGGGGGAGCCTGGGCAGGACACTCCAGGGCACAG GAGGACAAGGTGCTGGGGGGTCATGAGTGCCAACCCCATTCGCAGCCTTGGCAGGCGGCCTTG TTCCAGGGCCAGCAACTACTCTGTGGCGGTGTCCTTGTAGGTGGCAACTGGGTCCTTACAGCT GCCCACTGTAAAAAACCGAAATACACAGTACGCCTGGGAGACCACAGCCTACAGAATAAAGAT GGCCCAGAGCAAGAATACCTGTGGTTCAGTCCATCCCACACCCCTGCTACAACAGCAGCGAT GTGGAGGACCACACCATGATCTGATGCTTCTTCAACTGCGTGACCAGGCATCCCTGGGGTCC AAAGTGAAGCCCATCAGCCTGGCAGATCATTGCACCCAGCCTGGCCAGAAGTGCACCGTCTCA GGCTGGGGCACTGTCACCAGTCCCCGAGAGAATTTTCCTGACACTCTCAACTGTGCAGAAGTA AAAATCTTTCCCCAGAAGAAGTGTGAGGATGCTTACCCGGGGCAGATCACAGATGGCATGGTC TGTGCAGCAGCAAAGGGGCTGACACGTGCCAGGGCGATTCTGGAGGCCCCCTGGTGTGT GATGGTGCACTCCAGGGCATCACATCCTGGGGCTCAGACCCCTGTGGGAGGTCCGACAAACCT GGCGTCTATACCAACATCTGCCGCTACCTGGACTGGATCAAGAAGATCATAGGCAGCAAGGGC TGATTCTAGGATAAGCACTAGATCTCCCTTAATAAACTCACAACTCTCTGGTTC

396/550

FIGURE 396

MGRPRPRAAKTWMFLLLLGGAWAGHSRAQEDKVLGGHECQPHSQPWQAALFQGQQLLCGGVLV GGNWVLTAAHCKKPKYTVRLGDHSLQNKDGPEQEIPVVQSIPHPCYNSSDVEDHNHDLMLLQL RDQASLGSKVKPISLADHCTQPGQKCTVSGWGTVTSPRENFPDTLNCAEVKIFPQKKCEDAYP GQITDGMVCAGSSKGADTCQGDSGGPLVCDGALQGITSWGSDPCGRSDKPGVYTNICRYLDWI-KKIIGSKG

Important Features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 51-71

N-glycosylation site.

amino acids 110-113

Serine proteases, trypsin family, histidine active site.

amino acids 69-74 and 207-217

Tyrosine kinase phosphorylation site.

amino acids 182-188

Kringle domain proteins motif

amino acids 205-217

397/550

FIGURE 397

 ${\tt GGCGGCTGCTGAGCTGCCTTGAGGTGCAGTGTTGGGGGATCCAGAGCC} {\color{red} {\bf ATG}} {\tt TCGGACCTGCTAC}$ TACTGGGCCTGATTGGGGGCCTGACTCTTTACTGCTGACGCTGCTGGCCTTTGCCGGGT ACTCAGGGCTACTGGCTGGGTGGAAGTGAGTGCTGGGTCACCCCCATCCGCAACGTCACTG TGGCCTACAAGTTCCACATGGGGCTCTATGGTGAGACTGGGCGGCTTTTCACTGAGAGCTGCA GCATCTCTCCCAAGCTCCGCTCCATCGCTGTCTACTATGACAACCCCCACATGGTGCCCCCTG ATAAGTGCCGATGTGCCGTGGGCAGCATCCTGAGTGAAGGTGAGGAATCGCCCTCCCCTGAGC TCATCGACCTCTACCAGAAATTTGGCTTCAAGGTGTTCTCCTTCCCGGCACCCAGCCATGTGG CTGCCTTGGACACCTACATCAAGGAGCGGAAGCTGTGTGCCTATCCTCGGCTGGAGATCTACC AGGAAGACCAGATCCATTTCATGTGCCCACTGGCACGGCAGGGAGACTTCTATGTGCCTGAGA TGAAGGAGACAGAGTGGAAATGGCGGGGGCTTGTGGAGGCCATTGACACCCAGGTGGATGGCA CAGGAGCTGACACAATGAGTGACACGAGTTCTGTAAGCTTGGAAGTGAGCCCTGGCAGCCGGG AGACTTCAGCTGCCACACTGTCACCTGGGGCGAGCAGCCGTGGCTGGGATGACGGTGACACCC GCAGCGAGCACAGCTACAGCGAGTCAGGTGCCAGCGGCTCCTCTTTTGAGGAGCTGGACTTGG AGGGCGAGGGCCCTTAGGGGAGTCACGGCTGGACCCTGGGACTGAGCCCCTGGGGACTACCA AGTGGCTCTGGGAGCCCACTGCCCCTGAGAAGGGCAAGGAGTAACCCATGGCCTGCACCCTCC TGCAGTGCAGTTGCTGAGGAACTGAGCAGACTCTCCAGCAGACTCTCCAGCCCTCTTCCTCCT TCCTCTGGGGGAGGGGGTTCCTGAGGGACCTGACTTCCCCTGCTCCAGGCCTCTTGCTAAG CCTTCTCCTCACTGCCCTTTAGGCTCCCAGGGCCAGAGGAGCCAGGGACTATTTTCTGCACCA GCCCCAGGGCTGCCGCCCTGTTGTGTCTTTTTTCAGACTCACAGTGGAGCTTCCAGGACC

398/550

FIGURE 398

MSDLLLLGLIGGLTLLLLLTLLAFAGYSGLLAGVEVSAGSPPIRNVTVAYKFHMGLYGETGRL FTESCSISPKLRSIAVYYDNPHMVPPDKCRCAVGSILSEGEESPSPELIDLYQKFGFKVFSFP APSHVVTATFPYTTILSIWLATRRVHPALDTYIKERKLCAYPRLEIYQEDQIHFMCPLARQGD FYVPEMKETEWKWRGLVEAIDTQVDGTGADTMSDTSSVSLEVSPGSRETSAATLSPGASSRGW DDGDTRSEHSYSESGASGSSFEELDLEGEGPLGESRLDPGTEPLGTTKWLWEPTAPEKGKE

399/550

FIGURE 399

GGACGAGGCAGATCTCGTTCTGGGGCAAGCCGTTGACACTCGCTCCCTGCCACCGCCCGGGC TCCGTGCCGCCAAGTTTTCATTTTCCACCTTCTCTGCCTCCAGTCCCCAGCCCCTGGCCGAG AGAAGGGTCTTACCGGCCGGGATTGCTGGAAACACCAAGAGGTGGTTTTTGTTTTTAAAACT TCTGTTTCTTGGGAGGGGTGTGGCGGGGCAGGATGAGCAACTCCGTTCCTCTGCTCTGTTTC TGGAGCCTCTGCTATTGCTTTGCTGCGGGGAGCCCCGTACCTTTTGGTCCAGAGGGACGGCTG GAAGATAAGCTCCACAAACCCAAAGCTACACAGACTGAGGTCAAACCATCTGTGAGGTTTAAC TTAGAAGACTGCAGTTTCAACATGACAGCTAAAACCTTTTTCATCATTCACGGATGGACGATG AGCGGTATCTTTGAAAACTGGCTGCACAAACTCGTGTCAGCCCTGCACACAAGAGAGAAAAGAC GCCAATGTAGTTGTGGTTGACTGGCTCCCCTGGCCCACCAGCTTTACACGGATGCGGTCAAT AATACCAGGGTGGTGGGACACAGCATTGCCAGGATGCTCGACTGGCTGCAGGAGAAGGACGAT TTTTCTCTCGGGAATGTCCACTTGATCGGCTACAGCCTCGGAGCGCACGTGGCCGGGTATGCA GGCAACTTCGTGAAAGGAACGGTGGGCCGAATCACAGGTTTGGATCCTGCCGGGCCCATGTTT GAAGGGCCGACATCCACAAGAGGCTCTCTCCGGACGATGCAGATTTTGTGGATGTCCTCCAC ACCTACACGCGTTCCTTCGGCTTGAGCATTGGTATTCAGATGCCTGTGGGCCACATTGACATC TACCCCAATGGGGGTGACTTCCAGCCAGGCTGTGGACTCAACGATGTCTTGGGATCAATTGCA TCTCTGGTGAATCAGGACAAGCCGAGTTTTGCCTTCCAGTGCACTGACTCCAATCGCTTCAAA AAGGGGATCTGTCTGAGCTGCCGCAAGAACCGTTGTAATAGCATTGGCTACAATGCCAAGAAA AACCTTCAGTCCCTGGAGTGTCCCTGAGGAAGGCCCTTAATACCTCCTTCTTAATACCATGCT GCAGAGCAGGGCACATCCTAGCCCAGGAGAAGTGGCCAGCACAATCCAATCAAATCGTTGCAA ATCAGATTACACTGTGCATGTCCTAGGAAAGGGAATCTTTACAAAATAAACAGTGTGGACCCC

400/550

FIGURE 400

MSNSVPLLCFWSLCYCFAAGSPVPFGPEGRLEDKLHKPKATQTEVKPSVRFNLRTSKDPEHEG
CYLSVGHSQPLEDCSFNMTAKTFFIIHGWTMSGIFENWLHKLVSALHTREKDANVVVVDWLPL
AHQLYTDAVNNTRVVGHSIARMLDWLQEKDDFSLGNVHLIGYSLGAHVAGYAGNFVKGTVGRI
TGLDPAGPMFEGADIHKRLSPDDADFVDVLHTYTRSFGLSIGIQMPVGHIDIYPNGGDFQPGC
GLNDVLGSIAYGTITEVVKCEHERAVHLFVDSLVNQDKPSFAFQCTDSNRFKKGICLSCRKNR
CNSIGYNAKKMRNKRNSKMYLKTRAGMPFRGNLQSLECP

Important features:

Signal peptide:

amino acids 1-16

Lipases, serine active site.

amino acids 163-172

N-glycosylation sites.

amino acids 80-83 and 136-139

401/550

FIGURE 401

402/550

FIGURE 402

MACRCLSFLLMGTFLSVSQTVLAQLDALLVFPGQVAQLSCTLSPQHVTIRDYGVSWYQQRAGS APRYLLYYRSEEDHHRPADIPDRFSAAKDEAHNACVLTISPVQPEDDADYYCSVGYGFSP

403/550

FIGURE 403

GCAGAGCAGGGCTGCATTTCCAGCAGGAGCTGCGAGCACAGTGCTGGCTCACAACAAGATGCTCAAGGTGTCAGC CGTACTGTGTGTGTGCAGCCGCTTGGTGCAGTCAGTCTCTCGCAGCTGCCGCGGCGGTGGCTGCAGCCGGGG GCGGTCGGACGCGGTAATTTTCTGGATGATAAACAATGGCTCACCACAATCTCTCAGTATGACAAGGAAGTCGG ACAGTGGAACAATTCCGAGACGAAGTAGAGGATGATTATTTCCGCACTTGGAGTCCAGGAAAACCCTTCGATCA GGCTTTAGATCCAGCTAAGGATCCATGCTTAAAGATGAAATGTAGTCGCCATAAAGTATGCATTGCTCAAGATTC TCAGACTGCAGTCTGCATTAGTCACCGGAGGCTTACACACAGGATGAAAGAAGCAGGAGTAGACCATAGGCAGTG GAGGGGTCCCATATTATCCACCTGCAAGCAGTGCCCAGTGGTCTATCCCAGCCCTGTTTGTGGTTCAGATGGTCA TACCTACTCTTTTCAGTGCAAACTAGAATATCAGGCATGTGTCTTAGGAAAACAGATCTCAGTCAAATGTGAAGG ACATTGCCCATGTCCTTCAGATAAGCCCACCAGTACAAGCAGAAATGTTAAGAGAGCATGCAGTGACCTGGAGTT CAGGGAAGTGGCAAACAGATTGCGGGACTGGTTCAAGGCCCTTCATGAAAGTGGAAGTCAAAACAAGAAGACAAA AACATTGCTGAGGCCTGAGAAGCAGATTCGATACCAGCATCTTGCCAATTTGCAAGGACTCACTTGGCTGGAT GTTTAACAGACTTGATACAAACTATGACCTGCTATTGGACCAGTCAGAGCCTCAGAAGCATTTACCTTGATAAGAA TGAACAGTGTACCAAGGCATTCTTCAATTCTTGTGACACATACAAGGACAGTTTAATATCTAATAATGAGTGGTG CTACTGCTTCCAGAGACAGCAAGACCCACCTTGCCAGACTGAGCTCAGCAATATTCAGAAGCGGCAAGGGGTAAA GAAGCTCCTAGGACAGTATATCCCCCTGTGTGATGAAGATGGTTACTACAAGCCAACACAATGTCATGGCAGTGT TGGACAGTGCTGGTGTTGACAGATATGGAAATGAAGTCATGGGATCCAGAATAAATGGTGTTGCAGATTGTGC TATAGATTTTGAGATCTCCGGAGATTTTGCTAGTGGCGATTTTCATGAATGGACTGATGATGAGGATGATGAAGA CCATGATGTATACATT<u>TGA</u>TTGATGACAGTTGAAATCAATAAATTCTACATTTCTAATATTTTACAAAAATGATAG CCTATTTAAAATTATCTTCTCCCCAATAACAAAATGATTCTAAACCTCACATATATTTTGTATAATTATTTTGAA AAATTGCAGCTAAAGTTATAGAACTTTATGTTTAAATAAGAATCATTTGCTTTGAGTTTTTATATTCCTTACACA AAAAGAAAATACATATGCAGTCTAGTCAGACAAAATAAAGTTTTGAAGTGCTACTATAATAAATTTTTCACGAGA ACAAACTTTGTAAATCTTCCATAAGCAAAATGACAGCTAGTGCTTGGGATCGTACATGTTAATTTTTTGAAAGAT TTAATTGCATTTCCAAAGTAGCATCTTGCTAGACCTAGATGAGTCAGGATAACAGAGAGATACCACATGACTCCA AAAAAAAAAAAA

404/550

FIGURE 404

MLKVSAVLCVCAAAWCSQSLAAAAAVAAAGGRSDGGNFLDDKQWLTTISQYDKEVGQWNKFRD EVEDDYFRTWSPGKPFDQALDPAKDPCLKMKCSRHKVCIAQDSQTAVCISHRRLTHRMKEAGV DHRQWRGPILSTCKQCPVVYPSPVCGSDGHTYSFQCKLEYQACVLGKQISVKCEGHCPCPSDK PTSTSRNVKRACSDLEFREVANRLRDWFKALHESGSQNKKTKTLLRPERSRFDTSILPICKDS LGWMFNRLDTNYDLLLDQSELRSIYLDKNEQCTKAFFNSCDTYKDSLISNNEWCYCFQRQQDP PCQTELSNIQKRQGVKKLLGQYIPLCDEDGYYKPTQCHGSVGQCWCVDRYGNEVMGSRINGVA DCAIDFEISGDFASGDFHEWTDDEDDEDDIMNDEDEIEDDDEDEGDDDDGGDDHDVYI

Important features:

Signal peptide:

amino acids 1-16

Leucine zipper pattern.

amino acids 246-267

N-myristoylation sites.

amino acids 357-362, 371-376 and 376-381

Thyroglobulin type-1 repeat proteins

amino acids 353-365 and 339-352

405/550

FIGURE 405

GGAAGGGGAGGAGCAGGCCACACAGGCACAGGCCGGTGAGGGACCTGCCCAGACCTGGAGGGTCTCGCTCTGTCA CACAGGCTGGAGTGCAGTGTGTGATCTTGGCTCATCGTAACCTCCACCTCCCGGGTTCAAGTGATTCTCATGCC TCAGCCTCCCGAGTAGCTGGGATTACAGGTGGTGACTTCCAAGAGTGACTCCGTCGGAGGAAA<u>ATG</u>ACTCCCCAG TCGCTGCTGCAGACGACACTGTTCCTGCTGAGTCTGCTCTTCCTGGTCCAAGGTGCCCACGGCAGGGGCCACAGG GAAGACTTTCGCTTCTGCAGCCAGCGGAACCAGACACACAGGAGCAGCCTCCACTACAAACCCACACCAGACCTG CGCATCTCCATCGAGAACTCCGAAGAGGCCCTCACAGTCCATGCCCCTTTCCCTGCAGCCCACCCTGCTTCCCGA TCCTTCCCTGACCCCAGGGGCCTCTACCACTTCTGCCTCTACTGGAACCGACATGCTGGGAGATTACATCTTCTC TATGGCAAGCGTGACTTCTTGCTGAGTGACAAAGCCTCTAGCCTCCTCTGCTTCCAGCACCAGGAGGAGAGCCTG GCTCAGGGCCCCCGCTGTTAGCCACTTCTGTCACCTCCTGGTGGAGCCCTCAGAACATCAGCCTGCCCAGTGCC GCCAGCTTCACCTTCTCCTTCCACAGTCCTCCCCACACGGCCGCTCACAATGCCTCGGTGGACATGTGCGAGCTC AAAAGGGACCTCCAGCTGCTCAGCCAGTTCCTGAAGCATCCCCAGAAGGCCTCAAGGAGGCCCTCGGCTGCCCCC GCCAGCCAGCAGTTGCAGAGCCTGGAGTCGAAACTGACCTCTGTGAGATTCATGGGGGACATGGTGTCCTTCGAG GAGGACCGGATCAACGCCACGGTGTGGAAGCTCCAGCCCACAGCCGGCCTCCAGGACCTGCACATCCACTCCCGG CAGGAGGAGGAGCAGAGCGAGATCATGGAGTACTCGGTGCTGCTGCTCGAACACTCTTCCAGAGGACGAAAGGC AGCCAAGTCCTGGGTGAGAAGGTCTTGGGGATTGTGGTACAGAACACCAAAGTAGCCAACCTCACGGAGCCCGTG GTGCTCACTTTCCAGCACCAGCTACAGCCGAAGAATGTGACTCTGCAATGTGTTCTGGGTTGAAGACCCCACA TTGAGCAGCCGGGGCATTGGAGCAGTGCTGGGTGTGAGACCGTCAGGAGAAAACCCCAAACATCCTGCTTCTGC $\verb|AACCACTTGACCTACTTTGCAGTGCTGATGGTCTCCTCGGTGGAGGTGGACGCCGTGCACAAGCACTACCTGAGC|$ CTCCTCTCCTACGTGGGCTGTCTCTCCTCTCCCCTGGCCTTGTCACCATTGCCGCCTACCTCTGCTCCAGG GTGCCCCTGCCGTGCAGGAGGAAACCTCGGGACTACACCATCAAGGTGCACATGAACCTGCTGCTGGCCGTCTTC ATCTTCCTGCACTTCTCCCTGCTCACCTGCCTTTCCTGGATGGGCCTCGAGGGGTACAACCTCTACCGACTCGTG GTGGAGGTCTTTGGCACCTATGTCCCTGGCTACCTACTCAAGCTGAGCGCCATGGGCTTGGGGCTTCCCCATCTTT CTGGTGACGCTGGTGGCCCTGGTGGATGTGGACAACTATGGCCCCATCATCTTGGCTGTGCATAGGACTCCAGAG GGCGTCATCTACCCTTCCATGTGCTGGATCCGGGACTCCCTGGTCAGCTACATCACCAACCTGGGCCTCTTCAGC CTGGTGTTTCTGTTCAACATGGCCATGCTAGCCACCATGGTGGTGCAGATCCTGCGGCTGCGCCCCCACACCCAA AAGTGGTCACATGTGCTGACACTGCTGGGCCTCAGCCTGGTCCTTGGCCTGGGCCTTGATCTTCTTCTCC TTTGCTTCTGGCACCTTCCAGCTTGTCGTCCTCTACCTTTTCAGCATCATCACCTCCTTCCAAGGCTTCCTCATC TTCATCTGGTACTGGTCCATGCGGCTGCAGGCCCGGGGTGGCCCCTCCCCTCTGAAGAGCAACTCAGACAGCGCC ${\tt AGGCTCCCCATCAGCTCGGGCAGCACCTCGTCCAGCCGCATC} \underline{{\tt TAG}} {\tt GCCTCCAGCCCACCTGCCCATGTGATGAAG}$ ${\tt CAGAGATGCGGCCTCGTCGCACACTGCCTGTGGCCCCCGAGCCCAGCCCCAGGCCAGTCAGCCGCAGACTCAGCCGCAGACTCAGCCGCAGACTCAGCCGCAGACTCAGCCGCAGACTCAGCCCAGACCCAGGCCCAGGCCCAGGCCCAGGCCCAGACTCAGCCGCAGACTCAGCCGCAGACTCAGCCCAGACCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCAGGCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCCAG$ GCCTTGGGGACTACTCGGCTCTCACTCAGCTCCCACGGGACTCAGAAGTGCGCCGCCATGCTGCCTAGGGTACTG TCCCCACATCTGTCCCAACCCAGCTGGAGGCCTGGTCTCTCTTACAACCCCTGGGCCCAGCCCTCATTGCTGGG GTTGCTCTGTCTCTCGTGGTCACCCTGAGGGCACTCTGCATCCTCTGTCATTTTAACCTCAGGTGGCACCCAGGG CGAATGGGGCCCAGGGCAGACCTTCAGGGCCAGAGCCCTGGCGGAGGAGAGGCCCTTTGCCAGGAGCACAGCAGC AGCTCGCCTACCTCTGAGCCCAGGCCCCCTCCCTCAGCCCCCAGTCCTCCATCTTCCCTGGGGTTC TCCTCCTCCCAGGGCCTCCTTGCTCCTTCGTTCACAGCTGGGGGTCCCCGATTCCAATGCTGTTTTTTTGGGGA GTGGTTTCCAGGAGCTGCCTGGTGTCTGCTGTAAATGTTTGTCTACTGCACAAGCCTCGGCCTGACCCAAGCCA GGCTCGGTACCGATGCGTGGGCTGGGCTAGGTCCCTCTGTCCATCTGGGCCTTTGTATGAGCTGCATTGCCCTTG CTCACCCTGACCAAGCACACGCCTCAGAGGGGCCCTCAGCCTCTCCTGAAGCCCTCTTGTGGCAAGAACTGTGGA CCATGCCAGTCCGTCTGGTTTCCATCCACCACTCCAAGGACTGAGACTGACCTCCTCTGGTGACACTGGCCTA GAGCCTGACACTCTCCTAAGAGGTTCTCTCCAAGCCCCCAAATAGCTCCAGGCGCCCTCGGCCGCCCATCATGGT GGGAGCCATCATTCCTGCCTGGGAATCCTGGAAGACTTCCTGCAGGAGTCAGCGTTCAATCTTGACCTTGAAGAT GGGAAGGATGTTCTTTTACGTACCAATTCTTTTGTCTTTTGATATTAAAAAGAAGTACATGTTCATTGTAGAGA

406/550

FIGURE 406

MTPQSLLQTTLFLLSLLFLVQGAHGRGHREDFRFCSQRNQTHRSSLHYKPTPDLRISIENSEE
ALTVHAPFPAAHPASRSFPDPRGLYHFCLYWNRHAGRLHLLYGKRDFLLSDKASSLLCFQHQE
ESLAQGPPLLATSVTSWWSPQNISLPSAASFTFSFHSPPHTAAHNASVDMCELKRDLQLLSQF
LKHPQKASRRPSAAPASQQLQSLESKLTSVRFMGDMVSFEEDRINATVWKLQPTAGLQDLHIH
SRQEEEQSEIMEYSVLLPRTLFQRTKGRSGEAEKRLLLVDFSSQALFQDKNSSQVLGEKVLGI
VVQNTKVANLTEPVVLTFQHQLQPKNVTLQCVFWVEDPTLSSPGHWSSAGCETVRRETQTSCF
CNHLTYFAVLMVSSVEVDAVHKHYLSLLSYVGCVVSALACLVTIAAYLCSRVPLPCRRKPRDY
TIKVHMNLLLAVFLLDTSFLLSEPVALTGSEAGCRASAIFLHFSLLTCLSWMGLEGYNLYRLV
VEVFGTYVPGYLLKLSAMGWGFPIFLVTLVALVDVDNYGPIILAVHRTPEGVIYPSMCWIRDS
LVSYITNLGLFSLVFLFNMAMLATMVVQILRLRPHTQKWSHVLTLLGLSLVLGLPWALIFFSF
ASGTFQLVVLYLFSIITSFQGFLIFIWYWSMRLQARGGPSPLKSNSDSARLPISSGSTSSSRI

Important features:

Signal peptide:

amino acids 1-25

Putative transmembrane domains:

amino acids 382-398, 402-420, 445-468, 473-491, 519-537, 568-590 and 634-657

Microbodies C-terminal targeting signal.

amino acids 691-693

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 198-201 and 370-373

N-glycosylation sites.

amino acids 39-42, 148-151, 171-174, 234-237, 303-306, 324-327 and 341-344

G-protein coupled receptors family 2 proteins

amino acids 475-504

407/550

FIGURE 407

TTGTGACTAAAAGCTGGCCTAGCAGGCCAGGGAGTGCAGCTGCAGGCGTGGGGGTGGCAGGAG CCGCAGAGCCAGACAGCCGAGAAACAGGTGGACAGTGTGAAAGAACCAGTGGTCTCGC TCTGTTGCCCAGGCTAGAGTGTACTGGCGTGATCATAGCTCACTGCAGCCTCAGACTCCTGGA CTTGAGAAATCCTCCTGCCTTAGCCTCCTGCATATCTGGGACTCCAGGGGTGCACTCAAGCCC TGTTTCTTCTCTTGTGAGTGGACCACGGAGGCTGGTGAGCTGCCTGTCATCCCAAAGCTC AGCTCTGAGCCAGAGTGGTGGTGGCTCCACCTCTGCCGCCGGCATAGAAGCCAGGAGCAGGGC CCTGCTACCCTCCAGTGAGGCCAAGCTCTACGGTCGTTGTGAACTGGCCAGAGTGCTACATGA CTTCGGGCTGGACGGATACCGGGGATACAGCCTGGCTGACTGGGTCTGCCTTATTTCAC AAGCGGTTTCAACGCAGCTGCTTTGGACTACGAGGCTGATGGGAGCACCAACAACGGGATCTT CCAGATCAACAGCCGGAGGTGGTGCAGCAACCTCACCCCGAACGTCCCCAACGTGTGCCGGAT GTACTGCTCAGATTTGTTGAATCCTAATCTCAAGGATACCGTTATCTGTGCCATGAAGATAAC CCAAGAGCCTCAGGGTCTGGGTTACTGGGAGGCCTGGAGGCATCACTGCCAGGGAAAAGACCT CACTGAATGGGTGGATGGCTGTGACTTCTAGGATGGACGGAACCATGCACAGCAGGCTGGGAA ATGTGGTTTGGTTCCTGACCTAGGCTTGGGAAGACAAGCCAGCGAATAAAGGATGGTTGAACG **TGAAA**

408/550

FIGURE 408

MLLALVCLLSCLLPSSEAKLYGRCELARVLHDFGLDGYRGYSLADWVCLAYFTSGFNAAALDY EADGSTNNGIFQINSRRWCSNLTPNVPNVCRMYCSDLLNPNLKDTVICAMKITQEPQGLGYWE AWRHHCQGKDLTEWVDGCDF

Important features:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 67-72

Homolgous region to Alpha-lactalbumin / lysozyme C proteins. amino acids 34-58 (catalytic domain), 111-132 and 66-107

409/550

FIGURE 409

 $\tt CTCTTTCAGCCCGGGATCGCCCCAGCAGGGGATGGCCGACAAGATCTGGCTGCCCTTCCCCGTGCTCCTTCTGGCC$ GCTCTGCCTCCGGTGCTGCCTGGGGGCGGCCGGCTTCACACCTTCCCTCGATAGCGACTTCACCTTTACCCTT CCCGCCGGCCAGAAGGAGTGCTTCTACCAGCCCATGCCCCTGAAGGCCTCGCTGGAGATCGAGTACCAAGTTTTA GATGGAGCAGGATTAGATATTGATTTCCATCTTGCCTCTCCAGAAGGCAAAACCTTAGTTTTTGAACAAAGAAAA TCAGATGGAGTTCACACTGTAGAGACTGAAGTTGGTGATTACATGTTCTGCTTTGACAATACATTCAGCACCATT TCTGAGAAGGTGATTTCTTTGAATTAATCCTGGATAATATGGGAGAACAGGCACAAGAACAAGAAGATTGGAAG AAATATATTACTGGCACAGATATATTGGATATGAAACTGGAAGACATCCTGGAATCCATCAACAGCATCAAGTCC AGACTAAGCAAAAGTGGGCACATACAAATTCTGCTTAGAGCATTTGAAGCTCGTGATCGAAACATACAAGAAAGC **AACTTTGATAGAGTCAATTTCTGGTCTATGGTTAATTTAGTGGTCATGGTGGTGGTGTCAGCCATTCAAGTTTAT** ATGCTGAAGAGTCTGTTTGAAGATAAGAGGAAAAGTAGAACT<u>TAA</u>AACTCCAAACTAGAGTACGTAACATTGAAA AATGAGGCATAAAAATGCAATAAACTGTTACAGTCAAGACCATTAATGGTCTTCTCCAAAATATTTTGAGATATA AAAGTAGGAAACAGGTATAATTTTAATGTGAAAATTAAGTCTTCACTTTCTGTGCAAGTAATCCTGCTGATCCAG AGTCTGTTTTTAACAGGTTCTATTACCCAGAACTTTTTTGTAAATGCGGCAGTTACAAATTAACTGTGGAAGTTT TCAGTTTTAAGTTATAAATCACCTGAGAATTACCTAATGATGGATTGAATAAATCTTTAGACTACAAAAGCCCAA CTTTTCTCTATTTACATATGCATCTCTCCTATAATGTAAATAGAATAATAGCTTTGAAATACAATTAGGTTTTTG AGATTTTTATAACCAAATACATTTCAGTGTAACATATTAGCAGAAAGCATTAGTCTTTGTACTTTGCTTACATTC CCAAAAGCTGACATTTTCACGATTCTTAAAAACACAAAGTTACACTTACTAAAATTAGGACATGTTTTCTCTTTG AAATGAAGAATATAGTTTAAAAGCTTCCTCCTCCATAGGGACACATTTTCTCTAACCCTTAACTAAAGTGTAGGA TTTTAAAATTAAATGTGAGGTAAAATAAGTTTATTTTTAATAGTATCTGTCAAGTTAATATCTGTCAACAGTTAA TAATCATGTTATGTTAATTTTAACATGATTGCTGACTTGGATAATTCATTATTACCAGCAGTTATGAAGGAAATA TTGCTAAAATGATCTGGGCCTACCATAAATAAATATCTCCTTTTCTGAGCTCTAAGAATTATCAGAAAACAGGAA AAACTTTGGCTGTAGGTTTTTATTTTCTACAAGAATTCTGGTTTGAATTATTTTTGTAAGCAGGTACATTTTATA TAAAATGGCCTTTCTGAACACTTTATTTATTGATGTTGAAGTAAGGATTAGAAACATAGACTCCCAAGTTTTAAA CACCTAAATGTGAATAACCCATATATACAACAAAGTTTCTGCCATCTAGCTTTTTGAAGTCTATGGGGGGTCTTAC TCAAGTACTAGTAATTTAACTTCATCATGAATGAACTATAATTTTTAAGTTATGCCCATTTATAACGTTGTTTAT GACTACATTGTGAGTTAGAAACAAACTTAAAATTTGGGGTATAGAACCCCTCAACAGGTTAGTAATGCTGGAATT CTTGATGAGCAATAATGATAACCAGAGAGTGATTTCATTTACACTCATAGTAGTATAAAAAAGAGATACATTTCCC TCTTAGGCCCCTGGGAGAAGAGCAGCTTAGATTTCCCTACTGGCAAGGTTTTTAAAAATGAGGTAAATGCCGTAT ATGATCAATTACCTTAATTGGCCAAGAAAATGCTTCAGGTGTCTAGGGGTATCCTCTGCAACACTTGCAGAACAA AGGTCAATAAGATCCTTGCCTATGAATACCCCTCCCTTTTGCGCTGTTAAATTTGCAATGAGAAGCAAATTTACA GTACCATAACTAATAAAGCAGGGTACAGATATAAACTACTGCATCTTTTCTATAAAACTGTGATTAAGAATTCTA CCTCTCCTGTATGGCTGTTACTGTACTGTACTCTCTGACTCCTTACCTAACAATGAATTTGTTACATAATCTTCT ACATGTATGATTTGTGCCACTGATCTTAAACCTATGATTCAGTAACTTCTTACCATATAAAAACGATAATTGCTT TATTTGGAAAAGAATTTAGGAATACTAAGGACAATTATTTTTATAGACAAAGTAAAAAGACAGATATTTAAGAGG CATAACCAAAAAAGCAAAACTTGTAAACAGAGTAAAAATCTTTAATATTTCTAAAGACATACTGTTTATCTGCTT CATATGCTTTTTTAATTTCACTATTCCATTTCTAAATTAAAGTTATGCTAAATTGAGTAAGCTGTTTATCACTT AACAGCTCATTTTGTCTTTTTCAATATACAAATTTTAAAAATACTACAATATTTAACTAAGGCCCAACCGATTTC CATAATGTAGCAGTTACCGTGTTCACCTCACACTAAGGCCTAGAGTTTGCTCTGATATGCATTTGGATGATTAAT GTTATGCTGTTCTTCATGTGAATGTCAAGACATGGAGGGTGTTTGTAATTTTATGGTAAAATTAATCCTTCTTA CACATAATGGTGTCTTAAAATTGACAAAAAATGAGCACTTACAATTGTATGTCTCCTCAAATGAAGATTCTTTAT GTGAAATTTTAAAAGACATTGATTCCGCATGTAAGGATTTTTCATCTGAAGTACAATAATGCACAATCAGTGTTG CTCAAACTGCTTTATACTTATAAACAGCCATCTTAAATAAGCAACGTATTGTGAGTACTGATATGTATAATAA AAATTATCAAAGGAAAA

410/550

FIGURE 410

MGDKIWLPFPVLLLAALPPVLLPGAAGFTPSLDSDFTFTLPAGQKECFYQPMPLKASLEIEYQ VLDGAGLDIDFHLASPEGKTLVFEQRKSDGVHTVETEVGDYMFCFDNTFSTISEKVIFFELIL DNMGEQAQEQEDWKKYITGTDILDMKLEDILESINSIKSRLSKSGHIQILLRAFEARDRNIQE SNFDRVNFWSMVNLVVMVVVSAIQVYMLKSLFEDKRKSRT

Important features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 195-217

N-myristoylation site.

amino acids 43-48

Tyrosine kinase phosphorylation site.

amino acids 55-62

PCT/US00/32678 WO 01/40466

411/550

FIGURE 411

412/550

FIGURE 412

MVGTKAWVFSFLVLEVTSVLGRQTMLTQSVRRVQPGKKNPSIFAKPADTLESPGEWTTWFNID YPGGKGDYERLDAIRFYYGDRVCARPLRLEARTTDWTPAGSTGQVVHGSPREGFWCLNREQRP GONCSNYTVRFLCPPGSLRRDTERIWSPWSPWSKCSAACGQTGVQTRTRICLAEMVSLCSEAS EEGOHCMGODCTACDLTCPMGQVNADCDACMCQDFMLHGAVSLPGGAPASGAAIYLLTKTPKL LTOTDSDGRFRIPGLCPDGKSILKITKVKFAPIVLTMPKTSLKAATIKAEFVRAETPYMVMNP ETKARRAGQSVSLCCKATGKPRPDKYFWYHNDTLLDPSLYKHESKLVLRKLQQHQAGEYFCKA QSDAGAVKSKVAQLIVTASDETPCNPVPESYLIRLPHDCFQNATNSFYYDVGRCPVKTCAGQQ DNGIRCRDAVQNCCGISKTEEREIQCSGYTLPTKVAKECSCQRCTETRSIVRGRVSAADNGEP MRFGHVYMGNSRVSMTGYKGTFTLHVPQDTERLVLTFVDRLQKFVNTTKVLPFNKKGSAVFHE IKMLRRKEPITLEAMETNIIPLGEVVGEDPMAELEIPSRSFYRQNGEPYIGKVKASVTFLDPR NISTATAAQTDLNFINDEGDTFPLRTYGMFSVDFRDEVTSEPLNAGKVKVHLDSTQVKMPEHI STVKLWSLNPDTGLWEEEGDFKFENQRRNKREDRTFLVGNLEIRERRLFNLDVPESRRCFVKV RAYRSERFLPSEQIQGVVISVINLEPRTGFLSNPRAWGRFDSVITGPNGACVPAFCDDQSPDA YSAYVLASLAGEELQAVESSPKFNPNAIGVPQPYLNKLNYRRTDHEDPRVKKTAFQISMAKPR PNSAEESNGPIYAFENLRACEEAPPSAAHFRFYQIEGDRYDYNTVPFNEDDPMSWTEDYLAWW PKPMEFRACYIKVKIVGPLEVNVRSRNMGGTHRRTVGKLYGIRDVRSTRDRDQPNVSAACLEF KCSGMLYDQDRVDRTLVKVIPQGSCRRASVNPMLHEYLVNHLPLAVNNDTSEYTMLAPLDPLG HNYGIYTVTDQDPRTAKEIALGRCFDGTSDGSSRIMKSNVGVALTFNCVERQVGRQSAFQYLQ STPAQSPAAGTVQGRVPSRRQQRASRGGQRQGGVVASLRFPRVAQQPLIN

413/550

FIGURE 413

414/550

FIGURE 414

 ${\tt MGPSSCLLLILIPLLQLINPGSTQCSLDSVMDKKIKDVLNSLEYSPSPISKKLSCASVKS} \\ {\tt QGRPSSCPAGMAVTGCACGYGCGSWDVQLETTCHCQCSVVDWTTARCCHLT} \\$

415/550

FIGURE 415

CAGAAGAGGGGCTAGCTAGCTGTCTCTGCGGACCAGGGAGACCCCCGCGCCCCCCGGTGTG AGGCGGCCTCACAGGGCCGGGTGGGCTGGCGAGCCGACGCGGCGGAGGAGGCTGTGAGGA GTGTGTGGAACAGGACCCGGGACAGAGGAACCATGGCTCCGCAGAACCTGAGCACCTTTTGCC TGTTGCTGCTATACCTCATCGGGGCGGTGATTGCCGGACGAGATTTCTATAAGATCTTGGGGG TGCCTCGAAGTGCCTCTATAAAGGATATTAAAAAGGCCTATAGGAAACTAGCCCTGCAGCTTC ATCCCGACCGGAACCCTGATGATCCACAAGCCCAGGAGAAATTCCAGGATCTGGGTGCTGCTT ATGAGGTTCTGTCAGATAGTGAGAAACGGAAACAGTACGATACTTATGGTGAAGAAGGATTAA AAGATGGTCATCAGAGCTCCCATGGAGACATTTTTTCACACTTCTTTGGGGATTTTTGGTTTCA TGTTTGGAGGAACCCCTCGTCAGCAAGACAGAAATATTCCAAGAGGAAGTGATATTATTGTAG CTGTGGCAAGGCAGGCTCCTGGCAAACGGAAGTGCAATTGTCGGCAAGAGATGCGGACCACCC AGCTGGGCCCTGGGCGCTTCCAAATGACCCAGGAGGTGGTCTGCGACGAATGCCCTAATGTCA AACTAGTGAATGAAGAACGAACGCTGGAAGTAGAAATAGAGCCTGGGGTGAGAGACGCCATGG AGTACCCCTTTATTGGAGAAGGTGAGCCTCACGTGGATGGGGAGCCTGGAGATTTACGGTTCC CAATCTCATTAGTTGAGTCACTGGTTGGCTTTGAGATGGATATTACTCACTTGGATGGTCACA AGGTACATATTTCCCGGGATAAGATCACCAGGCCAGGAGCGAAGCTATGGAAGAAAGGGGAAG GGCTCCCCAACTTTGACAACAACAATATCAAGGGCTCTTTGATAATCACTTTTGATGTGGATT TTCCAAAAGAACAGTTAACAGAGGAAGCGAGAGAAGGTATCAAACAGCTACTGAAACAAGGGT CAGTGCAGAAGGTATACAATGGACTGCAAGGATAT**TGA**GAGTGAATAAAATTGGACTTTGTTT TTTTCAATATGCAAGTTAGGCTTAATTTTTTTATCTAATGATCATCATGAAATGAATAAGAGG GCTTAAGAATTTGTCCATTTGCATTCGGAAAAGAATGACCAGCAAAAGGTTTACTAATACCTC TCCCTTTGGGGATTTAATGTCTGGTGCTGCCGCCTGAGTTTCAAGAATTAAAGCTGCAAGAGG CCAACTGGAGAAGTCTGTTTTTAAATACATTTTGTTGTTATTTTTA

416/550

FIGURE 416

MAPQNLSTFCLLLLYLIGAVIAGRDFYKILGVPRSASIKDIKKAYRKLALQLHPDRNPDDPQAQEKFQL_ JAAYE VLSDSEKRKQYDTYGEEGLKDGHQSSHGDIFSHFFGDFGFMFGGTPRQQDRNIPRGSDIIVDLEVTLEEVYAGNF VEVVRNKPVARQAPGKRKCNCRQEMRTTQLGPGRFQMTQEVVCDECPNVKLVNEERTLEVEIEPGVRDGMEYPFI GEGEPHVDGEPGDLRFRIKVVKHPIFERRGDDLYTNVTISLVESLVGFEMDITHLDGHKVHISRDKITRPGAKLW KKGEGLPNFDNNNIKGSLIITFDVDFPKEQLTEEAREGIKQLLKQGSVQKVYNGLQGY

Important features:

Signal peptide:

amino acids 1-22

Cell attachment sequence.

amino acids 254-257

Nt-dnaJ domain signature.

amino acids 67-87

Homologous region to Nt-dnaJ domain proteins.

amino acids 26-58

N-glycosylation site.

amino acids 5-9, 261-265

Tyrosine kinase phosphorylation site.

amino acids 253-260

N-myristoylation site.

amino acids 18-24, 31-37, 93-99, 215-221

Amidation site.

amino acids 164-168

417/550

FIGURE 417

CGGCGGCGGCTGCGGGCGCGAGGTGAGGGGCGCGAGGTGCGAGGTTCCCAGCAGGA GATGACCAAGGCCCGGCTGTTCCGGCTGTGGCTGGTGCTGGGGTCGGTGTTCATGATCCTGCT GATCATCGTGTACTGGGACAGCGCAGGCGCCGCGCACTTCTACTTGCACACGTCCTTCTCTAG GCCGCACACGGGGCCGCCGCTGCCCACGCCCGGGCCGGACAGGGACAGGGAGCTCACGGCCGA CTCCGATGTCGACGAGTTTCTGGACAAGTTTCTCAGTGCTGGCGTGAAGCAGAGCGACCTTCC CAGAAAGGAGACGGAGCAGCCGCCTGCGCCGGGGAGCATGGAGGAGAGCGTGAGAGGCTACGA CGTGCTGCGGGGCTTCTGCGCCAACTCCAGCCTGGCCTTCCCCACCAAGGAGCGCGCATTCGA CGACATCCCCAACTCGGAGCTGAGCCACCTGATCGTGGACGACCGGCACGGGGCCATCTACTG CTACGTGCCCAAGGTGGCCTGCACCAACTGGAAGCGCGTGATGATCGTGCTGAGCGGAAGCCT GCTGCACCGCGGTGCGCCCTACCGCGACCCGCTGCGCATCCCGCGAGCACGTGCACAACGC CAGCGCGCACCTGACCTTCAACAAGTTCTGGCGCCGCTACGGGAAGCTCTCCCGCCACCTCAT GAAGGTCAAGCTCAAGAAGTACACCAAGTTCCTCTTCGTGCGCGACCCCTTCGTGCGCCTGAT CTCCGCCTTCCGCAGCAAGTTCGAGCTGGAGAACGAGGAGTTCTACCGCAAGTTCGCCGTGCC CATGCTGCGGCTGTACGCCAACCACCAGCCTGCCCGCCTCGGCGCGCGAGGCCTTCCGCGC TGGCCTCAAGGTGTCCTTCGCCAACTTCATCCAGTACCTGCTGGACCCGCACACGGAGAAGCT GGCGCCCTTCAACGAGCACTGGCGGCAGGTGTACCGCCTCTGCCACCCGTGCCAGATCGACTA CGACTTCGTGGGGAAGCTGGAGACTCTGGACGAGGACGCCGCGCAGCTGCTGCAGCTACTCCA GGTGGACCGCCAGCTCCCCCCCGAGCTACCGGAACAGGACCGCCAGCAGCTGGGAGGA GGACTGGTTCGCCAAGATCCCCCTGGCCTGGAGGCAGCAGCTGTATAAACTCTACGAGGCCGA CTTTGTTCTCTTCGGCTACCCCAAGCCCGAAAACCTCCTCCGAGAC**TGA**AAGCTTTCGCGTTG CTTTTTCTCGCGTGCCTGGAACCTGACGCACGCGCACTCCAGTTTTTTTATGACCTACGATTT TGCAATCTGGGCTTCTTGTTCACTCCACTGCCTCTATCCATTGAGTACTGTATCGATATTGTT TTTTAAGATTAATATTTCAGGTATTTAATACGA

418/550

FIGURE 418

MTKARLFRLWLVLGSVFMILLIIVYWDSAGAAHFYLHTSFSRPHTGPPLPTPGPDRDRELTAD SDVDEFLDKFLSAGVKQSDLPRKETEQPPAPGSMEESVRGYDWSPRDARRSPDQGRQQAERRS VLRGFCANSSLAFPTKERAFDDIPNSELSHLIVDDRHGAIYCYVPKVACTNWKRVMIVLSGSL LHRGAPYRDPLRIPREHVHNASAHLTFNKFWRRYGKLSRHLMKVKLKKYTKFLFVRDPFVRLI SAFRSKFELENEEFYRKFAVPMLRLYANHTSLPASAREAFRAGLKVSFANFIQYLLDPHTEKL APFNEHWRQVYRLCHPCQIDYDFVGKLETLDEDAAQLLQLLQVDRQLRFPPSYRNRTASSWEE DWFAKIPLAWRQQLYKLYEADFVLFGYPKPENLLRD

Important features:

Signal peptide:

amino acids 1-31

N-glycosylation sites.

amino acids 134-137, 209-212, 280-283 and 370-373

TNFR/NGFR family cysteine-rich region protein

amino acids 329-332

FIGURE 419

GGCACGAGGCTGAACCCAGCCGGCTCCATCTCAGCTTCTGGTTTCTAAGTCCATGTGCCAAAG GTGGGTAGTTATTTATTTCTGAATAAGAGCGTCCACGCATCATGGACCTCGCGGGACTGCTGA AGTCTCAGTTCCTGTGCCACCTGGTCTTCTGCTACGTCTTTATTGCCTCAGGGCTAATCATCA ACACCATTCAGCTCTTCACTCTCCTCTCTGGCCCATTAACAAGCAGCTCTTCCGGAAGATCA ACTGCAGACTGTCCTATTGCATCTCAAGCCAGCTGGTGATGCTGCTGGAGTGGTCGGCCA TGGTTCTCAACCACAAGTTTGAAATTGACTTTCTGTGTGGGCTGGAGCCTGTCCGAACGCTTTG GGCTGTTAGGGGGCTCCAAGGTCCTGGCCAAGAAAGAGCTGGCCTATGTCCCAATTATCGGCT GGATGTGGTACTTCACCGAGATGGTCTTCTGTTCGCGCAAGTGGGAGCAGGATCGCAAGACGG TTGCCACCAGTTTGCAGCACCTCCGGGACTACCCCGAGAAGTATTTTTTCCTGATTCACTGTG AGGGCACACGGTTCACGGAGAAGAAGCATGAGATCAGCATGCAGGTGGCCCGGGCCAAGGGGC TGCCTCGCCTCAAGCATCACCTGTTGCCACGAACCAAGGGCTTCGCCATCACCGTGAGGAGCT TGAGAAATGTAGTTTCAGCTGTATATGACTGTACACTCAATTTCAGAAATAATGAAAATCCAA CACTGCTGGGAGTCCTAAACGGAAAGAAATACCATGCAGATTTGTATGTTAGGAGGATCCCAC TGGAAGACATCCCTGAAGACGATGACGAGTGCTCGGCCTGGCTGCACAAGCTCTACCAGGAGA AGGATGCCTTTCAGGAGGAGTACTACAGGACGGCCACCTTCCCAGAGACGCCCATGGTGCCCC $\tt CCCGGCGGCCCTGGACCCTCGTGAACTGGCTGTTTTTGGGCCTCGCTGGTGCTCTACCCTTTCT$ TCCAGTTCCTGGTCAGCATGATCAGGAGCGGGTCTTCCCTGACGCTGGCCAGCTTCATCCTCG TCTTCTTTGTGGCCTCCGTGGGAGTTCGATGGATGATTGGTGTGACGGAAATTGACAAGGGCT CTGCCTACGGCAACTCTGACAGCAAGCAGAAACTGAATGACTCAGGGAGGTGTCACCAT CCGAAGGGAACCTTGGGGAACTGGTGGCCTCTGCATATCCTCCTTAGTGGGACACGGTGACAA $\tt CTCAAGGCCGGATGGGGAGGAAGATGTTTTGTAATCTTTTTTTCCCCATGTGCTTTAGTGGGC$ TGTGATCATAGAAAGGGTATTTTAGGCTGCAGGGGAGGGCAGGGCTGGGGACCGAAGGGGACA AGTTCCCCTTTCATCCTTTGGTGCTGAGTTTTCTGTAACCCTTGGTTGCCAGAGATAAAGTGA GGGTCAAAAAAAAAAAAA

420/550

FIGURE 420

MDLAGLIKSQFICHLVFCYVFIASGLIINTIQLFTLLLWPINKQLFRKINCRLSYCISSQLVM LLEWWSGTECTIFTDPRAYLKYGKENAIVVLNHKFEIDFLCGWSLSERFGLLGGSKVLAKKEL AYVPIIGWMWYFTEMVFCSRKWEQDRKTVATSLQHLRDYPEKYFFLIHCEGTRFTEKKHEISM QVARAKGLPRLKHHLLPRTKGFAITVRSLRNVVSAVYDCTLNFRNNENPTLLGVLNGKKYHAD LYVRRIPLEDIPEDDDECSAWLHKLYQEKDAFQEEYYRTGTFPETPMVPPRRPWTLVNWLFWA SLVLYPFFQFLVSMIRSGSSLTLASFILVFFVASVGVRWMIGVTEIDKGSAYGNSDSKQKLND

421/550

FIGURE 421

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGCTGGGCTGGGTGCCTGCATC GCCATGGACACCACCAGGTACAGCAAGTGGGGCGCAGCTCCGAGGAGGTCCCCGGAGGGCCC TGGGGACGCTGGGTGCACTGGAGCAGGAGACCCCTCTTCTTGGCCCTGGCTGTCCTGGTCACC CTGCTTGACGCCACGACCTGCTGAGGACAAACGCCTCGAAGCAGACGGCGGCGCTGGGTGCC CTGAAGGAGGAGGTCGGAGACTGCCACAGCTGCTGCTCGGGGACGCAGGCGCAGCTGCAGACC ACGCGCGCGGAGCTTGGGGAGGCGCAGGCGAAGCTGATGGAGCAGGAGAGCGCCCTGCGGGAA CTGCGTGAGCGCGTGACCCAGGGCTTGGCTGAAGCCGGCAGGGGCCGTGAGGACGTCCGCACT GAGCTGTTCCGGGCGCTGGAGGCCGTGAGGCTCCAGAACAACTCCTGCGAGCCGTGCCCCACG TCGTGGCTGTCCTTCGAGGGCTCCTGCTACTTTTTCTCTGTGCCAAAGACGACGTGGGCGGCG GCGCAGGATCACTGCGCAGATGCCAGCGCGCACCTGGTGATCGTTGGGGGGCCTGGATGAGCAG CTGGGCAAGGTTCAGGGCTACCAGTGGGTGGACGGAGTCTCTCAGCTTCAGCCACTGGAAC CAGGGAGAGCCCAATGACGCTTGGGGGCGCGAGAACTGTGTCATGATGCTGCACACGGGGCTG TGGAACGACGCACCGTGTGACAGCGAGAAGGACGGCTGGATCTGTGAGAAAAGGCACAACTGC TGACCCCGCCCAGTGCCCTGGAGCCGCCCCATTGCAGCATGTCGTATCCTGGGGGCTGCTCA CCTCCCTGGCTCCTGGAGCTGATTGCCAAAGAGTTTTTTTCTTCCTCATCCACCGCTGCTGAG TCTCAGAAACACTTGGCCCAACATAGCCCTGTCCAGCCCAGTGCCTGGGCTCTGGGACCTCCA TGCCGACCTCATCCTAACTCCACTCACGCAGACCCAACCTAACCTCCACTAGCTCCAAAATCC CTGCTCCTGCGTCCCCGTGATATGCCTCCACTTCTCTCCCTAACCAAGGTTAGGTGACTGAGG ACTGGAGCTGTTTGGTTTTCTCGCATTTTCCACCAAACTGGAAGCTGTTTTTTGCAGCCTGAGG AAGCATCAATAAATATTTGAGAAATGAAAAAA

422/550

FIGURE 422

MDTTRYSKWGGSSEEVPGGPWGRWVHWSRRPLFLALAVLVTTVLWAVILSILLSKASTERAAL LDGHDLLRTNASKQTAALGALKEEVGDCHSCCSGTQAQLQTTRAELGEAQAKLMEQESALREL RERVTQGLAEAGRGREDVRTELFRALEAVRLQNNSCEPCPTSWLSFEGSCYFFSVPKTTWAAA QDHCADASAHLVIVGGLDEQGFLTRNTRGRGYWLGLRAVRHLGKVQGYQWVDGVSLSFSHWNQ GEPNDAWGRENCVMMLHTGLWNDAPCDSEKDGWICEKRHNC

Important features:

Type II transmembrane domain:

amino acids 31-54

N-glycosylation sites.

amino acids 73-76 and 159-162

Leucine zipper pattern.

amino acids 102-123

N-myristoylation sites.

amino acids 18-23, 133-138 and 242-247

C-type lectin domain signature.

amino acids 264-287

FIGURE 423

GCGCCGCCAGGCGTAGGCGGGGTGGCCCTTGCGTCTCCCGCTTCCTTGAAAAACCCGGCGGGC GGCTGTGGCGGCGACGGCAGGCCCCGAGGAGGCCGCGCTGCCGCCGGAGCAGAGCCGGGTCCA GCCCATGACCGCCTCCAACTGGACGCTGGTGATGGAGGGCGAGTGGATGCTGAAATTTTACGC CCCATGGTGTCCATCCTGCCAGCAGACTGATTCAGAATGGGAGGCTTTTGCAAAGAATGGTGA AATACTTCAGATCAGTGTGGGGAAGGTAGATGTCATTCAAGAACCAGGTTTGAGTGGCCGCTT CTTTGTCACCACTCTCCCAGCATTTTTTCATGCAAAGGATGGGATATTCCGCCGTTATCGTGG CCCAGGAATCTTCGAAGACCTGCAGAATTATATCTTAGAGAAGAAATGGCAATCAGTCGAGCC TCTGACTGGCTGGAAATCCCCAGCTTCTCTAACGATGTCTGGAATGGCTGGTCTTTTTAGCAT CTCTGGCAAGATATGGCATCTTCACAACTATTTCACAGTGACTCTTGGAATTCCTGCTTGGTG TTCTTATGTGTTTTTCGTCATAGCCACCTTGGTTTTTTGGCCTTTTTTATGGGTCTGGTCTTGGT GGTAATATCAGAATGTTTCTATGTGCCACTTCCAAGGCATTTATCTGAGCGTTCTGAGCAGAA TCGGAGATCAGAGGGGGCTCATAGAGCTGAACAGTTGCAGGATGCGGAGGAGGAAAAAGATGA TTCAAATGAAGAAGAAAACAAAGACAGCCTTGTAGATGATGAAGAAGAAGAAGAAGATCTTGG CGATGAGGATGAAGCAGAGGAAGAAGAGGAGGAGGACAACTTGGCTGCTGGTGTGGATGAGGA GAGAAGTGAGGCCAATGATCAGGGGCCCCCAGGAGGAGGACGGTGTGACCCGGGAGGAAGTAGA GCCTGAGGAGGCTGAAGAAGGCATCTCTGAGCAACCCTGCCCAGCTGACACAGAGGTGGTGGA ${\tt AGACTCCTTGAGGCAGCGTAAAAGTCAGCATGCTGACAAGGGACTG} {\color{red}{\bf TAG}} {\tt ATTTAATGATGCGT}$ ${\tt TTTCAAGAATACACCAAAACAATATGTCAGCTTCCCTTTGGCCT} \overline{\tt GCAGTTTGTACCAAATC}$ CTTAATTTTTCCTGAATGAGCAAGCTTCTCTTAAAAGATGCTCTCTAGTCATTTGGTCTCATG GCAGTAAGCCTCATGTATACTAAGGAGAGTCTTCCAGGTGTGACAATCAGGATATAGAAAAAC GAGAGTCTCGACCAGAGGAGGCCATTCCCAGTCCTAATCAGCACCTTCCAGAGACAAGGCTGC AGGCCCTGTGAAATGAAAGCCAAGCAGGAGCCTTGGCTCCTGAGCATCCCCAAAGTGTAACGT AGAAGCCTTGCATCCTTTTCTTGTGTAAAGTATTTATTTTTTGTCAAATTGCAGGAAACATCAG GCACCACAGTGCATGAAAAATCTTTCACAGCTAGAAATTGAAAGGGCCTTGGGTATAGAGAGC AGCTCAGAAGTCATCCCAGCCCTCTGAATCTCCTGTGCTATGTTTTATTTCTTACCTTTAATT TTTCCAGCATTTCCACCATGGGCATTCAGGCTCTCCACACTCTTCACTATTATCTCTTGGTCA AGATAATCAGTAACCATAACCCCTGAAGCTGTGACTGCCAAACATCTCAAATGAAATGTTGTG CCAAAATATAGTTGTTGATTTTTTTTTAAGTTTTCTAAGCAATATTTTTCAAGCCAGAAG TCCTCTAAGTCTTGCCAGTACAAGGTAGTCTTGTGAAGAAAAGTTGAATACTGTTTTGTTTTC ATCTCAAGGGGTTCCCTGGGTCTTGAACTACTTTAATAATAACTAAAAAACCACTTCTGATTT TCCTTCAGTGATGTGCTTTTGGTGAAAGAATTAATGAACTCCAGTACCTGAAAGTGAAAGATT TGATTTTGTTTCCATCTTCTGTAATCTTCCAAAGAATTATATCTTTGTAAATCTCTCAATACT CAATCTACTGTAAGTACCCAGGGAGGCTAATTTCTTT

424/550

FIGURE 424

MAGGRCGPQLTALLAAWIAAVAATAGPEEAALPPEQSRVQPMTASNWTLVMEGEWMLKFYAPW CPSCQQTDSEWEAFAKNGEILQISVGKVDVIQEPGLSGRFFVTTLPAFFHAKDGIFRRYRGPG IFEDLQNYILEKKWQSVEPLTGWKSPASLTMSGMAGLFSISGKIWHLHNYFTVTLGIPAWCSY VFFVIATLVFGLFMGLVLVVISECFYVPLPRHLSERSEQNRRSEEAHRAEQLQDAEEEKDDSN EEENKDSLVDDEEEKEDLGDEDEAEEEEEEDNLAAGVDEERSEANDQGPPGEDGVTREEVEPE EAEEGISEQPCPADTEVVEDSLRQRKSQHADKGL

Important features:

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 191-211

N-glycosylation site.

amino acids 46-49

Thioredoxin family proteins. (homologous region to disulfide isomerase) amino acids 56-72

Flavodoxin proteins

amino acids 173-187

FIGURE 425

GAGGAACCTACCGGTACCGCCGCGCGCTGGTAGTCGCCGGTGTGGCTCACCTCACCAATCCCGTGCGCCGCGG CTGGGCCGTCGGAGAGTGCGTGTGCTTCTCTCCTGCACGCGGTGCTTGGGCTCGGCCAGGCGGGGTCCGCCGCCA GGGTTTGAGGATGGGGGGGTAGCTACAGGAAGCGACCCCGCGATGGCAAGGTATATTTTTGTGGAATGAAAAGGA AGTATTAGAAATGAGCTGAAGACCATTCACAGATTAATATTTTTGGGGACAGATTTGTGATGCTTGATTCACCCT TGAAGTAATGTAGACAGAAGTTCTCAAATTTGCATATTACATCAACTGGAACCAGCAGTGAATCTTAATGTTCAC GATCATTCTCTGTTTTCTGATAGTGTATATGGCCATTTTAGTGGGCACAGATCAGGATTTTACAGTTTACTTGG AGTGTCCAAAACTGCAAGCAGTAGAGAAATAAGACAAGCTTTCAAGAAATTGGCATTGAAGTTACATCCTGATAA TCTACGGAAAAAGTATGACAAATATGGAGAAAAGGGGACTTGAGGATAATCAAGGTGGCCAGTATGAAAGCTGGAA CTATTATCGTTATGATTTTGGTATTTATGATGATGATCCTGAAATCATAACATTGGAAAGAAGAAATTTGATGC TGCTGTTAATTCTGGAGAACTGTGGTTTGTAAATTTTTACTCCCCAGGCTGTTCACACTGCCATGATTTAGCTCC CACATGGAGAGACTTTGCTAAAGAAGTGGATGGGTTACTTCGAATTGGAGCTGTTAACTGTGGTGATGATAGAAT GCTTTGCCGAATGAAAGGAGTCAACAGCTATCCCAGTCTCTTCATTTTTCGGTCTGGAATGGCCCCAGTGAAATA TCATGGAGACAGATCAAAGGAGAGTTTAGTGAGTTTTGCAATGCAGCATGTTAGAAGTACAGTGACAGAACTTTG AGGAGGAGATTGTTTGACTTCACAGACACGACTCAGGCTTAGTGGCATGTTGTTTCTCAACTCATTGGATGCTAA AGAAATATATTTGGAAGTAATACATAATCTTCCAGATTTTGAACTACTTTCGGCAAACACACTAGAGGATCGTTT GGCTCATCATCGGTGGCTGTTATTTTTCATTTTGGAAAAAATGAAAATTCAAATGATCCTGAGCTGAAAAAAACT AAAAACTCTACTTAAAAATGATCATATTCAAGTTGGCAGGTTTGACTGTTCCTCTGCACCAGACATCTGTAGTAA TCTGTATGTTTTTCAGCCGTCTCTAGCAGTATTTAAAGGACAAGGAACCAAAGAATATGAAATTCATCATGGAAA GAAGATTCTATATGATATACTTGCCTTTGCCAAAGAAAGTGTGAATTCTCATGTTACCACGCTTGGACCTCAAAA TTTTCCTGCCAATGACAAGAACCATGGCTTGTTGATTTCTTTGCCCCCTGGTGTCCACCATGTCGAGCTTTACT ACCAGAGTTACGAAGAGCATCAAATCTTCTTTATGGTCAGCTTAAGTTTGGTACACTAGATTGTACAGTTCATGA GGGACTCTGTAACATGTATAACATTCAGGCTTATCCAACAACAGTGGTATTCAACCAGTCCAACATTCATGAGTA TGAAGGACATCACTCTGCTGAACAAATCTTGGAGTTCATAGAGGATCTTATGAATCCTTCAGTGGTCTCCCTTAC ACCCACCACCTTCAACGAACTAGTTACACAAAGAAAACACAACGAAGTCTGGATGGTTGATTTCTATTCTCCGTG GTGTCATCCTTGCCAAGTCTTAATGCCAGAATGGAAAAGAATGGCCCGGACATTAACTGGACTGATCAACGTGGG CAGTATAGATTGCCAACAGTATCATTCTTTTTGTGCCCAGGAAAACGTTCAAAGATACCCTGAGATAAGATTTTT TCCCCCAAAATCAAATAAAGCTTATCAGTATCACAGTTACAATGGTTGGAATAGGGATGCTTATTCCCTGAGAAT CTGGGGTCTAGGATTTTTACCTCAAGTATCCACAGATCTAACACCTCAGACTTTCAGTGAAAAAGTTCTACAAGG GAAAAATCATTGGGTGATTGATTTCTATGCTCCTTGGTGTGGACCTTGCCAGAATTTTGCTCCAGAATTTGAGCT CTTGGCTAGGATGATTAAAGGAAAAGTGAAAGCTGGAAAAGTAGACTGTCAGGCTTATGCTCAGACATGCCAGAA AGCTGGGATCAGGGCCTATCCAACTGTTAAGTTTTATTTCTACGAAAGAGCAAAGAGAAATTTTCAAGAAGAGCA GATAAATACCAGAGATGCAAAAGCAATCGCTGCCTTAATAAGTGAAAAATTGGAAACTCTCCGAAATCAAGGCAA GAGGAATAAGGATGAACTT<u>TGA</u>TAATGTTGAAGATGAAGAAAAAGTTTAAAAGAAATTCTGACAGATGACATCAG GAATTATCTACAGCACTGGTGTAAAAGAAGGGTCTGCAAACTTTTTCTGTAAAGGGCCCGGTTTATAAATATTTTA GACTTTGCAGGCTATAATATATGGTTCACACATGAGAACAAGAATAGAGTCATCATGTATTCTTTGTTATTTGCT TTTAACAACCTTTAAAAAATATTAAAACGATTCTTAGCTCAGAGCCATACAAAAGTAGGCTGGATTCAGTCCATG GACCATAGATTGCTGTCCCCCTCGACGGACTTATAATGTTTCAGGTGGCTTGAACATGAGTCTGCTGTGCT ATCTACATAAATGTCTAAGTTGTATAAAGTCCACTTTCCCTTCACGTTTTTTGGCTGACCTGAAAAGAGGTAACT TAGTTTTTGGTCACTTGTTCTCCTAAAAATGCTATCCCTAACCATATATTTATATTTCGTTTTAAAAAACACCCAT TAGCAATTAACTGGGCATTGTAGAGTATCCTAAATATGTTATCAAGTATTTAGAGTTCTATATTTTAAAGATATA TGTGTTCATGTATTTTCTGAAATTGCTTTCATAGAAATTTTCCCACTGATAGTTGATTTTTGAGGCATCTAATAT TTTTTCACTCCTGTCCAGTCTATTTATTATTCAAATAGGAAAAATTACTTTACAGGTTGTTTTACTGTAGCTTAT AATGATACTGTAGTTATTCCAGTTACTAGTTTACTGTCAGAGGGCTGCCTTTTTCAGATAAATATTGACATAATA ACTGAAGTTATTTTTATAAGAAAATCAAGTATATAAATCTAGGAAAGGGATCTTCTAGTTTCTGTGTTTTAGA CTCAAAGAATCACAAATTTGTCAGTAACATGTAGTTGTTTAGTTATAATTCAGAGTGTACAGAATGGTAAAAATT

426/550

FIGURE 426

MGVWLNKDDYIRDLKRIILCFLIVYMAILVGTDQDFYSLLGVSKTASSREIRQAFKKLALKLH
PDKNPNNPNAHGDFLKINRAYEVLKDEDLRKKYDKYGEKGLEDNQGGQYESWNYYRYDFGIYD
DDPEIITLERREFDAAVNSGELWFVNFYSPGCSHCHDLAPTWRDFAKEVDGLLRIGAVNCGDD
RMLCRMKGVNSYPSLFIFRSGMAPVKYHGDRSKESLVSFAMQHVRSTVTELWTGNFVNSIQTA
FAAGIGWLITFCSKGGDCLTSQTRLRLSGMLFLNSLDAKEIYLEVIHNLPDFELLSANTLEDR
LAHHRWLLFFHFGKNENSNDPELKKLKTLLKNDHIQVGRFDCSSAPDICSNLYVFQPSLAVFK
GQGTKEYEIHHGKKILYDILAFAKESVNSHVTTLGPQNFPANDKEPWLVDFFAPWCPPCRALL
PELRRASNLLYGQLKFGTLDCTVHEGLCNMYNIQAYPTTVVFNQSNIHEYEGHHSAEQILEFI
EDLMNPSVVSLTPTTFNELVTQRKHNEVWMVDFYSPWCHPCQVLMPEWKRMARTLTGLINVGS
IDCQQYHSFCAQENVQRYPEIRFFPPKSNKAYQYHSYNGWNRDAYSLRIWGLGFLPQVSTDLT
PQTFSEKVLQGKNHWVIDFYAPWCGPCQNFAPEFELLARMIKGKVKAGKVDCQAYAQTCQKAG
IRAYPTVKFYFYERAKRNFQEEQINTRDAKAIAALISEKLETLRNQGKRNKDEL

Important features:

Endoplasmic reticulum targeting sequence.

amino acids 744-747

Cytochrome c family heme-binding site signature.

amino acids 158-163

Nt-dnaJ domain signature.

amino acids 77-96

N-glycosylation site.

amino acids 484-487

427/550

FIGURE 427

CTGCAGTCAGGACTCTGGGACCGCAGGGGGGCTCCCGGACCCTGACTCTGCAGCCGAACCGGCA CGGTTTCGTGGGGACCCAGGCTTGCAAAGTGACGGTCATTTTCTCTTTTCTTCTCTTTGA GTCCTTCTGAGATGATGGCTCTGGGCGCAGCGGGAGCTACCCGGGTCTTTGTCGCGATGGTAG CGGCGGCTCTCGGCGGCCACCCTCTGCTGGGAGTGAGCGCCACCTTGAACTCGGTTCTCAATT CCAACGCTATCAAGAACCTGCCCCCACCGCTGGGCGCGCTGCGGGGCACCCAGGCTCTGCAG TCAGCGCCGCGCGGGAATCCTGTACCCGGGCGGGAATAAGTACCAGACCATTGACAACTACC AGCCGTACCCGTGCGCAGAGGACGAGGAGTGCGGCACTGATGAGTACTGCGCTAGTCCCACCC GCGGAGGGGACGCAGGCGTGCAAATCTGTCTCGCCTGCAGGAAGCGCCGAAAACGCTGCATGC GTCACGCTATGTGCTGCCCCGGGAATTACTGCAAAAATGGAATATGTGTGTCTTCTGATCAAA ATCATTTCCGAGGAGAATTGAGGAAACCATCACTGAAAGCTTTGGTAATGATCATAGCACCT TGGATGGGTATTCCAGAAGAACCACCTTGTCTTCAAAAATGTATCACACCAAAGGACAAGAAG GTTCTGTTTGTCTCCGGTCATCAGACTGTGCCTCAGGATTGTGTTGTGCTAGACACTTCTGGT CCAAGATCTGTAAACCTGTCCTGAAAGAAGGTCAAGTGTGTACCAAGCATAGGAGAAAAGGCT AAGATCACCATCAAGCCAGTAATTCTTCTAGGCTTCACACTTGTCAGAGACACTAAACCAGCT ATCCAAATGCAGTGAACTCCTTTTATATAATAGATGCTATGAAAACCTTTTATGACCTTCATC AACTCAATCCTAAGGATATACAAGTTCTGTGGTTTCAGTTAAGCATTCCAATAACACCTTCCA AAAACCTGGAGTGTAAGAGCTTTGTTTCTTTATGGAACTCCCCTGTGATTGCAGTAAATTACT GTATTGTAAATTCTCAGTGTGGCACTTACCTGTAAATGCAATGAAACTTTTAATTATTTTTCT CTTGACTGACAAATATTCTATATTGAACTGAAGTAAATCATTTCAGCTTATAGTTCTTAAAAG CATAACCCTTTACCCCATTTAATTCTAGAGTCTAGAACGCAAGGATCTCTTGGAATGACAAAT GATAGGTACCTAAAATGTAACATGAAAATACTAGCTTATTTTCTGAAATGTACTATCTTAATG AAAAA

428/550

FIGURE 428

MMALGAAGATRVFVAMVAAALGGHPLLGVSATLNSVLNSNAIKNLPPPLGGAAGHPGSAVSAA
PGILYPGGNKYQTIDNYQPYPCAEDEECGTDEYCASPTRGGDAGVQICLACRKRRKRCMRHAM
CCPGNYCKNGICVSSDQNHFRGEIEETITESFGNDHSTLDGYSRRTTLSSKMYHTKGQEGSVC
LRSSDCASGLCCARHFWSKICKPVLKEGQVCTKHRRKGSHGLEIFQRCYCGEGLSCRIQKDHH
QASNSSRLHTCQRH

Important features:

Signal peptide:

amino acids 1-23

N-glycosylation site.

amino acids 256-259

Fungal Zn(2)-Cys(6) binuclear cluster domain

amino acids 110-126

429/550

FIGURE 429

GAGAGGACGAGGTGCCGCTGCCTGGAGAATCCTCCGCTGCCGTCGGCTCCCGGAGCCCAGCCC TTTCCTAACCCAACCCAACCTAGCCCAGTCCCAGCCGCCAGCGCCTGTCCCTGTCACGGACCC CAGCGTTACCATGCATCCTGCCGTCTTCCTATCCTTACCCGACCTCAGATGCTCCCTTCTGCT CCTGGTAACTTGGGTTTTTACTCCTGTAACAACTGAAATAACAAGTCTTGCTACAGAGAATAT AGATGAAATTTTAAACAATGCTGATGTTGCTTTAGTAAATTTTTATGCTGACTGGTGTCGTTT CAGTCAGATGTTGCATCCAATTTTTGAGGAAGCTTCCGATGTCATTAAGGAAGAATTTCCAAA TGAAAATCAAGTAGTGTTTGCCAGAGTTGATTGTGATCAGCACTCTGACATAGCCCAGAGATA CAGGGGTCAGCGATCAGTGAAAGCATTGGCAGATTACATCAGGCAACAAAAAAGTGACCCCAT TCAAGAAATTCGGGACTTAGCAGAAATCACCACTCTTGATCGCAGCAAAAGAAATATCATTGG ATATTTTGAGCAAAAGGACTCGGACAACTATAGAGTTTTTGAACGAGTAGCGAATATTTTGCA TGATGACTGTGCCTTTCTTTCTGCATTTGGGGATGTTTCAAAACCGGAAAGATATAGTGGCGA CAACATAATCTACAAACCACCAGGGCATTCTGCTCCGGATATGGTGTACTTGGGAGCTATGAC AAATTTTGATGTGACTTACAATTGGATTCAAGATAAATGTGTTCCTCTTGTCCGAGAAATAAC ATTTGAAAATGGAGAGGAATTGACAGAAGAAGGACTGCCTTTTCTCATACTCTTTCACATGAA AGAAGATACAGAAAGTTTAGAAATATTCCAGAATGAAGTAGCTCGGCAATTAATAAGTGAAAA AGGTACAATAAACTTTTTACATGCCGATTGTGACAAATTTAGACATCCTCTTCTGCACATACA AGACTTCAAAGATGTATTAATTCCTGGAAAACTCAAGCAATTCGTATTTGACTTACATTCTGG AAAACTGCACAGAGAATTCCATCATGGACCTGACCCAACTGATACAGCCCCAGGAGAGCAAGC CCAAGATGTAGCAAGCAGTCCACCTGAGAGCTCCTTCCAGAAACTAGCACCCAGTGAATATAG GTATACTCTATTGAGGGATCGAGATGAGCTT**TAA**AAACTTGAAAAACAGTTTGTAAGCCTTTC AACAGCAGCATCAACCTACGTGGTGGAAATAGTAAACCTATATTTTCATAATTCTATGTGTAT AAAAAAAAAA

430/550

FIGURE 430

MHPAVFLSLPDLRCSLLLLVTWVFTPVTTEITSLATENIDEILNNADVALVNFYADWCRFSQM LHPIFEEASDVIKEEFPNENQVVFARVDCDQHSDIAQRYRISKYPTLKLFRNGMMMKREYRGQ RSVKALADYIRQQKSDPIQEIRDLAEITTLDRSKRNIIGYFEQKDSDNYRVFERVANILHDDC AFLSAFGDVSKPERYSGDNIIYKPPGHSAPDMVYLGAMTNFDVTYNWIQDKCVPLVREITFEN GEELTEEGLPFLILFHMKEDTESLEIFQNEVARQLISEKGTINFLHADCDKFRHPLLHIQKTP ADCPVIAIDSFRHMYVFGDFKDVLIPGKLKQFVFDLHSGKLHREFHHGPDPTDTAPGEQAQDV ASSPPESSFQKLAPSEYRYTLLRDRDEL

Important features:

Signal peptide:

amino acids 1-29

Endoplasmic reticulum targeting sequence.

amino acids 403-406

Tyrosine kinase phosphorylation site.

amino acids 203-211

Thioredoxin family proteins

amino acids 50-66

431/550

FIGURE 431

GAGCAGGACGGAGCCATGACCCCGCCAGGAAAGCAGGTGCCCAGGCCATGATCTGGACTGCA GGCTGGCTGCTGCTGCTGCTTCGCGGAGGAGCGCAGGCCCTGGAGTGCTACAGCTGCGTG CAGAAAGCAGATGACGGATGCTCCCCGAACAAGATGAAGACAGTGAAGTGCGCCGCCGGGCGTG GACGTCTGCACCGAGGCCGTGGGGGCGGTGGAGACCATCCACGGACAATTCTCGCTGGCAGTG CGGGGTTGCGGTTCGGGACTCCCCGGCAAGAATGACCGCGGCCTGGATCTTCACGGGCTTCTG GCGTTCATCCAGCTGCAGCAATGCGCTCAGGATCGCTGCAACGCCAAGCTCAACCTCACCTCG CGGGCGCTCGACCCGGCAGGTAATGAGAGTGCATACCCGCCCAACGGCGTGGAGTGCTACAGC TGTGTGGGCCTGAGCCGGGAGGCGTGCCAGGGTACATCGCCGCCGGTCGTGAGCTGCTACAAC GCCAGCGATCATGTCTACAAGGGCTGCTTCGACGGCAACGTCACCTTGACGGCAGCTAATGTG ACTGTGTCCTTGCCTGTCCGGGGCTGTGTCCAGGATGAATTCTGCACTCGGGATGGAGTAACA GGCCCAGGGTTCACGCTCAGTGGCTCCTGTTGCCAGGGGTCCCGCTGTAACTCTGACCTCCGC AACAAGACCTACTTCTCCCCTCGAATCCCACCCTTGTCCGGCTGCCCCCTCCAGAGCCCACG ACTGTGGCCTCAACCACATCTGTCACCACTTCTACCTCGGCCCCAGTGAGACCCACATCCACC ACCAAACCCATGCCAGCGCCAACCAGTCAGACTCCGAGACAGGGAGTAGAACACGAGGCCTCC CGGGATGAGGAGCCCAGGTTGACTGGAGGCGCCGCTGGCCACCAGGACCGCAGCAATTCAGGG CAGTATCCTGCAAAAGGGGGGCCCCAGCAGCCCCCATAATAAAGGCTGTGTGGCTCCCACAGCT ${\tt GGATTGGCAGCCCTTCTGTTGGCCGTGGCTGCTGGTGTCCTACTG} {\tt TGA}{\tt GCTTCTCCACCTGGA}$ AATTTCCCTCTCACCTACTTCTCTGGCCCTGGGTACCCCTCTTCTCATCACTTCCTGTTCCCA CCACTGGACTGGGCTGGCCCAGCCCCTGTTTTTCCAACATTCCCCAGTATCCCCAGCTTCTGC TGCGCTGGTTTGCGGCTTTGGGAAATAAAATACCGTTGTATATATTCTGCCAGGGGTGTTCTA GCTTTTTGAGGACAGCTCCTGTATCCTTCTCATCCTTGTCTCTCCGCTTGTCCTCTTGTGATG ACTCTAAGCACTGCCTCCCCTACTCCCCGCATCTTTGGGGAATCGGTTCCCCATATGTCTTCC TTACTAGACTGTGAGCTCCTCGAGGGGGGGCCCGGTACCCAATTCGCCCTATAGTGAGTCGTA

432/550

FIGURE 432

MDPARKAGAQAMIWTAGWLLLLLRGGAQALECYSCVQKADDGCSPNKMKTVKCAPGVDVCTE
AVGAVETIHGQFSLAVRGCGSGLPGKNDRGLDLHGLLAFIQLQQCAQDRCNAKLNLTSRALDP
AGNESAYPPNGVECYSCVGLSREACQGTSPPVVSCYNASDHVYKGCFDGNVTLTAANVTVSLP
VRGCVQDEFCTRDGVTGPGFTLSGSCCQGSRCNSDLRNKTYFSPRIPPLVRLPPPEPTTVAST
TSVTTSTSAPVRPTSTTKPMPAPTSQTPRQGVEHEASRDEEPRLTGGAAGHQDRSNSGQYPAK
GGPQQPHNKGCVAPTAGLAALLLAVAAGVLL

433/550

FIGURE 433

CGGGACTCGGCGGTCCTCCTGGGAGTCTCGGAGGGGACCGGCTGTGCAGACGCCATGGAGTT GGTGCTGGTCTTCCTCTGCAGCCTGCTGGCCCCCATGGTCCTGGCCAGTGCAGCTGAAAAGGA GAAGGAAATGGACCCTTTTCATTATGATTACCAGACCCTGAGGATTGGGGGGACTGGTGTTCGC TGTGGTCCTCTCTCGGTTGGGATCCTCCTTATCCTAAGTCGCAGGTGCAAGTGCAGTTTCAA TCAGAAGCCCCGGGCCCCAGGAGATGAGGAAGCCCAGGTGGAGAACCTCATCACCGCCAATGC AACAGAGCCCCAGAAGCAGAACTGAAGTGCAGCCATCAGGTGGAAGCCTCTGGAACCTGAG GCGGCTGCTTGAACCTTTGGATGCAAATGTCGATGCT<u>TAA</u>GAAAACCGGCCACTTCAGCAACA GCCCTTTCCCCAGGAGAAGCCAAGAACTTGTGTGTCCCCCACCCTATCCCCTCTAACACCATT CCTCCACCTGATGATGCAACTAACACTTGCCTCCCCACTGCAGCCTGCGGTCCTGCCCACCTC CCGTGATGTGTGTGTGTGTGTGTGTGTGTGTGTGTTTTGCTAACTGTGGTCTTTGTGG GCTGAGCCACATGGCCATCTGCTCCTCCCTGCCCCGTGGCCCTCCATCACCTTCTGCTCCTA GGAGGCTGCTTGTTGCCCGAGACCAGCCCCCTCCCCTGATTTAGGGATGCGTAGGGTAAGAGC ACGGGCAGTGGTCTTCAGTCGTCTTGGGACCTGGGAAGGTTTGCAGCACTTTGTCATCATTCT TCATGGACTCCTTTCACTCCTTTAACAAAAACCTTGCTTCCTTATCCCACCTGATCCCAGTCT GAAGGTCTCTTAGCAACTGGAGATACAAAGCAAGGAGCTGGTGAGCCCAGCGTTGACGTCAGG CAGGCTATGCCCTTCCGTGGTTAATTTCTTCCCAGGGGCTTCCACGAGGAGTCCCCATCTGCC CCGCCCTTCACAGAGCGCCCGGGGATTCCAGGCCCAGGGCTTCTACTCTGCCCCTGGGGAAT GTGTCCCCTGCATATCTTCTCAGCAATAACTCCATGGGCTCTGGGACCCTACCCCTTCCAACC TTCCCTGCTTCTGAGACTTCAATCTACAGCCCAGCTCATCCAGATGCAGACTACAGTCCCTGC AATTGGGTCTCTGGCAGGCAATAGTTGAAGGACTCCTGTTCCGTTGGGGCCCAGCACCCGGGA TGGATGGAGGGAGAGCAGAGGCCTTTGCTTCTCTGCCTACGTCCCCTTAGATGGGCAGCAGAG GCAACTCCCGCATCCTTTGCTCTGCCTGTCGGTGGTCAGAGCGGTGAGCGAGGTGGGTTGGAG ACTCAGCAGGCTCCGTGCAGCCCTTGGGAACAGTGAGAGGTTGAAGGTCATAACGAGAGTGGG GCTGTGACCCATTGCTGTTCTCTGTATCGTGATCTATCCTCAACAACAACAGAAAAAAAGGAAT AAAATATCCTTTGTTTCCT

434/550

FIGURE 434

MELVLVFLCSLLAPMVLASAAEKEKEMDPFHYDYQTLRIGGLVFAVVLFSVGILLILSRRCKC SFNQKPRAPGDEEAQVENLITANATEPQKQRTEVQPSGGSLWNLRRLLEPLDANVDA

435/550

FIGURE 435

GGTCCTTA**ATG**GCAGCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTGC TGTCCGGCTGGTCCCGGGCTGGGCCGACCCTCACTCTCTTTGCTATGACATCACCGTCA TCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGGTTCAAGGCCAGGTGGATGAAAAGACTT TTCTTCACTATGACTGTGGCAACAAGACAGTCACCTGTCAGTCCCCTGGGGAAGAAACTAA ATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACTTACAG AGCAACTGCGTGACATTCAGCTGGAGAATTACACACCCAAGGAACCCCTCACCCTGCAGGCAA GGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGTTTCGATG GGCAGATCTTCCTCCTCTTTGACTCAGAGAAGAGAATGTGGACAACGGTTCATCCTGGAGCCA GAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTTGTGGCCATGTCCTTCCATTACTTCTCAA TGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACACCCCTGGAGCCAA TCATCCTTTGCTGCCTCCTCATCATCCTCCCCTGCTTCATCCTCCCTGGCATCTGAGGAGAGT CCTTTAGAGTGACAGGTTAAAGCTGATACCAAAAGGCTCCTGTGAGCACGGTCTTGATCAAAC TCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGTGGCCTCCAGCAGAT CATGATGACATCATGGACCCAATAGCTCATTCACTGCCTTGATTCCTTTTGCCAACAATTTTA CCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACCTGATGGAATTCCTGCA TCAAGTACTTCTTTGAATGATGATCTCTTTCTTGCAAATGATATTGTCAGTAAAATAATCACG TTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAGAATTTTTTAAATTATTTAAT AAGAAAAATTTATATTAATGATTGTTTCCTTTAGTAATTTATTGTTCTGTACTGATATTTAA ATAAAGAGTTCTATTTCCCAAAAAAAAAAAAAAAAAAA

436/550

FIGURE 436

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWCAVQGQVDEKTFLH YDCGNKTVTPVSPLGKKLNVTTAWKAQNPVLREVVDILTEQLRDIQLENYTPKEPLTLQARMS CEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFHYFSMGD CIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

437/550

FIGURE 437

GTTCTCCTTTCCGAGCCAAAATCCCAGGCGATGGTGAATTATGAACGTGCCACACCATGAAGCTCTTGTGGCAGG TAACTGTGCACCACCACCTGGAATGCCATCCTGCTCCCGTTCGTCTACCTCACGGCGCAAGTGTGGATTCTGT GTGCAGCCATCGCTGCCGCCTCAGCCGGGCCCCAGAACTGCCCCTCCGTTTGCTCGTGCAGTAACCAGTTCA GCAAGGTGGTGTGCACGCGCGGGGCCTCTCCGAGGTCCCGCAGGGTATTCCCTCGAACACCCCGGTACCTCAACC TCATGGAGAACAACATCCAGATGATCCAGGCCGACACCTTCCGCCACCTCCACCTGGAGGTCCTGCAGTTGG GCAGGAACTCCATCCGGCAGATTGAGGTGGGGGCCTTCAACGGCCTGGCCAGCCTCAACACCCTGGAGCTGTTCG ACAACTGGCTGACAGTCATCCCTAGCGGGGCCTTTGAATACCTGTCCAAGCTGCGGGAGCTCTGGCTTCGCAACA AGAAGCTGGAGTATATCTCTGAGGGAGCTTTTGAGGGGGCTGTTCAACCTCAAGTATCTGAACTTGGGCATGTGCA ACATTAAAGACATGCCCAATCTCACCCCCTGGTGGGGCTGGAGGAGCTGGAGATGTCAGGGAACCACTTCCCTG AGATCAGGCCTGGCTCCTTCCATGGCCTGAGCTCCTCAAGAAGCTCTGGGTCATGAACTCACAGGTCAGCCTGA TTGAGCGGAATGCTTTTGACGGGCTGGCTTCACTTGTGGAACTCAACTTGGCCCACAATAACCTCTCTTTTTGC $\tt CCCATGACCTCTTTACCCCGCTGAGGTACCTGGTGGAGTTGCATCTACACCACAACCCTTGGAACTGTGATTGTG$ ACATTCTGTGGCTAGCCTGGTGGCTTCGAGAGTATATACCCACCAATTCCACCTGTGGCCGCTGTCATGCTC CCATGCACATGCGAGGCCGCTACCTCGTGGAGGTGGACCAGGCCTCCTTCCAGTGCTCTTGCCCCCTTCATCATGG ACGCACCTCGAGACCTCAACATTTCTGAGGGTCGGATGGCAGAACTTAAGTGTCGGACTCCCCCTATGTCCTCCG TGAAGTGGTTGCTGCCCAATGGGACAGTGCTCAGCCACGCCTCCCGCCACCCAAGGATCTCTGTCCTCAACGACG ACTCCAACGCCTCGGCCTACCTCAATGTGAGCACGGCTGAGCTTAACACCTCCAACTACAGCTTCTTCACCACAG TAACAGTGGAGACCACGGAGATCTCGCCTGAGGACACAACGCGAAAGTACAAGCCTGTTCCTACCACGTCCACTG GTTACCAGCCGGCATATACCACCTCTACCACGGTGCTCATTCAGACTACCCGTGTGCCCAAGCAGGTGGCAGTAC ${\tt CCGCGACAGACACCACTGACAAGATGCAGACCAGCCTGGATGAAGTCATGAAGACCACCAAGATCATCATTGGCT}$ GCTTTGTGGCAGTGACTCTGCTAGCTGCCGCCATGTTGATTGTCTTCTATAAACTTCGTAAGCGGCACCAGCAGC GGAGTACAGTCACAGCCGCCCGGACTGTTGAGATAATCCAGGTGGACGAAGACATCCCAGCAGCAACATCCGCAG CAGCAACAGCAGCTCCGTCCGGTGTATCAGGTGAGGGGGCAGTAGTGCTGCCCACAATTCATGACCATATTAACT ACAACACCTACAAACCAGCACATGGGGCCCACTGGACAGAAAACAGCCTGGGGAACTCTCTGCACCCCACAGTCA ${\tt CCACTATCTCTGAACCTTATATATTCAGACCCATACCAAGGACAAGGTACAGGAAACTCAAATA\underline{{\tt TGA}}{\tt CTCCCCT}$ CCCCCAAAAAACTTATAAAATGCAATAGAATGCACACAAAGACAACTTTTGTACAGAGTGGGGAGAGACTTT AGTCAAAACA

438/550

FIGURE 438

MKLLWQVTVHHHTWNAILLPFVYLTAQVWILCAAIAAAASAGPQNCPSVCSCSNQFSKVVCTR
RGLSEVPQGIPSNTRYLNLMENNIQMIQADTFRHLHHLEVLQLGRNSIRQIEVGAFNGLASLN
TLELFDNWLTVIPSGAFEYLSKLRELWLRNNPIESIPSYAFNRVPSLMRLDLGELKKLEYISE
GAFEGLFNLKYLNLGMCNIKDMPNLTPLVGLEELEMSGNHFPEIRPGSFHGLSSLKKLWVMNS
QVSLIERNAFDGLASLVELNLAHNNLSSLPHDLFTPLRYLVELHLHHNPWNCDCDILWLAWWL
REYIPTNSTCCGRCHAPMHMRGRYLVEVDQASFQCSAPFIMDAPRDLNISEGRMAELKCRTPP
MSSVKWLLPNGTVLSHASRHPRISVLNDGTLNFSHVLLSDTGVYTCMVTNVAGNSNASAYLNV
STAELNTSNYSFFTTVTVETTEISPEDTTRKYKPVPTTSTGYQPAYTTSTTVLIQTTRVPKQV
AVPATDTTDKMQTSLDEVMKTTKIIIGCFVAVTLLAAAMLIVFYKLRKRHQQRSTVTAARTVE
IIQVDEDIPAATSAAATAAPSGVSGEGAVVLPTIHDHINYNTYKPAHGAHWTENSLGNSLHPT
VTTISEPYIIQTHTKDKVQETQI

439/550

FIGURE 439

GTCGAATCCAAATCACTCATTGTGAAAGCTGAGCTCACAGCCGAATAAGCCACCATGAGGCTG
TCAGTGTGTCTCCTGATGGTCTCGCTGGCCCTTTGCTGCTACCAGGCCCATGCTCTTGTCTGC
CCAGCTGTTGCTTCTGAGATCACAGTCTTCTTATTCTTAAGTGACGCTGCGGTAAACCTCCAA
GTTGCCAAACTTAATCCACCTCCAGAAGCTCTTGCAGCCAAGTTGGAAGTGAAGCACTGCACC
GATCAGATATCTTTTAAGAAACGACTCTCATTGAAAAAAGTCCTGGTGGAAATAGTGAAAAAAAT
GTGGTGTGTGACATGTAAAAATGCTCAACCTGGTTTCCAAAGTCTTTCAACGACACCCTGATC
TTCACTAAAAATTGTAAAGGTTTCAACACGTTGCTTTAATAAATCACTTGCCCTGC

440/550

FIGURE 440

MRLSVCLLMVSLALCCYQAHALVCPAVASEITVFLFLSDAAVNLQVAKLNPPPEALAAKLEVK HCTDQISFKKRLSLKKSWWK

441/550

FIGURE 441

GAACATTTTAGTTCCCAAGGAATGTACATCAGCCCCACGGAAGCTAGGCCACCTCTGGGATG
GGGTTGCTGGTTTAAAACAAACGCCAGTCATCCTATATAAGGACCTGACAGCCACCAGGCACC
ACCTCCGCCAGGAACTGCAGGCCCACCTGTCTGCAACCCAGCTGAGGCCATGCCCCCCAGG
GACCGTCTGCAGCCTCCTGCTCCTCGGCATGCTCTGGCAGCCTTGGCCATGCCAGGCACCCAGG
CTTCCTGAGCCCTGAACACCAGAGAGTCCAGCAGAGAAAGGAGTCGAAGAAGCCACCAGCCAA
GCTGCAGCCCCGAGCTCTAGCAGGCTGGCTCCGCCCGGAAGATGGAGGTCAAGCAGAAGGGGC
AGAGGATGAACTGGAAGTCCGGTTCAACGCCCCCTTTGATGTTGGAATCAAGCTGTCAGGGGT
TCAGTACCAGCAGCAAGCCAGGCCCTGGGGAAGTTTCTTCAGGACATCCTCTGGGAAGAGGGC
CAAAGAGGCCCCAGCCGACAAGTTACTCACCTCTCTCTAAGTTTAGA
AGCGCTCATCTGGCTTTTCGCTTGCTTCTGCAGCAACTCCCACGACTGTTGTACAAGCTCAGG
AGGCGAATAAATGTTCAAACTGTA

442/550

FIGURE 442

MPSPGTVCSLLLLGMLWLDLAMAGSSFLSPEHQRVQQRKESKKPPAKLQPRALAGWLRPEDGG QAEGAEDELEVRFNAPFDVGIKLSGVQYQQHSQALGKFLQDILWEEAKEAPADKO

FIGURE 443

CGGCCACAGCTGGCATGCTCTGCCTGATCGCCATCCTGCTGTATGTCCTCGTCCAGTACCTCG $\tt TGAACCCCGGGGTGCTCCGCACGGACCCCAGATGTCAAGAAT \underline{\textbf{ATG}} \texttt{AACACGTGGCTGCTGTTC}$ $\tt CTCCCCTGTTCCCGGTGCAGGTGCAGACCCTGATAGTCGTGATCATCGGGATGCTCGTGCTC$ $\tt CTGCTGGACTTCTTGGCTTGGTGCACCTGGGCCAGCTGCTCATCTTCCACATCTACCTGAGT$ $\tt ATGTCCCCCACCCTAAGCCCCCGATCCCCCCAAGGCTGGGTGGTCAGAGCTGCTCATCTTACA$ ${\tt CCTCTACTTGAGTATGTCCCTAACCCTGAGCCCCCACGCCTGGGGCCAGAGTCTTTGTCCCC}$ CGTGTGCGCATGTGTTCAGGGTCAGCCTCTCCCAGAAGTGAGATCATGGACAAAAAGGGCCAAA TCACAGGAAGAATTAAATCCATGAGGACCCAGCAGGCCCAGCAAGAAGCTGAACTCACGCCG ${\tt AGACCTGCAGGAGTGCTGCCAGGTGCT} \underline{{\tt TGA}} {\tt AGACCTGCAGGAGTGCTAAAATGTTCAGAGACAATGGA}$ ATGGAATCTATTAGGCAAGAACAGGACATTATGAAATAAGGACAGGTGGACTTCCAAAAACAC AAGTAGAAATTCTAACAATGAAATATATTACAGGCAGGTCACCCACTAACCAAACAACTGAAG GAACGACGGAGGGTAAACTCCCCAGCCCCAAGAAAACCTGTGTTGGAAGTAACAACAACCTCC $\tt CTGCTCCTGGCACCAGCCGTTTTGGTCATGGTGGGCCAGCTGCAAAGCGTCTTCCATTCTCTG$ ${\tt GGCAGTGGTGGCCCCGAGGCTGTGGCCTCTCAGGGGGTTTCTGTGGACACGGGCAGCAGAGTG}$ TGTCCAGGCCAGCCCCAAGAATGCCCTGCTCCTGACAGCTTGGCCAACCCCTGGTCAGGGCA TTGTGGCAAGAACGCCCAGCTCAGAATGAACACACCCCACCAAGAGCCTCCTTGTTCATAACC AAAAAAAA

444/550

FIGURE 444

MNTWLLFLPLFPVQVQTLIVVIIGMLVLLLDFLGLVHLGQLLIFHIYLSMSPTLSPRSPQGWV VRAAHLTPLLEYVPNPEPPTPGARVFVPRVRMCSGSASPRSEIMDKKGKSQEEIKSMRTQQAQ QEAELTPRPAGVVPGA

445/550

FIGURE 445

AGGCGGCAGCAGCTGCAGGCTGACCTTGCAGCTTGGCGGAATGGACTGGCCTCACAACCTGC
TGTTTCTTTCTTACCATTTCCATCTTCCTGGGGCTGGGCCAGCCCAGGAGCCCCAAAAGCAAGA
GGAAGGGGCAAGGGCGGCCTGGGCCCCTGGCCCTCACCAGGTGCCACTGGACCTGG
TGTCACGGATGAAACCGTATGCCCGCATGGAGGAGTATGAGAGGAACATCGAGGAGATGGTGG
CCCAGCTGAGGAACAGCTCAGAGCTGGCCCAGAGAAAGTGTGAGGTCAACTTGCAGCTGTGGA
TGTCCAACAAGAGGAGCCTGTCTCCCTGGGGCTACAGCATCAACCACGACCCCAGCCGTATCC
CCGTGGACCTGCCGGAGGCACGGTGCCTGTGTCTGGGCTGTGTAACCCCTTCACCATGCAGG
AGGACCGCAGCATGGTGAGCGTGCCGGTGTTCAGCCAGGTTCCTGTGCGCCGCCGCCTCTGCC
CGCCACCGCCCCGCACAGGGCCTTGCCGCCAGCGCCAGTCATGGAGACCATCGCTGTGGGCT
GCACCTGCATCTTCTGAATCACCTGGCCCAGAAGCCAGGCCCAGCACCAGCCCCAGACCATCCTTCT
TGCACCTTTGTGCCAAGAAAGGCCTATGAAAAGTAAACACTGACTTTTGAAAGCAAG

446/550

FIGURE 446

MDWPHNLLFLLTISIFLGLGQPRSPKSKRKGQGRPGPLAPGPHQVPLDLVSRMKPYARMEEYE RNIEEMVAQLRNSSELAQRKCEVNLQLWMSNKRSLSPWGYSINHDPSRIPVDLPEARCLCLGC VNPFTMQEDRSMVSVPVFSQVPVRRRLCPPPPRTGPCRQRAVMETIAVGCTCIF

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation site.

amino acids 75-78

Homologous region to IL-17

amino acids 96-180.

447/550

FIGURE 447

GGAGTGCAGATGGCATCCTTCGGTTCTTCCAGACAAGCTGCAAGACGCTGACCATGGCCAAGA TGGAGCTCTCGAAGGCCTTCTCTGGCCAGCGGACACTCCTATCTGCCATCCTCAGCATGCTAT CACTCAGCTTCTCCACAACATCCCTGCTCAGCAACTACTGGTTTGTGGGCACACAGAAGGTGC CCAAGCCCCTGTGCGAGAAAGGTCTGGCAGCCAAGTGCTTTGACATGCCAGTGTCCCTGGATG TCTCCTTCCGGAGCTTCCGGAGTGGCATGTGGCTATCCTGTGAGGAAACTGTGGAAGAACCAG GGGAGAGGTGCCGAAGTTTCATTGAACTTACACCACCAGCCAAGAGAGGTGAGAAAGGACTAC TGGAATTTGCCACGTTGCAAGGCCCATGTCACCCCACTCTCCGATTTGGAGGGAAGCGGTTGA TGGAGAAGGCTTCCCTCCCCTCCCTTGGGGCTTTGTGGCAAAAATCCTATGGTTATCC CTGGGAACGCAGATCACCTACATCGGACTTCAATTCATCAGCTTCCTCCTGCTACTAACAGAC TTGCTACTCACTGGGAACCCTGCCTGTGGGCTCAAACTGAGCGCCTTTGCTGCTGTTTCCTCT GTCCTGTCAGGTCTCCTGGGGATGGTGGCCCACATGATGTATTCACAAGTCTTCCAAGCGACT GTCAACTTGGGTCCAGAAGACTGGAGACCACATGTTTGGAATTATGGCTGGGCCTTCTACATG GCCTGGCTCTCCTTCACCTGCTGCATGGCGTCGGCTGTCACCACCTTCAACACGTACACCAGG $\mathtt{ATGGTGCTGGAGTTCAAGTGCAAGCA}$ TAGTAAGAGCTTCAAGGAAAACCCGAACTGCCTACCA CATCACCATCAGTGTTTCCCTCGGCGGCTGTCAAGTGCAGCCCCCACCGTGGGTCCTTTGACC AGCTACCACCAGTATCATAATCAGCCCATCCACTCTGTCTCTGAGGGAGTCGACTTCTACTCC TCTGTAGAGGAAGAGCAGTGTTAGGAGTTAAGCGGGTTTGGGGAGTAGGCTTGAGCCCTACCT TACACGTCTGCTGATTATCAACATGTGCTTAAGCCAACATCCGTCTCTTGAGCATGGTTTTTA GAGGCTACGAATAAGGCTATGAATAAGGGTTATCTTTAAGTCCTAAGGGATTCCTGGGTGCCA AGTAAAATACACTTCCCGACCTTAAGGATCTGAAA

448/550

FIGURE 448

MAKMELSKAFSGQRTLLSAILSMLSLSFSTTSLLSNYWFVGTQKVPKPLCEKGLAAKCFDMPV SLDGDTNTSTQEVVQYNWETGDDRFSFRSFRSGMWLSCEETVEEPGERCRSFIELTPPAKRGE KGLLEFATLQGPCHPTLRFGGKRLMEKASLPSPPLGLCGKNPMVIPGNADHLHRTSIHQLPPA TNRLATHWEPCLWAQTERLCCCFLCPVRSPGDGGPHDVFTSLPSDCQLGSRRLETTCLELWLG LLHGLALLHLLHGVGCHHLQHVHQDGAGVQVQA

FIGURE 449

TATAATTAGCCTGCACACAAAGGGAGCAGCTGAATGGAGGTTGTCACTCTCTGGAAAAGGATTTCTGACCGAGCG TATGACCATTAAATGTGCTTCTGAAATATATTTTGAGATAGGTTTAGAATGTCA

450/550

FIGURE 450

MDFLLLGLCLYWLLRRPSGVVLCLLGACFQMLPAAPSGCPQLCRCEGRLLYCEALNLTEAPHN
LSGLLGLSLRYNSLSELRAGQFTGLMQLTWLYLDHNHICSVQGDAFQKLRRVKELTLSSNQIT
QLPNTTFRPMPNLRSVDLSYNKLQALAPDLFHGLRKLTTLHMRANAIQFVPVRIFQDCRSLKF
LDIGYNQLKSLARNSFAGLFKLTELHLEHNDLVKVNFAHFPRLISLHSLCLRRNKVAIVVSSL
DWVWNLEKMDLSGNEIEYMEPHVFETVPHLQSLQLDSNRLTYIEPRILNSWKSLTSITLAGNL
WDCGRNVCALASWLSNFQGRYDGNLQCASPEYAQGEDVLDAVYAFHLCEDGAEPTSGHLLSAV
TNRSDLGPPASSATTLADGGEGQHDGTFEPATVALPGGEHAENAVQIHKVVTGTMALIFSFLI
VVLVLYVSWKCFPASLRQLRQCFVTQRRKQKQKQTMHQMAAMSAQEYYVDYKPNHIEGALVII
NEYGSCTCHQQPARECEV

FIGURE 451

TTGAGCGCAGGTGAGCTCCTGCGCGTTCCGGGGGCGTTCCTCCAGTCACCCTCCCGCCGTTAC AAATTTATCTTGGTGTCCTTCATACTTGCTGCACTGAGTCTTTCAACCACCTTTTCTCTCCAA CTAGACCAGCAAAAGGTTCTACTAGTTTCTTTTGATGGATTCCGTTGGGATTACTTATATAAA GTTCCAACGCCCCATTTTCATTATATTATGAAATATGGTGTTCACGTGAAGCAAGTTACTAAT GTTTTTATTACAAAAACCTACCCTAACCATTATACTTTGGTAACTGGCCTCTTTGCAGAGAAT CATGGGATTGTTGCAAATGATATGTTTGATCCTATTCGGAACAAATCTTTCTCCTTGGATCAC ATGAATATTTATGATTCCAAGTTTTGGGAAGAGCGACACCAATATGGATCACAAACCAGAGG GCAGGACATACTAGTGGTGCAGCCATGTGGCCCGGAACAGATGTAAAAATACATAAGCGCTTT CCTACTCATTACATGCCTTACAATGAGTCAGTTTCATTTGAAGATAGAGTTGCCAAAATTGTT GAATGGTTTACGTCAAAAGAGCCCATAAATCTTGGTCTTCTCTATTGGGAAGACCCTGATGAC ATGGGCCACCATTTGGGACCTGACAGTCCGCTCATGGGGCCTGTCATTTCAGATATTGACAAG AAGTTAGGATATCTCATACAAATGCTGAAAAAGGCAAAGTTGTGGAACACTCTGAACCTAATC ATCACAAGTGATCATGGAATGACGCAGTGCTCTGAGGAAAGGTTAATAGAACTTGACCAGTAC CTGGATAAAGACCACTATACCCTGATTGATCAATCTCCAGTAGCAGCCATCTTGCCAAAAGAA GGTAAATTTGATGAAGTCTATGAAGCACTAACTCACGCTCATCCTAATCTTACTGTTTACAAA AAAGAAGACGTTCCAGAAAGGTGGCATTACAAATACAACAGTCGAATTCAACCAATCATAGCA GTGGCTGATGAAGGGTGGCACATTTTACAGAATAAGTCAGATGACTTTCTGTTAGGCAACCAC GGTTACGATAATGCGTTAGCAGATATGCATCCAATATTTTTAGCCCATGGTCCTGCCTTCAGA AAGAATTTCTCAAAAGAAGCCATGAACTCCACAGATTTGTACCCACTACTATGCCACCTCCTC AATATCACTGCCATGCCACACAATGGATCATTCTGGAATGTCCAGGATCTGCTCAATTCAGCA ATGCCAAGGGTGGTCCCTTATACACAGAGTACTATACTCCTCCCTGGTAGTGTTAAACCAGCA GAATATGACCAAGAGGGGTCATACCCTTATTTCATAGGGGTCTCTCTTGGCAGCATTATAGTG ATTGTATTTTTTGTAATTTTCATTAAGCATTTAATTCACAGTCAAATACCTGCCTTACAAGAT ATGCATGCTGAAATAGCTCAACCATTATTACAAGCC**TAA**TGTTACTTTGAAGTGGATTTGCAT ATTGAAGTGGAGATTCCATAATTATGTCAGTGTTTAAAGGTTTCAAATTCTGGGAAACCAGTT CACATACACACACGGACCAAAATACTTACACCTGCAAAGGAATAAAGATGTGAGAGTATGT CTCCATTGTTCACTGTAGCATAGGGATAGATAAGATCCTGCTTTATTTGGACTTGGCGCAGAT AATGTATATATTTAGCAACTTTGCACTATGTAAAGTACCTTATATATTTGCACTTTAAATTTCT CTCCTGATGGGTACTTTAATTTGAAATGCACTTTATGGACAGTTATGTCTTATAACTTGATTG AAAATGACAACTTTTTGCACCCATGTCACAGAATACTTGTTACGCATTGTTCAAACTGAAGGA GGTGATAAGTGTTGAAAATTAAATGTGATAACCTTTGAACCTTGAATTTTTGGAGATGTATTCC TTTATTTTTCCCTCAAAAGAGAGTCAAATACTGACAGATTCGTTCTAAATATATTGTTTCTGT CATAAAATTATTGTGATTTCCTGATGAGTCATATTACTGTGATTTTCATAATAATGAAGACAC CATGAATATACTTTTCTTCTATATAGTTCAGCAATGGCCTGAATAGAAGCAACCAGGCACCAT CTCAGCAATGTTTTCTCTTGTTTGTAATTATTTGCTCCTTTGAAAATTAAATCACTATTAATT

FIGURE 452

MTSKFILVSFILAALSLSTTFSLQLDQQKVLLVSFDGFRWDYLYKVPTPHFHYIMKYGVHVKQ
VTNVFITKTYPNHYTLVTGLFAENHGIVANDMFDPIRNKSFSLDHMNIYDSKFWEEATPIWIT
NQRAGHTSGAAMWPGTDVKIHKRFPTHYMPYNESVSFEDRVAKIVEWFTSKEPINLGLLYWED
PDDMGHHLGPDSPLMGPVISDIDKKLGYLIQMLKKAKLWNTLNLIITSDHGMTQCSEERLIEL
DQYLDKDHYTLIDQSPVAAILPKEGKFDEVYEALTHAHPNLTVYKKEDVPERWHYKYNSRIQP
IIAVADEGWHILQNKSDDFLLGNHGYDNALADMHPIFLAHGPAFRKNFSKEAMNSTDLYPLLC
HLLNITAMPHNGSFWNVQDLLNSAMPRVVPYTQSTILLPGSVKPAEYDQEGSYPYFIGVSLGS
IIVIVFFVIFIKHLIHSQIPALQDMHAEIAQPLLQA

Important features:

Signal Peptide:

amino acids 1-22

Transmembrane Domain:

amino acids 429-452

N-glycosylation sites:

amino acids 101-104, 158-161, 292-295, 329-332, 362-365, 369-372, 382-385, 389-392

Somatomedin B Domain:

amino acids 69-85

Sulfatase protein Region:

amino acids 212-241

FIGURE 453

GGCCGCCTGGAATTGTGGGAGTTGTCTCTCCACTCGGCTGCCGAGGCCGAAGGTCCGTGAC $\mathtt{T} \underline{\mathtt{ATG}} \mathtt{GCTCCCCAGAGCCTGCCTTCATCTAGGATGGCTCCTCTGGGCATGCTGCTTGGGCTGCT$ GATGGCCGCCTGCTTCACCTTCTGCCTCAGTCATCAGAACCTGAAGGAGTTTGCCCTGACCAA TGCCGAAGTCCTGGAGGTGTTCCACCCGACGCATGAGTGGCAGGCCCTTCAGCCAGGGCAGGC TGTCCCTGCAGGATCCCACGTACGGCTGAATCTTCAGACTGGGGAAAGAGAGGCAAAACTCCA ATATGAGGACAAGTTCCGAAATAATTTGAAAGGCAAAAGGCTGGATATCAACACCAACACCTA CACATCTCAGGATCTCAAGAGTGCACTGGCAAAATTCAAGGAGGGGGCCAGAGATGGAGAGTTC AAAGGAAGACAAGGCAAGGCAGGCTGAGGTAAAGCGGCTCTTCCGCCCCATTGAGGAACTGAA GAAAGACTTTGATGAGCTGAATGTTGTCATTGAGACTGACATGCAGATCATGGTACGGCTGAT CAACAAGTTCAATAGTTCCAGCTCCAGTTTGGAAGAGAAGATTGCTGCGCTCTTTGATCTTGA ATATTATGTCCATCAGATGGACAATGCGCAGGACCTGCTTTCCTTTGGTGGTCTTCAAGTGGT GATCAATGGGCTGAACAGCACAGAGCCCCTCGTGAAGGAGTATGCTGCGTTTGTGCTGGGCGC TGCCTTTTCCAGCAACCCCAAGGTCCAGGTGGAGGCCATCGAAGGGGGAGCCCTGCAGAAGCT GCTGGTCATCCTGGCCACGGAGCAGCCGCTCACTGCAAAGAAGAAGATCCTGTTTGCACTGTG CTCCCTGCTGCGCCACTTCCCCTATGCCCAGCGGCAGTTCCTGAAGCTCGGGGGGCTGCAGGT ${\tt CCTGAGGACCCTGGTGCAGGAGAAGGGCACGGAGGTGCTCGCCGTGCGCGTGGTCACACTGCT}$ CTACGACCTGGTCACGGAGAAGATGTTCGCCGAGGAGGAGGCTGAGCTGACCCAGGAGATGTC CCCAGAGAAGCTGCAGCAGTATCGCCAGGTACACCTCCTGCCAGGCCTGTGGGAACAGGGCTG GTGCGAGATCACGGCCCACCTCCTGGCGCTGCCCGAGCATGATGCCCGTGAGAAGGTGCTGCA GACACTGGGCGTCCTCCTGACCACCTGCCGGGACCGCTACCGTCAGGACCCCCAGCTCGGCAG GACACTGCCAGCCTGCAGGCTGAGTACCAGGTGCTGGCCAGCCTGGAGCTGCAGGATGGTGA GGACGAGGCTACTTCCAGGAGCTGCTGGGCTCTGTCAACAGCTTGCTGAAGGAGCTGAGAAG **A**GGCCCCACACCAGGACTGGACTGGGATGCCGCTAGTGAGGCTGAGGGGTGCCAGCGTGGGTG GGCTTCTCAGGCAGGAGGACATCTTGGCAGTGCTGGCTTGGCCATTAAATGGAAACCTGAAGG АААААААААААААААААААААААААААААААААА

454/550

FIGURE 454

MAPQSLPSSRMAPLGMLLGLLMAACFTFCLSHQNLKEFALTNPEKSSTKETERKETKAEEELD
AEVLEVFHPTHEWQALQPGQAVPAGSHVRLNLQTGEREAKLQYEDKFRNNLKGKRLDINTNTY
TSQDLKSALAKFKEGAEMESSKEDKARQAEVKRLFRPIEELKKDFDELNVVIETDMQIMVRLI
NKFNSSSSSLEEKIAALFDLEYYVHQMDNAQDLLSFGGLQVVINGLNSTEPLVKEYAAFVLGA
AFSSNPKVQVEAIEGGALQKLLVILATEQPLTAKKKVLFALCSLLRHFPYAQRQFLKLGGLQV
LRTLVQEKGTEVLAVRVVTLLYDLVTEKMFAEEEAELTQEMSPEKLQQYRQVHLLPGLWEQGW
CEITAHLLALPEHDAREKVLQTLGVLLTTCRDRYRQDPQLGRTLASLQAEYQVLASLELQDGE
DEGYFQELLGSVNSLLKELR

Important features:

Signal peptide:

amino acids 1-29

Hypothetical YJL126w/YLR351c/yhcX family protein.

amino acids 364-373

N-glycosylation site.

amino acids 193-197, 236-240

N-myristoylation site.

amino acids 15-21, 19-25, 234-240, 251-257, 402-408, 451-457

Homologous region SLS1 protein.

amino acids 68-340

FIGURE 455

GCCCCAGGGAGCAGTGGGTGATAAACTCAGGCCCGGTGCCCAGAGCCCAGGAGGAGGCAGT GGCCAGGAAGGCACAGGCCTGAGAAGTCTGCGGCTGAGCTGGGAGCAAATCCCCCACCCCCTA CTGTGCGTCCTGCACCCACATCTTTCTCTGTCCCCTCCTTGCCCTGTCTGGAGGCTGCTAGAC TCCTATCTTCTGAATTCTATAGTGCCTGGGTCTCAGCGCAGTGCCGATGGTGGCCCGTCCTTG TGGTTCCTCTCTACCTGGGGAAATAAGGTGCAGCGGCCATGCCTACAGCAAGACCCCCCTGGA TGTGGGTGCTCTGTGCTCTGATCACAGCCTTGCTTCTGGGGGTCACAGAGCATGTTCTCGCCA ACAATGATGTTTCCTGTGACCACCCCTCTAACACCGTGCCCTCTGGGAGCAACCAGGACCTGG GAGCTGGGGCCGGGAAGACGCCCGGTCGGATGACAGCAGCAGCCGCATCATCAATGGATCCG ACTGCGATATGCACACCCAGCCGTGGCAGGCCGCGCTGTTGCTAAGGCCCAACCAGCTCTACT GCGGGGCGTGTTGGTGCATCCACAGTGGCTGCTCACGGCCGCCCACTGCAGGAAGAAAGTTT TCAGAGTCCGTCTCGGCCACTACTCCCTGTCACCAGTTTATGAATCTGGGCAGCAGATGTTCC AGGGGGTCAAATCCATCCCCACCCTGGCTACTCCCACCCTGGCCACTCTAACGACCTCATGC TCATCAAACTGAACAGAAGAATTCGTCCCACTAAAGATGTCAGACCCATCAACGTCTCCTCTC TGCACTTCCCTAAGGTCCTCCAGTGCTTGAATATCAGCGTGCTAAGTCAGAAAAGGTGCGAGG ATGCTTACCCGAGACAGATAGATGACACCATGTTCTGCGCCGGTGACAAAGCAGGTAGAGACT CCTGCCAGGGTGATTCTGGGGGGCCTGTGGTCTGCAATGGCTCCCTGCAGGGACTCGTGTCCT GGGGAGATTACCCTTGTGCCCGGCCCAACAGACCGGGTGTCTACACGAACCTCTGCAAGTTCA CCAAGTGGATCCAGGAAACCATCCAGGCCAACTCC<u>TGA</u>GTCATCCCAGGACTCAGCACACCGG TGTTGAGAATGTTCATCTCTCCAGCCCCTGACCCCATGTCTCCTGGACTCAGGGTCTGCTTCC CCCACATTGGGCTGACCGTGTCTCTCTAGTTGAACCCTGGGAACAATTTCCAAAACTGTCCAG GGCGGGGGTTGCGTCTCAATCTCCCTGGGGCACTTTCATCCTCAAGCTCAGGGCCCATCCCTT

456/550

FIGURE 456

MATARPPWMWVLCALITALLLGVTEHVLANNDVSCDHPSNTVPSGSNQDLGAGAGEDARSDDS SSRIINGSDCDMHTQPWQAALLLRPNQLYCGAVLVHPQWLLTAAHCRKKVFRVRLGHYSLSPV YESGQQMFQGVKSIPHPGYSHPGHSNDLMLIKLNRRIRPTKDVRPINVSSHCPSAGTKCLVSG WGTTKSPQVHFPKVLQCLNISVLSQKRCEDAYPRQIDDTMFCAGDKAGRDSCQGDSGGPVVCN GSLQGLVSWGDYPCARPNRPGVYTNLCKFTKWIQETIQANS

457/550

FIGURE 457

GCAGTCAGAGACTTCCCCTGCCCCTCGCTGGGAAAGAACATTAGGAATGCCTTTTAGTGCCTTGCTTCCTGAACT AGCTCACAGTAGCCCGGCGCCCAGGGCAATCCGACCACATTTCACTCTCACCGCTGTAGGAATCCAGATGCAGG CCAAGTACAGCACGACGACGACATGCTGGATGATGATGGGGACACCACCATGAGCCTGCATTCTCAAGCCTCTG ${\tt CCCTGCTGACTTTGTGCTGGTGCTGGTAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTCAGTACTACCAGC}$ TCTCCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAGATTAGGAAATACGTCCCAAGAGTTGCAATCTC TTCAAGTCCAGAATATAAAGCTTGCAGGAAGTCTGCAGCATGTGGCTGAAAAACTCTGTCGTGAGCTGTATAACA AAGCTGGAGCACACAGGTGCAGCCCTTGTACAGAACAATGGAAATGGCATGGAGACAATTGCTACCAGTTCTATA AAGAAGACCTGGAATTTGCCGCGTCTCAGAGCTACTCTGAGTTTTTCTACTCTTATTGGACAGGGCTTTTGCGCC CTGACAGTGGCAAGGCCTGGCTGTGGATGGATGGAACCCCTTTCACTTCTGAACTGTTCCATATTATAATAGATG TCACCAGCCCAAGAAGCAGAGACTGTGTGGCCATCCTCAATGGGATGATCTTCTCAAAGGACTGCAAAGAATTGA AGCGTTGTGTCTGTGAGAGAGGGCAGGAATGGTGAAGCCAGAGAGCCTCCATGTCCCCCCTGAAACATTAGGCG ACATTGGGAAATGGAACATAATCAGGAAAGACTATCTCTCTGACTAGTACAAAATGGGTTCTCGTGTTTCCTGTT CAGGATCACCAGCATTTCTGAGCTTGGGTTTATGCACGTATTTAACAGTCACAAGAAGTCTTATTTACATGCCAC TGTCTAATATCACCTCCCTGTTTTCATGTCTTCCTTACACTTGGTGGAATAAGAAACTTTTTGAAGTAGAGGAAA TACATTGAGGTAACATCCTTTTCTCTGACAGTCAAGTAGTCCATCAGAAATTGGCAGTCACTTCCCAGATTGTAC CAGCAAATACACAAGGAATTCTTTTTGTTTCAGTTCATACTAGTCCCTTCCCAATCCATCAGTAAAGACCC CATCTGCCTTGTCCATGCCGTTTCCCAACAGGGATGTCACTTGATATGAGAATCTCAAATCTCAATGCCTTATAA ATCCCCATCTCCGTTTCATATCAGAACTACCGTCCCCGATATTCCCTTCAGAGAGATTAAAGACCAGAAAAAAGT GAGCCTCTTCATCTGCACCTGTAATAGTTTCAGTTCCTATTTTCTTCCATTGACCCATATTTATACCTTTCAGGT ACTGAAGATTTAATAATAATAATGTAAATACTGTGAAAAA

458/550

FIGURE 458

MQAKYSSTRDMLDDDGDTTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCLVLLI GLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLQHVAEKLCRELY NKAGAHRCSPCTEQWKWHGDNCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAASQSY SEFFYSYWTGLLRPDSGKAWLWMDGTPFTSELFHIIIDVTSPRSRDCVAILNGMIFSKDCKEL KRCVCERRAGMVKPESLHVPPETLGEGD

459/550

FIGURE 459

GTTGATGGCAAACTTCCTCAAAGGAGGGGCAGAGCCTGCGCAGGGCAGGAGCAGCTGGCCCAC TGGCGGCCCGCAACACTCCGTCTCACCCTCTGGGCCCACTGCATCTAGAGGAGGGCCGTCTGT GAGGCCACTACCCCTCCAGCAACTGGGAGGTGGGACTGTCAGAAGCTGGCCCAGGGTGGTGGT CAGCTGGGTCAGGGACCTACGGCACCTGCTGGACCACCTCGCCTTCTCCATCGAAGCAGGGAA GTGGGAGCCTCGAGCCCTCGGGTGGAAGCTGACCCCAAGCCACCCTTCACCTGGACAGGA<u>ATG</u>A GAGTGTCAGGTGTGCTTCGCCTCCTGGCCCTCATCTTTGCCATAGTCACGACATGGATGTTTA CCACCAAGGAGATCCAGGTTAAAAAGTACAAGTGTGGCCTCATCAAGCCCTGCCCAGCCAACT ACTTTGCGTTTAAAATCTGCAGTGGGGCCGCCAACGTCGTGGGCCCTACTATGTGCTTTGAAG ACCGCATGATCATGAGTCCTGTGAAAAACAATGTGGGCAGAGGCCTAAACATCGCCCTGGTGA ATGGAACCACGGGAGCTGTGCTGGGACAGAAGGCATTTGACATGTACTCTGGAGATGTTATGC ACCTAGTGAAATTCCTTAAAGAAATTCCGGGGGGTGCACTGGTGGTGGCCTCCTACGACG ATCCAGGGACCAAAATGAACGATGAAAGCAGGAAACTCTTCTCTGACTTGGGGAGTTCCTACG CAAAACAACTGGGCTTCCGGGACAGCTGGGTCTTCATAGGAGCCAAAGACCTCAGGGGTAAAA TGCTGGAGATGGAGGGCTGCATGCCCCCGAAGCCATTTTAGGGTGGCTGTGGCTCTTCCTCAG CCAGGGGCCTGAAGAAGCTCCTGCCTGACTTAGGAGTCAGAGCCCGGCAGGGGCTGAGGAGGA GGAGCAGGGGGTGCTGCAGGTGCTGCAGGTCCTTGCACGCTGTGTCGCGCCTCTCCTC CTCGGAAACAGAACCCTCCCACAGCACATCCTACCCGGAAGACCAGCCTCAGAGGGTCCTTCT GGAACCAGCTGTCTGTGGAGAGAATGGGGTGCTTTCGTCAGGGACTGCTGACGGCTGGTCCTG AGGAAGGACAAACTGCCCAGACTTGAGCCCAATTAAATTTTATTTTTTGCTGGTTTTGAAAAAA AAAAAAAAAAAA

460/550

FIGURE 460

MRVSGVLRLLALIFAIVTTWMFIRSYMSFSMKTIRLPRWLAASPTKEIQVKKYKCGLIKPCPA NYFAFKICSGAANVVGPTMCFEDRMIMSPVKNNVGRGLNIALVNGTTGAVLGQKAFDMYSGDV MHLVKFLKEIPGGALVLVASYDDPGTKMNDESRKLFSDLGSSYAKQLGFRDSWVFIGAKDLRG KSPFEQFLKNSPDTNKYEGWPELLEMEGCMPPKPF

Important features:

Signal peptide:

amino acids 1-15

ATP/GTP-binding site motif A (P-loop).

amino acids 184-191

N-glycosylation site.

amino acids 107-110

FIGURE 461

AAACTCAGCACTTGCCGGAGTGGCTCATTGTTAAGACAAAGGGTGTGCACTTCCTGGCCAGGA AACCTGAGCGGTGAGACTCCCAGCTGCCTACATCAAGGCCCCAGGACATGCAGAACCTTCCTC ${\tt TAGAACCCGACCACCACCATG} {\tt ATG} {\tt AGGTCCTGCCTGTGGAGATGCAGGCACCTGAGCCAAGGCGT}$ CCAGTGGTCCTTGCTTCTGGCTGTCTTCTTTCTCTTCGCCTTGCCCTCTTTTATTAA GTCCCTGGCAAAGCCTAAGTCCCAGGCACCCACAAGGGCGAGGAGGACAACCATCTATGCAGA GCCAGCGCCAGAGACAATGCCCTCAACACACACACAGCCCAAGGCCCACACCACCGGAGA GAGGGCAGCATGGAAGAGCCCAGAAAAAGAGAAAACCATGGTGAACACACTGTCACCCAGAGG GCAAGATGCAGGGATGGCCTCTGGCAGGACAGAGGCACAATCATGGAAGAGCCAGGACACAAA GACGACCCAAGGAAATGGGGGCCAGACCAGGAAGCTGACGGCCTCCAGGACGGTGTCAGAGAA GCACCAGGGCAAAGCGGCAACCACAGCCAAGACGCTCATTCCCAAAAGTCAGCACAGAATGCT GGCTCCCACAGGAGCAGTGTCAACAAGGACGAGACAGAAAGGAGTGACCACAGCAGTCATCCC ACCTAAGGAGAAGAACCTCAGGCCACCCCACCCCTGCCCCTTTCCAGAGCCCCACGACGCA GAGAAACCAAAGACTGAAGGCCGCCAACTTCAAATCTGAGCCTCGGTGGGATTTTGAGGAAAA ATACAGCTTCGAAATAGGAGGCCTTCAGACGACTTGCCCTGACTCTGTGAAGATCAAAGCCTC CAAGTCGCTGTGGCTCCAGAAACTCTTTCTGCCCAACCTCACTCTCTTCCTGGACTCCAGACA CTTCAACCAGAGTGAGTGGGACCGCCTGGAACACTTTGCACCACCCTTTGGCTTCATGGAGCT CAACTACTCCTTGGTGCAGAAGGTCGTGACACGCTTCCCTCCAGTGCCCCAGCAGCAGCTGCT CCTGGCCAGCCTCCCGCTGGGAGCCTCCGGTGCATCACCTGTGCCGTGGTGGGCAACGGGGG CATCCTGAACAACTCCCACATGGGCCAGGAGATAGACAGTCACGACTACGTGTTCCGATTGAG CGGAGCTCTCATTAAAGGCTACGAACAGGATGTGGGGACTCGGACATCCTTCTACGGCTTTAC CGCCTTCTCCCTGACCCAGTCACTCCTTATATTGGGCAATCGGGGTTTCAAGAACGTGCCTCT TGGGAAGGACGTCCGCTACTTGCACTTCCTGGAAGGCACCCGGGACTATGAGTGGCTGGAAGC ACTGCTTATGAATCAGACGGTGATGTCAAAAAACCTTTTCTGGTTCAGGCACAGACCCCAGGA AGCTTTTCGGGAAGCCCTGCACATGGACAGGTACCTGTTGCTGCACCCAGACTTTCTCCGATA CATGAAGAACAGGTTTCTGAGGTCTAAGACCCTGGATGGTGCCCACTGGAGGATATACCGCCC CACCACTGGGGCCCTCCTGCTCACTGCCCTTCAGCTCTGTGACCAGGTGAGTGCTTATGG CTTCATCACTGAGGGCCATGAGCGCTTTTCTGATCACTACTATGATACATCATGGAAGCGGCT AGGGATAATCCGGCTGTACCAGCGTCCTGGTCCCGGAACTGCCAAAGCCAAGAAC<u>TGA</u>CCGGG GCCAGGGCTGCCATGGTCTCCTTGCCTGCTCCAAGGCACAGGATACAGTGGGAATCTTGAGAC TCTTTGGCCATTTCCCATGGCTCAGACTAAGCTCCAAGCCCTTCAGGAGTTCCAAGGGAACAC TTGAACCATGGACAAGACTCTCTCAAGATGGCAAATGGCTAATTGAGGTTCTGAAGTTCTTCA CCACAATTCCTGCTGAAAAACACTCTTCCAGTCCAAAAGCTTCTTGATACAGAAAAAAAGAGCC TGGATTTACAGAAACATATAGATCTGGTTTGAATTCCAGATCGAGTTTACAGTTGTGAAATCT TGAAGGTATTACTTAACTTCACTACAGATTGTCTAGAAGACCTTTCTAGGAGTTATCTGATTC TAGAAGGGTCTATACTTGTCCTTGTCTTTAAGCTATTTGACAACTCTACGTGTTGTAGAAAAC AAAAAAA

FIGURE 462

MRSCLWRCRHLSQGVQWSLLLAVLVFFLFALPSFIKEPQTKPSRHQRTENIKERSLQSLAKPK
SQAPTRARRTTIYAEPAPENNALNTQTQPKAHTTGDRGKEANQAPPEEQDKVPHTAQRAAWKS
PEKEKTMVNTLSPRGQDAGMASGRTEAQSWKSQDTKTTQGNGGQTRKLTASRTVSEKHQGKAA
TTAKTLIPKSQHRMLAPTGAVSTRTRQKGVTTAVIPPKEKKPQATPPPAPFQSPTTQRNQRLK
AANFKSEPRWDFEEKYSFEIGGLQTTCPDSVKIKASKSLWLQKLFLPNLTLFLDSRHFNQSEW
DRLEHFAPPFGFMELNYSLVQKVVTRFPPVPQQQLLLASLPAGSLRCITCAVVGNGGILNNSH
MGQEIDSHDYVFRLSGALIKGYEQDVGTRTSFYGFTAFSLTQSLLILGNRGFKNVPLGKDVRY
LHFLEGTRDYEWLEALLMNQTVMSKNLFWFRHRPQEAFREALHMDRYLLLHPDFLRYMKNRFL
RSKTLDGAHWRIYRPTTGALLLLTALQLCDQVSAYGFITEGHERFSDHYYDTSWKRLIFYINH
DFKLEREVWKRLHDEGIIRLYQRPGPGTAKAKN

Important features:

Cytoplasmic Domain:

amino acids 1-10

Type II Transmembrane Domain:

amino acids 11-35

Lumenal catalytic Domain:

amino acids 36-600

Ribonucleotide Reductase small subunit Signature:

amino acids 481-496

N-glycosylation Sites:

amino acids 300-303, 311-314, 331-334, 375-378, 460-463



FIGURE 463

GGGGGAGCTAGGCCGGCGCAGTGGTGGTGGCGGCGCCAAGGGTGAGGGCGGCCCCAGAAC CCCAGGTAGGTAGAGCAAGAAG<mark>ATG</mark>GTGTTTCTGCCCCTCAAATGGTCCCTTGCAACCATGTC ATTTCTACTTTCCTCACTGTTGGCTCTCTTAACTGTGTCCACTCCTTCATGGTGTCAGAGCAC TGAAGCATCTCCAAAACGTAGTGATGGGACACCATTTCCTTGGAATAAAATACGACTTCCTGA GTACGTCATCCCAGTTCATTATGATCTCTTGATCCATGCAAACCTTACCACGCTGACCTTCTG GGGAACCACGAAAGTAGAAATCACAGCCAGTCAGCCCACCAGCACCATCATCCTGCATAGTCA CCACCTGCAGATATCTAGGGCCACCCTCAGGAAGGGAGCTGGAGAGAGGCTATCGGAAGAACC CCTGCAGGTCCTGGAACACCCCCTCAGGAGCAAATTGCACTGCTGGCTCCCGAGCCCCTCCT TGTCGGGCTCCCGTACACAGTTGTCATTCACTATGCTGGCAATCTTTCGGAGACTTTCCACGG ATTTTACAAAAGCACCTACAGAACCAAGGAAGGGGAACTGAGGATACTAGCATCAACACAATT TGAACCCACTGCAGCTAGAATGGCCTTTCCCTGCTTTGATGAACCTGCCTTCAAAGCAAGTTT CTCAATCAAAATTAGAAGAGAGCCAAGGCACCTAGCCATCTCCAATATGCCATTGGTGAAATC TGTGACTGTTGCTGAAGGACTCATAGAAGACCATTTTGATGTCACTGTGAAGATGAGCACCTA TCTGGTGGCCTTCATCATTTCAGATTTTGAGTCTGTCAGCAAGATAACCAAGAGTGGAGTCAA GGTTTCTGTTTATGCTGTGCCAGACAAGATAAATCAAGCAGATTATGCACTGGATGCTGCGGT GACTCTTCTAGAATTTTATGAGGATTATTTCAGCATACCGTATCCCCTACCCAAACAAGATCT TGCTGCTATTCCCGACTTTCAGTCTGGTGCTATGGAAAACTGGGGACTGACAACATATAGAGA ATCTGCTCTGTTGTTTGATGCAGAAAAGTCTTCTGCATCAAGTAAGCTTGGCATCACAGTGAC TGTGGCCCATGAACTGGCCCACCAGTGGTTTGGGAACCTGGTCACTATGGAATGGTGGAATGA TGAACTGAAAGTTGGAAATTTTCTTTTGGCAAATTTTTGACGCAATTGGAAGTTGACGTAGATGCTTT
AAATTCCTCACACCCTGTGTCTACACCTGTGGAAAATCCTGCTCAGATCCGGGAGATGTTTGA
TGATGTTTCTTATGATAAGGGAGCTTGTATTCTGAATATGCTAAGGGAGATATCTTAGCGCTGA TTGCTCTAGAAGTCAACATTCATCTTCATCCTCACATTGGCATCAGGAAGGGGTGGATGTGAA AACCATGATGAACACTTGGACACTGCAGAGGGGTTTTCCCCTAATAACCATCACAGTGAGGGG GAGGAATGTACACATGAAGCAAGAGCACTACATGAAGGGCTCTGACGGCGCCCCGGACACTGG GTACCTGTGGCATGTTCCATTGACATTCATCACCAGCAAATCCAACATGGTCCATCGATTTTT GCTAAAAACAAAAACAGATGTGCTCATCCTCCCAGAAGAGGTGGAATGGATCAAATTTAATGT TTTAAAAGGAACACACACAGCAGTCAGCAGTAATGATCGGGCAAGTCTCATTAACAATGCATT TCAGCTCGTCAGCATTGGGAAGCTGTCCATTGAAAAGGCCTTGGATTTATCCCTGTACTTGAA ACATGAAACTGAAATTATGCCCGTGTTTCAAGGTTTGAATGAGCTGATTCCTATGTATAAGTT AATGGAGAAAAGAGATATGAATGAAGTGGAAACTCAATTCAAGGCCTTCCTCATCAGGCTGCT AGTGTTTGCTGTGGGGGCCCAGAGCACAGAAGGCTGGGATTTTCTTTATAGTAAATATCAGTT TTCTTTGTCCAGTACTGAGAAAAGCCAAATTGAATTTGCCCTCTGCAGAACCCAAAATAAGGA AAAGCTTCAATGGCTACTAGATGAAAGCTTTAAGGGAGATAAAATAAAAACTCAGGAGTTTCC ACAAATTCTTACACTCATTGGCAGGAACCCAGTAGGATACCCACTGGCCTGGCAATTTCTGAG GAAAAACTGGAACAAACTTGTACAAAAGTTTGAACTTGGCTCATCTTCCATAGCCCACATGGT AATGGGTACAACAATCAATTCTCCACAAGAACACGGCTTGAAGAGGGTAAAAGGATTCTTCAG CTCTTTGAAAGAAATGGTTCTCAGCTCCGTTGTGTCCAACAGACAATTGAAACCATTGAAGA AAACATCGGTTGGATGGATAAGAATTTTGATAAAATCAGAGTGTGGCTGCAAAGTGAAAAGCT TGAACGTATGTAAAAATTCCTCCCTTGCCCGGTTCCTGTTATCTCTAATCACCAACATTTTGT TGAGTGTATTTTCAAACTAGAGATGGCTGTTTTGGCTCCAACTGGAGATACTTTTTCCCTTC AACTCATTTTTTGACTATCCCTGTGAAAAGAATAGCTGTTAGTTTTTCATGAATGGGCTTTTT CATGAATGGGCTATCGCTACCATGTGTTTTGTTCATCACAGGTGTTGCCCTGCAACGTAAACC AAAAAAAAAAA

464/550

FIGURE 464

MVFLPLKWSLATMSFLLSSLLALLTVSTPSWCQSTEASPKRSDGTPFPWNKIRLPEYVIPVHY
DLLIHANLTTLTFWGTTKVEITASQPTSTIILHSHHLQISRATLRKGAGERLSEEPLQVLEHP
PQEQIALLAPEPLLVGLPYTVVIHYAGNLSETFHGFYKSTYRTKEGELRILASTQFEPTAARM
AFPCFDEPAFKASFSIKIRREPRHLAISNMPLVKSVTVAEGLIEDHFDVTVKMSTYLVAFIIS
DFESVSKITKSGVKVSVYAVPDKINQADYALDAAVTLLEFYEDYFSIPYPLPKQDLAAIPDFQ
SGAMENWGLTTYRESALLFDAEKSSASSKLGITVTVAHELAHQWFGNLVTMEWWNDLWLNEGF
AKFMEFVSVSVTHPELKVGDYFFGKCFDAMEVDALNSSHPVSTPVENPAQIREMFDDVSYDKG
ACILNMLREYLSADAFKSGIVQYLQKHSYKNTKNEDLWDSMASICPTDGVKGMDGFCSRSQHS
SSSSHWHQEGVDVKTMMNTWTLQRGFPLITITVRGRNVHMKQEHYMKGSDGAPDTGYLWHVPL
TFITSKSNMVHRFLLKTKTDVLILPEEVEWIKFNVGMNGYYIVHYEDDGWDSLTGLLKGTHTA
VSSNDRASLINNAFQLVSIGKLSIEKALDLSLYLKHETEIMPVFQGLNELIPMYKLMEKRDMN
EVETQFKAFLIRLLRDLIDKQTWTDEGSVSEQMLRSELLLLACVHNYQPCVQRAEGYFRKWKE
SNGNLSLPVDVTLAVFAVGAQSTEGWDFLYSKYQFSLSSTEKSQIEFALCRTQNKEKLQWLLD
ESFKGDKIKTQEFPQILTLIGRNPVGYPLAWQFLRKNWNKLVQKFELGSSSIAHMVMGTTNQF
STRTRLEEVKGFFSSLKENGSQLRCVQQTIETIEENIGWMDKNFDKIRVWLQSEKLERM

Important features:

Signal peptide:

amino acids 1-34

N-glycosylation sites:

amino acids 70-74, 154-158, 414-418, 760-764, 901-905

Neutral zinc metallopeptidases, zinc-binding region signature:

amino acids 350-360



FIGURE 465

CAGCCACAGACGGGTCATGAGCGCGGTATTACTGCTGGCCCTCCTGGGGTTCATCCTCCCACT GCCAGGAGTGCAGGCGCTGCTCTGCCAGTTTGGGACAGTTCAGCATGTGTGGAAGGTGTCCGA CCTACCCGGCAATGGACCCCTAAGAACACCAGCTGCGACAGCGGCTTGGGGTGCCAGGACAC GTTGATGCTCATTGAGAGCGGACCCCAAGTGAGCCTGGTGCTCTCCAAGGGCTGCACGGAGGC CAAGGACCAGGAGCCCCGCGTCACTGAGCACCGGATGGGCCCCGGCCTCTCCCTGATCTCCTA CCCACAGCCCCCAGCAGACCCAGGATCCTTGAGGTGCCCAGTCTGCTTGTCTATGGAAGGCTG TCTGGAGGGGACAACAGAAGAGATCTGCCCCAAGGGGACCACACACTGTTATGATGGCCTCCT TTGCAACCTGCTCAATGGGACACAGGAAATTGGGCCCGTGGGTATGACTGAGAACTGCAATAG GAAAGATTTTCTGACCTGTCATCGGGGGACCACCATTATGACACACGGAAACTTGGCTCAAGA ACCCACTGATTGGACCACATCGAATACCGAGATGTGCGAGGTGGGGCAGGTGTGTCAGGAGAC GCTGCTGCTCATAGATGTAGGACTCACATCAACCCTGGTGGGGACAAAAGGCTGCAGCACTGT TGGGGCTCAAAATTCCCAGAAGACCACCATCCACTCAGCCCCTCCTGGGGTGCTTGTGGCCTC CTATACCCACTTCTGCTCCTCGGACCTGTGCAATAGTGCCAGCAGCAGCAGCGTTCTGCTGAA CTCCCTCCTCAAGCTGCCCCTGTCCCAGGAGACCGGCAGTGTCCTACCTGTGTGCAGCC CCTTGGAACCTGTTCAAGTGGCTCCCCCGAATGACCTGCCCCAGGGGCGCCACTCATTGTTA TGATGGGTACATTCATCTCTCAGGAGGTGGGCTGTCCACCAAAATGAGCATTCAGGGCTGCGT GGCCCAACCTTCCAGCTTCTTGTTGAACCACACCAGACAAATCGGGATCTTCTCTGCGCGTGA TCTCACTTGGGGGGTGGGGCTGGCACTGGCCCCAGCGCTGTGGTGGGGAGTGGTTTGCCCTTC TGACCTCATAACCTAATGGCCTTGGACACCAGATTCTTTCCCATTCTGTCCATGAATCATCTT CCCCACACACATCATTCATATCTACTCACCTAACAGCAACACTGGGGAGAGCCTGGAGCATC CGGACTTGCCCTATGGGAGAGGGGACGCTGGAGGAGTGGCTGCATGTATCTGATAATACAGAC CCTGTCCTTTCA

FIGURE 466

MSAVLLLALLGFILPLPGVQALLCQFGTVQHVWKVSDLPRQWTPKNTSCDSGLGCQDTLMLIE SGPQVSLVLSKGCTEAKDQEPRVTEHRMGPGLSLISYTFVCRQEDFCNNLVNSLPLWAPQPPA DPGSLRCPVCLSMEGCLEGTTEEICPKGTTHCYDGLLRLRGGGIFSNLRVQGCMPQPGCNLLN GTQEIGPVGMTENCNRKDFLTCHRGTTIMTHGNLAQEPTDWTTSNTEMCEVGQVCQETLLLID VGLTSTLVGTKGCSTVGAQNSQKTTIHSAPPGVLVASYTHFCSSDLCNSASSSSVLLNSLPPQ AAPVPGDRQCPTCVQPLGTCSSGSPRMTCPRGATHCYDGYIHLSGGGLSTKMSIQGCVAQPSS FLLNHTRQIGIFSAREKRDVQPPASQHEGGGAEGLESLTWGVGLALAPALWWGVVCPSC

FIGURE 467

GAGGATTTGCCACAGCAGCGGATAGAGCAGGAGAGCACCACCGGAGCCCTTGAGACATCCTTG AGAAGAGCCACAGCATAAGAGACTGCCCTGCTTGGTGTTTTTGCAGGATGATGGTGGCCCTTCG AGGAGCTTCTGCATTGCTGGTTCTGTTCCTTGCAGCTTTTCTGCCCCCGCCGCAGTGTACCCA GGACCCAGCCATGGTGCATTACATCTACCAGCGCTTTCGAGTCTTGGAGCAAGGGCTGGAAAA ATGTACCCAAGCAACGAGGGCATACATTCAAGAATTCCAAGAGTTCTCAAAAAATATATCTGT CATGCTGGGAAGATGTCAGACCTACACAAGTGAGTACAAGAGTGCAGTGGGTAACTTGGCACT CATCGTATCAGAGGACAAGACACTGGCAGAAATGTTGCTCCAAGAAGCTGAAGAAGAAGAAAAAA GATCCGGACTCTGCTGAATGCAAGCTGTGACAACATGCTGATGGGCATAAAGTCTTTGAAAAT AGTGAAGAAGATGATGGACACACATGGCTCTTGGATGAAAGATGCTGTCTATAACTCTCCAAA GGTGTACTTATTAATTGGATCCAGAAACAACACTGTTTGGGAATTTGCAAACATACGGGCATT CATGGAGGATAACACCAAGCCAGCTCCCCGGAAGCAAATCCTAACACTTTCCTGGCAGGGAAC AGGCCAAGTGATCTACAAAGGTTTTCTATTTTTTCATAACCAAGCAACTTCTAATGAGATAAT CAAATATAACCTGCAGAAGAGGACTGTGGAAGATCGAATGCTGCTCCCAGGAGGGGTAGGCCG AGCATTGGTTTACCAGCACTCCCCTCAACTTACATTGACCTGGCTGTGGATGAGCATGGGCT CTGGGCCATCCACTCTGGGCCAGGCACCCATAGCCATTTGGTTCTCACAAAGATTGAGCCGGG CACACTGGGAGTGGAGCATTCATGGGATACCCCATGCAGAAGCCAGGATGCTGAAGCCTCATT $\verb|CCTCTTGTGTGGGGTTCTCTATGTGGTCTACAGTACTGGGGGCCCAGGGCCCTCATCGCATCAC| \\$ CTGCATCTATGATCCACTGGGCACTATCAGTGAGGAGGACTTGCCCAACTTGTTCTTCCCCAA GAGACCAAGAAGTCACTCCATGATCCATTACAACCCCAGAGATAAGCAGCTCTATGCCTGGAA TGAAGGAAACCAGATCATTTACAAACTCCAGACAAAGAGAAAGCTGCCTCTGAAG**TAA**TGCAT TACAGCTGTGAGAAAGAGCACTGTGGCTTTGGCAGCTGTTCTACAGGACAGTGAGGCTATAGC CCCTTCACAATATAGTATCCCTCTAATCACACACAGGAAGAGTGTGTAGAAGTGGAAATACGT ATGCCTCCTTTCCCAAATGTCACTGCCTTAGGTATCTTCCAAGAGCTTAGATGAGAGCATATC ATCAGGAAAGTTTCAACAATGTCCATTACTCCCCCAAACCTCCTGGCTCTCAAGGATGACCAC ATTCTGATACAGCCTACTTCAAGCCTTTTGTTTTACTGCTCCCCAGCATTTACTGTAACTCTG CCATCTTCCCTCCCACAATTAGAGTTGTATGCCAGCCCCTAATATTCACCACTGGCTTTTCTC TCCCCTGGCCTTTGCTGAAGCTCTTCCCTCTTTTTCAAATGTCTATTGATATTCTCCCATTTT CTCACTATGTTGCCCAGGCTGGTCTCAAACTCCAGAGCTCAAGAGATCCTCCTGCCTCAGCCT CCTAAGTACCTGGGATTACAGGCATGTGCCACCACACCTGGCTTAAAATACTATTTCTTATTG AGGTTTAACCTCTATTTCCCCTAGCCCTGTCCTTCCACTAAGCTTGGTAGATGTAATAATAAA GTGAAAATATTAACATTTGAATATCGCTTTCCAGGTGTGGAGTGTTTGCACATCATTGAATTC TCGTTTCACCTTTGTGAAACATGCACAAGTCTTTACAGCTGTCATTCTAGAGTTTAGGTGAGT AACACAATTACAAAGTGAAAGATACAGCTAGAAAATACTACAAATCCCATAGTTTTTCCATTG CCCAAGGAAGCATCAAATACGTATGTTTGTTCACCTACTCTTATAGTCAATGCGTTCATCGTT TCAGCCTAAAAATAATAGTCTGTCCCTTTAGCCAGTTTTCATGTCTGCACAAGACCTTTCAAT AGGCCTTTCAAATGATAATTCCTCCAGAAAACCAGTCTAAGGGTGAGGACCCCAACTCTAGCC TCCTCTTGTCTTGCTGTCCTCTGTTTCTCTCTTTTCTGCTTTAAATTCAATAAAAGTGACACTG AGCAAAAAAAAAAAAAA

FIGURE 468

MMVALRGASALLVLFLAAFLPPPQCTQDPAMVHYIYQRFRVLEQGLEKCTQATRAYIQEFQEF SKNISVMLGRCQTYTSEYKSAVGNLALRVERAQREIDYIQYLREADECIVSEDKTLAEMLLQE AEEEKKIRTLLNASCDNMLMGIKSLKIVKKMMDTHGSWMKDAVYNSPKVYLLIGSRNNTVWEF ANIRAFMEDNTKPAPRKQILTLSWQGTGQVIYKGFLFFHNQATSNEIIKYNLQKRTVEDRMLL PGGVGRALVYQHSPSTYIDLAVDEHGLWAIHSGPGTHSHLVLTKIEPGTLGVEHSWDTPCRSQ DAEASFLLCGVLYVVYSTGGQGPHRITCIYDPLGTISEEDLPNLFFPKRPRSHSMIHYNPRDK QLYAWNEGNQIIYKLQTKRKLPLK

FIGURE 469

TGGCCTCCCCAGCTTGCCAGGCACAAGGCTGAGCGGAGGAAGCGAGAGGCATCTAAGCAGGC ${\tt AGTGTTTTGCCTTCACCCCAAGTGACC} {\color{blue} \textbf{ATG}} {\color{blue} \textbf{AGTGTGCCACGCGAGTCTCAATCATGCTCCTC}}$ CTAGTAACTGTGTCTGACTGTGCTGTGATCACAGGGGCCTGTGAGCGGGATGTCCAGTGTGGG GCAGGCACCTGCTGTGCCATCAGCCTGTGGCTTCGAGGGCTGCGGATGTGCACCCCGCTGGGG CGGGAAGGCGAGGAGTGCCACCCGGCAGCCACAAGGTCCCCTTCTTCAGGAAACGCAAGCAC CACACCTGTCCTTGCCTGCCCAACCTGCTGTGCTCCAGGTTCCCGGACGGCAGGTACCGCTGC TCCATGGACTTGAAGAACATCAATTTT**TAG**GCGCTTGCCTGGTCTCAGGATACCCACCATCCT TTTCCTGAGCACAGCCTGGATTTTTATTTCTGCCATGAAACCCAGCTCCCATGACTCTCCCAG TCCCTACACTGACTACCCTGATCTCTTGTCTAGTACGCACATATGCACACAGGCAGACATA CCTCCCATCATGACATGGTCCCCAGGCTGGCCTGAGGATGTCACAGCTTGAGGCTGTGGTGTG AAAGGTGGCCAGCCTGGTTCTCTTCCCTGCTCAGGCTGCCAGAGAGGTGGTAAATGGCAGAAA GGACATTCCCCCTCCCCAGGTGACCTGCTCTCTTTCCTGGGCCCTGCCCCTCTCCCCA CATGTATCCCTCGGTCTGAATTAGACATTCCTGGGCACAGGCTCTTGGGTGCATTGCTCAGAG TCCCAGGTCCTGGCCTGACCCTCAGGCCCTTCACGTGAGGTCTGTGAGGACCAATTTGTGGGT AGTTCATCTTCCCTCGATTGGTTAACTCCTTAGTTTCAGACCACAGACTCAAGATTGGCTCTT CCCAGAGGGCAGCAGACAGTCACCCCAAGGCAGGTGTAGGGAGCCCAGGGAGGCCAATCAGCC $\verb|CCCTGAAGACTCTGGTCCCAGTCAGCCTGTGGCTTGTGGCCTGTGACCTGTGACCTTCTGCCA|\\$ GAATTGTCATGCCTCTGAGGCCCCCTCTTACCACACTTTACCAGTTAACCACTGAAGCCCCCA ATTCCCACAGCTTTTCCATTAAAATGCAAATGGTGGTGGTTCAATCTAATCTGATATTGACAT ATTAGAAGGCAATTAGGGTGTTTCCTTAAACAACTCCTTTCCAAGGATCAGCCCTGAGAGCAG GTTGGTGACTTTGAGGAGGGCAGTCCTCTGTCCAGATTGGGGTGGGAGCAAGGGACAGGGAGC AGGGCAGGGGCTGAAAGGGGCACTGATTCAGACCAGGGAGGCAACTACACACCAACATGCTGG CTTTAGAATAAAAGCACCAACTGAAAAAA

470/550

FIGURE 470

MRGATRVSIMLLLVTVSDCAVITGACERDVQCGAGTCCAISLWLRGLRMCTPLGREGEECHPG SHKVPFFRKRKHHTCPCLPNLLCSRFPDGRYRCSMDLKNINF

Important feratures:

Signal peptide:

amino acids 1-19

Tyrosine kinase phosphorylation site:

amino acids 88-95

N-myristoylation sites:

amino acids 33-39, 35-41, 46-52

FIGURE 471

AGCGCCCGGGCGTCGGGGCGGTAAAAGGCCGGCAGAAGGGAGGCACTTGAGAAATGTCTTTCC TCCAGGACCCAAGTTTCTTCACCATGGGGATGTGGTCCATTGGTGCAGGAGCCCTGGGGGCTG CTGCCTTGGCATTGCTGCTTGCCAACACAGACGTGTTTCTGTCCAAGCCCCAGAAAGCGGCCC TGGAGTACCTGGAGGATATAGACCTGAAAACACTGGAGAAGGAACCAAGGACTTTCAAAGCAA AGGAGCTATGGGAAAAAATGGAGCTGTGATTATGGCCGTGCGGAGGCCAGGCTGTTTCCTCT GTCGAGAGGAAGCTGCGGATCTGTCCTCCCTGAAAAGCATGTTGGACCAGCTGGGCGTCCCCC TCTATGCAGTGGTAAAGGAGCACATCAGGACTGAAGTGAAGGATTTCCAGCCTTATTTCAAAG GAGAAATCTTCCTGGATGAAAAGAAAAGTTCTATGGTCCACAAAGGCGGAAGATGATGTTTA TGGGATTTATCCGTCTGGGAGTGTGGTACAACTTCTTCCGAGCCTGGAACGGAGGCTTCTCTG GAAACCTGGAAGGAGAGGCTTCATCCTTGGGGGAGTTTTCGTGGTGGGATCAGGAAAGCAGG GCATTCTTCTTGAGCACCGAGAAAAAGAATTTGGAGACAAAGTAAACCTACTTTCTGTTCTGG AAGCTGCTAAGATGATCAAACCACAGACTTTGGCCTCAGAGAAAAAATGATTGTGTGAAACTG CCCAGCTCAGGGATAACCAGGGACATTCACCTGTGTTCATGGGATGTATTGTTTCCACTCGTG TCCCTAAGGAGTGAGAAACCCATTTATACTCTACTCTCAGTATGGATTATTAATGTATTTAA TATTCTGTTTAGGCCCACTAAGGCAAAATAGCCCCAAAACAAGACTGACAAAAATCTGAAAAA CTAATGAGGATTATTAAGCTAAAACCTGGGAAATAGGAGGCTTAAAATTGACTGCCAGGCTGG GTGCAGTGGCTCACACCTGTAATCCCAGCACTTTGGGAGGCCAAGGTGAGCAAGTCACTTGAG GTCGGGAGTTCGAGACCAGCCTGAGCAACATGGCGAAACCCCGTCTCTACTAAAAATACAAAA ATCACCCGGGTGTGGTGGCAGGCACCTGTAGTCCCAGCTACCCGGGAGGCTGAGGCAGGAGAA TCACTTGAACCTGGGAGGTGGAGGTTGCGGTGAGCTGAGATCACACCACTGTATTCCAGCCTG GGTGACTGAGACTCTAACTAA

472/550

FIGURE 472

MSFLQDPSFFTMGMWSIGAGALGAAALALLLANTDVFLSKPQKAALEYLEDIDLKTLEKEPRT FKAKELWEKNGAVIMAVRRPGCFLCREEAADLSSLKSMLDQLGVPLYAVVKEHIRTEVKDFQP YFKGEIFLDEKKKFYGPQRRKMMFMGFIRLGVWYNFFRAWNGGFSGNLEGEGFILGGVFVVGS GKQGILLEHREKEFGDKVNLLSVLEAAKMIKPQTLASEKK

FIGURE 473

474/550

FIGURE 474

MTFFLSLLLLLVCEAIWRSNSGSNTLENGYFLSRNKENHSQPTQSSLEDSVTPTKAVKTTGKG IVKGRNLDSRGLILGAEAWGRGVKKNT

475/550

FIGURE 475

GACAGTGGAGGGCAGTGGAGAGGACCGCGCTGTCCTGCTGTCACCAAGAGCTGGAGACACCAT $\tt CTCCCACCGAGAGTC{\color{red} \underline{ATG}} GCCCCATTGGCCCTGCACCTCCTCGTCCTCGTCCCCATCCTCCTC$ AGCCTGGTGGCCTCCCAGGACTGGAAGGCTGAACGCAGCCAAGACCCCTTCGAGAAATGCATG CAGGATCCTGACTATGAGCAGCTGCTCAAGGTGGTGACCTGGGGGGCTCAATCGGACCCTGAAG CCCAGAGGGTGATTGTGGTTGGCGCTGTTGGCCGGGCTGGTGGCCGCCAAGGTGCTCAGC GATGCTGGACACAAGGTCACCATCCTGGAGGCAGATAACAGGATCGGGGGCCGCATCTTCACC TACCGGGACCAGAACACGGGCTGGATTGGGGAGCTGGGAGCCATGCCCAGCTCTCAC AGGATCCTCCACAAGCTCTGCCAGGGCCTGGGGCTCAACCTGACCAAGTTCACCCAGTACGAC AAGAACACGTGGACGGAGGTGCACGAAGTGAAGCTGCGCAACTATGTGGTGGAGAAGGTGCCC GAGAAGCTGGGCTACGCCTTGCGTCCCCAGGAAAAGGGCCACTCGCCCGAAGACATCTACCAG . ATGGCTCTCAACCAGGCCCTCAAAGACCTCAAGGCACTGGGCTGCAGAAAGGCGATGAAGAAG CAGCTTCTGGGAGACGTGATGTCCGAGGATGGCTTCTTCTATCTCAGCTTCGCCGAGGCCCTC CTGCCGCGCGCTGCTGAGCTCGCTGTCCGGGCTTGTGCTGTTGAACGCGCCCGTGGTGGCG ATGACCCAGGGACCGCACGATGTGCACGTGCAGATCGAGACCTCTCCCCCGGCGCGGAATCTG AAGGTGCTGAAGGCCGACGTGGTGCTGACGGCGAGCGGACCGGCGGTGAAGCGCATCACC TTCTCGCCGCCGCTGCCCCGCCACATGCAGGAGGCGCTGCGGAGGCTGCACTACGTGCCGGCC ACCAAGGTGTTCCTAAGCTTCCGCAGGCCCTTCTGGCGCGAGGAGCACATTGAAGGCGGCCAC CTGGCCTCGTACACGTGGTCGGACGCGGCGGCAGCGTTCGCCGGCTTGAGCCGGGAAGAGGCG TTGCGCTTGGCGCTCGACGACGTGGCGGCATTGCACGGGCCTGTCGTGCGCCAGCTCTGGGAC GGCACCGGCGTCGTCAAGCGTTGGGCGGAGGACCAGCACAGCCAGGGTGGCTTTGTGGTACAG CCGCCGGCGCTCTGGCAAACCGAAAAGGATGACTGGACGGTCCCTTATGGCCGCATCTACTTT GCCGGCGAGCACCCGCCTACCCGCACGGCTGGGTGGAGACGGCGGTCAAGTCGGCGCTGCGC GCCGCCATCAAGATCAACAGCCGGAAGGGGCCTGCATCGGACACGGCCAGCCCCGAGGGGCAC GCATCTGACATGGAGGGGCAGGGGCATGTGCATGGGGTGGCCAGCAGCCCCTCGCATGACCTG GCAAAGGAAGAAGGCAGCCACCCTCCAGTCCAAGGCCAGTTATCTCTCCAAAACACGACCCAC AAAAAAAAAAAAA

476/550

FIGURE 476

MAPLALHLLVLVPILLSLVASQDWKAERSQDPFEKCMQDPDYEQLLKVVTWGLNRTLKPQRVI
VVGAGVAGLVAAKVLSDAGHKVTILEADNRIGGRIFTYRDQNTGWIGELGAMRMPSSHRILHK
LCQGLGLNLTKFTQYDKNTWTEVHEVKLRNYVVEKVPEKLGYALRPQEKGHSPEDIYQMALNQ
ALKDLKALGCRKAMKKFERHTLLEYLLGEGNLSRPAVQLLGDVMSEDGFFYLSFAEALRAHSC
LSDRLQYSRIVGGWDLLPRALLSSLSGLVLLNAPVVAMTQGPHDVHVQIETSPPARNLKVLKA
DVVLLTASGPAVKRITFSPPLPRHMQEALRRLHYVPATKVFLSFRRPFWREEHIEGGHSNTDR
PSRMIFYPPPREGALLLASYTWSDAAAAFAGLSREEALRLALDDVAALHGPVVRQLWDGTGVV
KRWAEDQHSQGGFVVQPPALWQTEKDDWTVPYGRIYFAGEHTAYPHGWVETAVKSALRAAIKI
NSRKGPASDTASPEGHASDMEGQGHVHGVASSPSHDLAKEEGSHPPVQGQLSLQNTTHTRTSH

Important features:

Signal peptide:

amino acids 1-21

477/550

FIGURE 477

GAACTCAGAGCCGGGAAGCCCCCATTCACTAGAAGCACTGAGAGATGCGGCCCCCTCGCAGGGTCTGAATTTCCT GCTGCTGTTCACAAAGATGCTTTTTATCTTTAACTTTTTGTTTTCCCCACTTCCGACCCCGGCGTTGATCTGCAT CCTGACATTTGGAGCTGCCATCTTCTTGTGGCTGATCACCAGACCTCAACCCGTCTTACCTCTTCTTGACCTGAA CAATCAGTCTGTGGGAATTGAGGGAGGAGCACGGAAGGGGGGTTTCCCAGAAGAACAATGACCTAACAAGTTGCTG $\verb|CTTCTCAGATGCCAAGACTATGTATGAGGTTTTCCAAAGAGGACTCGCTGTGTCTGACAATGGGCCCTGCTTGGG|$ ATATAGAAAACCAACCAGCCCTACAGATGGCTATCTTACAAACAGGTGTCTGATAGAGCAGAGTACCTGGGTTC CTGTCTCTTGCATAAAGGTTATAAATCATCACCAGACCAGTTTGTCGGCATCTTTGCTCAGAATAGGCCAGAGTG GATCATCTCCGAATTGGCTTGTTACACGTACTCTATGGTAGCTGTACCTCTGTATGACACCTTGGGACCAGAAGC CATCGTACATATTGTCAACAAGGCTGATATCGCCATGGTGATCTGTGACACACCCCAAAAGGCATTGGTGCTGAT AGGGAATGTAGAGAAAGGCTTCACCCCGAGCCTGAAGGTGATCATCCTTATGGACCCCTTTGATGATGACCTGAA GCAAAGAGGGGAGAAGAGTGGAATTGAGATCTTATCCCTATATGATGCTGAGAACCTAGGCAAAGAGCACTTCAG AAAACCTGTGCCTCCTAGCCCAGAAGACCTGAGCGTCATCTGCTTCACCAGTGGGACCACAGGTGACCCCAAAGG AGCCATGATAACCCATCAAAATATTGTTTCAAATGCTGCTGCCTTTCTCAAATGTGTGGAGCATGCTTATGAGCC CACTCCTGATGATGTGGCCATATCCTACCTCCCTCTGGCTCATATGTTTGAGAGGGATTGTACAGGCTGTTGTGTA CACATTGTTTCCCGCGGTGCCTCGACTCCTTAACAGGATCTACGATAAGGTACAAAATGAGGCCAAGACACCCTT GAAGAAGTTCTTGTTGAAGCTGGCTGTTTCCAGTAAATTCAAAGAGCTTCAAAAGGGTATCATCAGGCATGATAG TTTCTGGGACAAGCTCATCTTTGCAAAGATCCAGGACAGCCTGGGCGGAAGGGTTCGTGTAATTGTCACTGGAGC TGCCCCCATGTCCACTTCAGTCATGACATTCTTCCGGGCAGCAATGGGATGTCAGGTGTATGAAGCTTATGGTCA ${\tt AACAGAATGCACAGGTGGCTGTACATTTACATTACCTGGGGACTGGACATCAGGTCACGTTGGGGTGCCCCTGGC}$ TTGCAATTACGTGAAGCTGGAAGATGTGGCTGACATGAACTACTTTACAGTGAATAATGAAGGAGAGGTCTGCAT CAAGGGTACAAACGTGTTCAAAGGATACCTGAAGGACCCTGAGAAGACACAGGAAGCCCTGGACAGTGATGGCTG GCTTCACACAGGAGACATTGGTCGCTGGCTCCCGAATGGAACTCTGAAGATCATCGACCGTAAAAAGAACATTTT CAAGCTGGCCCAAGGAGAATACATTGCACCAGAGAAGATAGAAAATATCTACAACAGGAGTCAACCAGTGTTACA ${\tt AATTTTTGTACACGGGGAGAGCTTACGGTCATCCTTAGTAGGAGTGGTGGTTCCTGACACAGATGTACTTCCCTC}$ ATTTGCAGCCAAGCTTGGGGTGAAGGGCTCCTTTGAGGAACTGTGCCAAAACCAAGTTGTAAGGGAAGCCATTTT AGAAGACTTGCAGAAAATTGGGAAAGAAGTGGCCTTAAAACTTTTGAACAGGTCAAAGCCATTTTTCTTCATCC AGAGCCATTTTCCATTGAAAATGGGCTCTTGACACCAACATTGAAAGCAAAGCGAGGAGAGCTTTCCAAATACTT TCGGACCCAAATTGACAGCCTGTATGAGCACATCCAGGAT<u>TAG</u>GATAAGGTACTTAAGTACCTGCCGGCCCACTG TGCACTGCTTGTGAGAAAATGGATTAAAAACTATTCTTACATTTGTTTTTGCCTTTCCTCCTATTTTTTTAACC ATCCTGTCTTTCCCATCTTCGATGTTGCTAATATTAAGGCTTCAGGGCTACTTTTATCAACATGCCTGTCTTCAA GATCCCAGTTTATGTTCTGTGTCCTTCCTCATGATTTCCAACCTTAATACTATTAGTAACCACAAGTTCAAGGGT CAAAGGGACCCTCTGTGCCTTCTTTGTTTTTGTGATAAACATAACTTGCCAACAGTCTCTATGCTTATTTACA TCTTCTACTGTTCAAACTAAGAGATTTTTAAATTCTGAAAAACTGCTTACAATTCATGTTTTCTAGCCACTCCAC AAACCACTAAAATTTTAGTTTTAGCCTATCACTCATGTCAATCATATCTATGAGACAAATGTCTCCGATGCTCTT $\tt CTGCGTAAATTAAATTGTGTACTGAAGGGAAAAGTTTGATCATACCAAACATTTCCTAAACTCTCTAGTTAGATA$ TCTGACTTGGGAGTATTAAAAATTGGGTCTATGACATACTGTCCAAAAGGAATGCTGTTCTTAAAGCATTATTTA CAGTAGGAACTGGGGGGTAAATCTGTTCCCTACAGTTTGCTGCTGAGCTGGAAGCTGTGGGGGAAGGAGTTGACA GGTGGGCCCAGTGAACTTTTCCAGTAAATGAAGCAAGCACTGAATAAAAACCTCCTGAACTGGGAACAAAGATCT ACAGGCAAGCAAGATGCCCACACAACAGGCTTATTTTCTGTGAAGGAACCAACTGATCTCCCCCACCCTTGGATT AGAGTTCCTGCTCTACCTTACCCACAGATAACACATGTTGTTTCTACTTGTAAATGTAAAGTCTTTAAAATAAAC TATTACAGATAAAAA

478/550

FIGURE 478

MDALKPPCLWRNHERGKKDRDSCGRKNSEPGSPHSLEALRDAAPSQGLNFLLLFTKMLFIFNF
LFSPLPTPALICILTFGAAIFLWLITRPQPVLPLLDLNNQSVGIEGGARKGVSQKNNDLTSCC
FSDAKTMYEVFQRGLAVSDNGPCLGYRKPNQPYRWLSYKQVSDRAEYLGSCLLHKGYKSSPDQ
FVGIFAQNRPEWIISELACYTYSMVAVPLYDTLGPEAIVHIVNKADIAMVICDTPQKALVLIG
NVEKGFTPSLKVIILMDPFDDDLKQRGEKSGIEILSLYDAENLGKEHFRKPVPPSPEDLSVIC
FTSGTTGDPKGAMITHQNIVSNAAAFLKCVEHAYEPTPDDVAISYLPLAHMFERIVQAVVYSC
GARVGFFQGDIRLLADDMKTLKPTLFPAVPRLLNRIYDKVQNEAKTPLKKFLLKLAVSSKFKE
LQKGIIRHDSFWDKLIFAKIQDSLGGRVRVIVTGAAPMSTSVMTFFRAAMGCQVYEAYGQTEC
TGGCTFTLPGDWTSGHVGVPLACNYVKLEDVADMNYFTVNNEGEVCIKGTNVFKGYLKDPEKT
QEALDSDGWLHTGDIGRWLPNGTLKIIDRKKNIFKLAQGEYIAPEKIENIYNRSQPVLQIFVH
GESLRSSLVGVVVPDTDVLPSFAAKLGVKGSFEELCQNQVVREAILEDLQKIGKESGLKTFEQ
VKAIFLHPEPFSIENGLLTPTLKAKRGELSKYFRTQIDSLYEHIQD

Important features:

Type II transmembrane domain:

amino acids 61-80

Putative AMP-binding domain signature.

amino acids 314-325

N-glycosylation site.

amino acids 102-105, 588-591 and 619-622

479/550

FIGURE 479

GGAGGCGGAGCCGCGGCCGAGCCGGCCGAGCAGTGAGGGCCCTAGCGGGCCCCGAGCGGGC CCGGGGCCCCTAAGCCATTCCTGAAGTCATGGGCTGGCCAGGACATTGGTGACCCGCCAATCC GGTATGGACGACTGGAAGCCCAGCCCCTCATCAAGCCCTTTGGGGCTCGGAAGAAGCGGAGC. TGGTACCTTACCTGGAAGTATAAACTGACAAACCAGCGGGCCCTGCGGAGATTCTGTCAGACA GGGGCCGTGCTTTTCCTGCTGGTGACTGTCATTGTCAATATCAAGTTGATCCTGGACACTCGG CGAGCCATCAGTGAAGCCAATGAAGACCCAGAGCCAGAGCAAGACTATGATGAGGCCCTAGGC CGCCTGGAGCCCCCACGGCGCAGAGGCAGTGGTCCCCGGCGGGTCCTGGACGTAGAGGTGTAT TCAAGTCGCAGCAAAGTATATGTGGCAGTGGATGGCACCACGGTGCTGGAGGATGAGGCCCGG GAGCAGGGCCGGGGCATCCATGTCATTGTCCTCAACCAGGCCACGGGCCACGTGATGGCAAAA CGTGTGTTTTGACACGTACTCACCTCATGAGGATGAGGCCATGGTGCTATTCCTCAACATGGTA GCGCCCGGCCGAGTGCTCATCTGCACTGTCAAGGATGAGGGCTCCTTCCACCTCAAGGACACA GCCAAGGCTCTGCTGAGGAGCCTGGGCAGCCAGGCTGGCCCTGCCCTGGGCTGGAGGGACACA TGGGCCTTCGTGGGACGAAAAGGAGGTCCTGTCTTCGGGGAGAAACATTCTAAGTCACCTGCC CTCTCTTCCTGGGGGGACCCAGTCCTGCTGAAGACAGATGTGCCATTGAGCTCAGCAGAAGAG GCAGAGTGCCACTGGGCAGACACAGAGCTGAACCGTCGCCGCCGCGCTTCTGCAGCAAAGTT GAGGGCTATGGAAGTGTATGCAGCTGCAAGGACCCCACACCCATCGAGTTCAGCCCTGACCCA CTCCCAGACAACAAGGTCCTCAATGTGCCTGTGGCTGTCATTGCAGGGAACCGACCCAATTAC CTGTACAGGATGCTGCGCTCTCTGCTTTCAGCCCAGGGGGTGTCTCCTCAGATGATAACAGTT TTCATTGACGGCTACTATGAGGAACCCATGGATGTGGTGGCACTGTTTGGTCTGAGGGGCATC CAGCATACTCCCATCAGCATCAAGAATGCCCGCGTGTCTCAGCACTACAAGGCCAGCCTCACT GCCACTTTCAACCTGTTTCCGGAGGCCAAGTTTGCTGTGGTTCTGGAAGAGGACCTGGACATT GCTGTGGATTTTTTCAGTTTCCTGAGCCAATCCATCCACCTACTGGAGGAGGATGACAGCCTG TACTGCATCTCTGCCTGGAATGACCAGGGGTATGAACACACGGCTGAGGACCCAGCACTACTG TACCGTGTGGAGACCATGCCTGGGCTGGGCTGGGTGCTCAGGAGGTCCTTGTAÇAAGGAGGAG CTTGAGCCCAAGTGGCCTACACCGGAAAAGCTCTGGGATTGGGACATGTGGATGCGGATGCCT GAACAACGCCGGGGCCGAGAGTGCATCATCCCTGACGTTTCCCGATCCTACCACTTTGGCATC GTCGGCCTCAACATGAATGGCTACTTTCACGAGGCCTACTTCAAGAAGCACAAGTTCAACACG CACAGGCTGCTCAGTGAGGCTGAGGTTCTGGACCACAGCAAGAACCCTTGTGAAGACTCTTTC CTGCCAGACACAGAGGGCCACACCTACGTGGCCTTTATTCGAATGGAGAAAGATGATGACTTC ACCACCTGGACCCAGCTTGCCAAGTGCCTCCATATCTGGGACCTGGATGTGCGTGGCAACCAT CGGGGCCTGTGGAGATTGTTTCGGAAGAAGAACCACTTCCTGGTGGTGGGGGTCCCGGCTTCC CCCTACTCAGTGAAGAAGCCACCCTCAGTCACCCCAATTTTCCTGGAGCCACCCCCAAAGGAG GAGGGAGCCCCAGGAGCCCCAGAACAGACATGAGACCTCCTCCAGGACCCTGCGGGGCTGGGT ACTGTGTACCCCCAGGCTGGCTAGCCCTTCCCTCCATCCTGTAGGATTTTGTAGATGCTGGTA GGGGCTGGGGCTACCTTGTTTTTAACATGAGACTTAATTACTAACTCCAAGGGGAGGGTTCCC AGGAGAGTACCTGGGAATCATTACGATCCCTAGCAGCTCATCCTGCCCTTTGAATACCCTCAC TTTCCAGGCCTGGCTCAGAATCTAACCTATTTATTGACTGTCCTGAGGGCCTTGAAAACAGGC TTACTCAGGAAACTGCTGTGCCCAACCCATGGACAGGCCCAGCTGGGGCCCACATGCTGACAC AGACTCACTCAGAGACCCTTAGACACTGGACCAGGCCTCCTCTCAGCCTTCTCTTTGTCCAGA AAAAAAAAAAAAA

480/550

FIGURE 480

MDDWKPSPLIKPFGARKKRSWYLTWKYKLTNQRALRRFCQTGAVLFLLVTVIVNIKLILDTRR
AISEANEDPEPEQDYDEALGRLEPPRRRGSGPRRVLDVEVYSSRSKVYVAVDGTTVLEDEARE
QGRGIHVIVLNQATGHVMAKRVFDTYSPHEDEAMVLFLNMVAPGRVLICTVKDEGSFHLKDTA
KALLRSLGSQAGPALGWRDTWAFVGRKGGPVFGEKHSKSPALSSWGDPVLLKTDVPLSSAEEA
ECHWADTELNRRRRFCSKVEGYGSVCSCKDPTPIEFSPDPLPDNKVLNVPVAVIAGNRPNYL
YRMLRSLLSAQGVSPQMITVFIDGYYEEPMDVVALFGLRGIQHTPISIKNARVSQHYKASLTA
TFNLFPEAKFAVVLEEDLDIAVDFFSFLSQSIHLLEEDDSLYCISAWNDQGYEHTAEDPALLY
RVETMPGLGWVLRRSLYKEELEPKWPTPEKLWDWDMWMRMPEQRRGRECIIPDVSRSYHFGIV
GLNMNGYFHEAYFKKHKFNTVPGVQLRNVDSLKKEAYEVEVHRLLSEAEVLDHSKNPCEDSFL
PDTEGHTYVAFIRMEKDDDFTTWTQLAKCLHIWDLDVRGNHRGLWRLFRKKNHFLVVGVPASP
YSVKKPPSVTPIFLEPPPKEEGAPGAPEQT

Important features:

Transmembrane domain:

amino acids 38-55

Homologous region to Mouse GNT1

amino acids 229-660

481/550

FIGURE 481

GAAAGAATGTTGTGGCTGCTCTTTTTTCTGGTGACTGCCATTCATGCTGAACTCTGTCAACCA GGTGCAGAAAATGCTTTTAAAGTGAGACTTAGTATCAGAACAGCTCTGGGAGATAAAGCATAT GCCTGGGATACCAATGAAGAATACCTCTTCAAAGCGATGGTAGCTTTCTCCATGAGAAAAGTT CCCAACAGAGAAGCAACAGAAATTTCCCATGTCCTACTTTGCAATGTAACCCAGAGGGTATCA TTCTGGTTTGTGGTTACAGACCCTTCAAAAAATCACACCCTTCCTGCTGTTGAGGTGCAATCA TTTTTAAAAATCCCTTCCACACTTGCACCACCCATGGACCCATCTGTGCCCATCTGGATTATT ATATTTGGTGTGATATTTTGCATCATAGTTGCAATTGCACTACTGATTTTATCAGGGATC TGGCAACGTAGAAGAAGAACAAAGAACCATCTGAAGTGGATGACGCTGAAGATAAGTGTGAA AACATGATCACAATTGAAAATGGCATCCCCTCTGATCCCCTGGACATGAAGGGGGGCATATTA ATGATGCCTTCATGACAGAGGATGAGAGGCTCACCCCTCTCTGAAGGGCTGTTGTTCTGCTTC CTCAAGAATTAAACATTTGTTTCTGTGTGACTGCTGAGCATCCTGAAATACCAAGAGCAGAT CATATATTTTGTTTCACCATTCTTCTTTTGTAATAAATTTTGAATGTGCTTGAAAGTGAAAAG CAATCAATTATACCCACCAACACCACTGAAATCATAAGCTATTCACGACTCAAAATATTCTAA AATATTTTTCTGACAGTATAGTGTATAAATGTGGTCATGTGGTATTTGTAGTTATTGATTTAA GCATTTTTAGAAATAAGATCAGGCATATGTATATATTTTCACACTTCAAAGACCTAAGGAAAA ATAAATTTTCCAGTGGAGAATACATATAATATGGTGTAGAAATCATTGAAAATGGATCCTTTT TGACGATCACTTATATCACTCTGTATATGACTAAGTAAACAAAAGTGAGAAGTAATTATTGTA AATGGATGGATAAAAATGGAATTACTCATATACAGGGTGGAATTTTATCCTGTTATCACACCA ACAGTTGATTATATTTTCTGAATATCAGCCCCTAATAGGACAATTCTATTTGTTGACCATT TCTACAATTTGTAAAAGTCCAATCTGTGCTAACTTAATAAAGTAATAATCATCTCTTTTTAAA AAAAAAAAAAAAAAAAAAAAAA

482/550

FIGURE 482

MLWLLFFLVTAIHAELCQPGAENAFKVRLSIRTALGDKAYAWDTNEEYLFKAMVAFSMRKVPN REATEISHVLLCNVTQRVSFWFVVTDPSKNHTLPAVEVQSAIRMNKNRINNAFFLNDQTLEFL KIPSTLAPPMDPSVPIWIIIFGVIFCIIIVAIALLILSGIWQRRRKNKEPSEVDDAEDKCENM ITIENGIPSDPLDMKGGILMMPS

483/550

FIGURE 483

CGTCTCTGCGTTCGCCATGCGTCCCGGGGCGCCAGGGCCACTCTGGCCTCTGCCCTGGGGGGGC CCTGGCTTGGGCCGTGGGCTTCGTGAGCTCCATGGGCTCGGGGAACCCCGCGCCCGGTGGTGT TTGCTGGCTCCAGCAGGGCCAGGAGGCCACCTGCAGCCTGGTGCTCCAGACTGATGTCACCCG CAAGATCAACCTCCTCGGCTTCTTGGGCCTTGTCCACTGCCTTCCCTGCAAAGATTCGTGCGA CGCGCCCGACTGCTCGGGGCTCCCGGCGCGCGCTGCAGGTCTGCGGCTCAGACGGCGCCACCTA CCGCGACGAGTGCGAGCTGCGCGCGCGCGCGCGCGCCACCCGGACCTGAGCGTCATGTA CCGGGGCCGCTGCCGCAAGTCCTGTGAGCACGTGGTGTGCCCGCGGCCACAGTCGTGCGTCGT GGACCAGACGGCCACCGCCCACTGCGTGGTGTGTCGAGCGGCCCCTGCCCTGTGCCCTCCAG CCCCGGCCAGGAGCTTTGCGGCAACAACAACGTCACCTACATCTCCTCGTGCCACATGCGCCA GGCCACCTGCTTCCTGGGCCGCTCCATCGGCGTGCGCCACGCGGGCAGCTGCGCAGGCACCCC TGAGGAGCCGCCAGGTGGTGAGTCTGCAGAAGAGGAAGAGAACTTCGTG<u>TGA</u>GCCTGCAGGAC TAATTTATATGCCACGGACACTCCTTAGAGCCCGGATTCGGACCACTTGGGGATCCCAGAACC AGACCTGCGTTCCGGACACTGAGCGCCTGATTTAGGGCCCCTTCTCTAGGATGCCCCAGCCCCT ACCCTAAGACCTATTGCCGGGGAGGATTCCACACTTCCGCTCCTTTGGGGATAAACCTATTAA TTATTGCTACTATCAAGAGGGCTGGGCATTCTCTGCTGGTAATTCCTGAAGAGGCATGACTGC TTTTCTCAGCCCCAAGCCTCTAGTCTGGGTGTGTACGGAGGGTCTAGCCTGGGTGTGTACGGA GGGTCTAGCCTGGGTGAGTACGGAGGGTCTAGCCTGGGTGAGTACGGAGGGTCTAGCCTGGGT GAGTACGGAGGGTCTAGCCTGGGTGTGTATGGAGGATCTAGCCTGGGTGAGTATGGAGGGTCT AGCCTGGGTGAGTATGGAGGGTCTAGCCTGGGTGTGTATGGAGGGTCTAGCCTGGGTGAGTAT GGAGGGTCTAGCCTGGGTGTATGGAGGGTCTAGCCTGGGTGAGTATGGAGGGTCTAGCCTG GGTGTGTACGGAGGGTCTAGTCTGAGTGCGTGTGGGGACCTCAGAACACTGTGACCTTAGCCC AGCAAGCCAGGCCCTTCATGAAGGCCAAGAAGGCTGCCACCATTCCCTGCCAGCCCAAGAACT CCAGCTTCCCCACTGCCTCTGTGTGCCCCTTTGCGTCCTGTGAAGGCCATTGAGAAATGCCCA GTGTGCCCCCTGGGAAAGGGCACGGCCTGTGCTCCTGACACGGGCTGTGCTTGGCCACAGAAC CACCCAGCGTCTCCCCTGCTGCTGTCCACGTCAGTTCATGAGGCAACGTCGCGTGGTCTCAGA CGTGGAGCAGCCAGCGGCAGCTCAGAGCAGGGCACTGTGTCCGGCGGAGCCAAGTCCACTCTG GGGGAGCTCTGGCGGGGACCACGGGCCACTGCTCACCCACTGGCCCCGAGGGGGGTGTAGACG CCAAGACTCACGCATGTGTGACATCCGGAGTCCTGGAGCCGGGTGTCCCAGTGGCACCACTAG GTGCCTGCTGCCTCACAGTGGGGTTCACACCCAGGGCTCCTTGGTCCCCCACAACCTGCCCC GGCCAGGCCTGCAGACCCAGACTCCAGCCAGACCTGCCTCACCCAATGCAGCCGGGGCTG CTGCGTTGATGCTCAGAATCGCCTACCTGTGCCTGCGTGTAAACCACAGCCTCAGACCAGCTA TGGGGAGAGACACGGAGGATATCCAGCTTCCCCGGTCTGGGGTGAGGAATGTGGGGAGC TTGGGCATCCTCCAGCCTCCTCCAGCCCCCAGGCAGTGCCTTACCTGTGGTGCCCAGAAA AGTGCCCCTAGGTTGGTGGGTCTACAGGAGCCTCAGCCAGGCAGCCCACCCCACCCTGGGGCC

484/550

FIGURE 484

MRPGAPGPLWPLPWGALAWAVGFVSSMGSGNPAPGGVCWLQQGQEATCSLVLQTDVTRAECCA SGNIDTAWSNLTHPGNKINLLGFLGLVHCLPCKDSCDGVECGPGKACRMLGGRPRCECAPDCS GLPARLQVCGSDGATYRDECELRAARCRGHPDLSVMYRGRCRKSCEHVVCPRPQSCVVDQTGS AHCVVCRAAPCPVPSSPGQELCGNNNVTYISSCHMRQATCFLGRSIGVRHAGSCAGTPEEPPG GESAEEEENFV

Important features:

Signal peptide:

amino acids 1-20

N-glycosylation sites.

amino acids 73-77, 215-219

Osteonectin domain proteins.

amino acids 97-130, 169-202

485/550

FIGURE 485

GCTCGAGGCCGGCGGCGGGAGAGCGACCCGGGCGCCTCGTAGCGGGCCCCCGGATCCCC GAGTGGCGGCCGGAGCCTCGAAAAGAGATTCTCAGCGCTGATTTTGAG**ATG**ATGGGCTTGGGA AACGGGCGTCGCAGCATGAAGTCGCCGCCCCTCGTGCTGGCCGCCCTGGTGGCCTGCATCATC GTCTTGGGCTTCAACTACTGGATTGCGAGCTCCCGGAGCGTGGACCTCCAGACACGGATCATG GAGTTCCAGGGAGAGCTGGAGAAGCAGCGGGAGCAGCTTGACAAAATCCAGTCCAGCCACAAC TTCCAGCTGGAGAGCGTCAACAAGCTGTACCAGGACGAAAAGGCGGTTTTGGTGAATAACATC ACCACAGGTGAGAGGCTCATCCGAGTGCTGCAAGACCAGTTAAAGACCCTGCAGAGGAATTAC GGCAGGCTGCAGCAGGATGTCCTCCAGTTTCAGAAGAACCAGACCAACCTGGAGAGGAAGTTC TCCTACGACCTGAGCCAGTGCATCAATCAGATGAAGGAGGTGAAGGAACAGTGTGAGGAGCGA ATAGAAGAGGTCACCAAAAAGGGGAATGAAGCTGTAGCTTCCAGAGACCTGAGTGAAAACAAC CCACACAGAGGTGCCACAAGGGAAGGGAAACGTGCTTGGTAACAGCAAGTCCCAGACACCA GCCCCCAGTTCCGAAGTGGTTTTGGATTCAAAGAGACAAGTTGAGAAAGAGGAAACCAATGAG ATCCAGGTGGTGAATGAGGAGCCTCAGAGGGGACAGGCTGCCGCAGGAGCCAGGCCGGGAGCAG GTGGTGGAAGACAGACCTGTAGGTGGAAGAGGCTTCGGGGGAGCCGGAGAACTGGGCCAGACC CCACAGGTGCAGGCTGCCCTGTCAGTGAGCCAGGAAAATCCAGAGATGGAGGGCCCTGAGCGA GACCAGCTTGTCATCCCCGACGGACAGGAGGAGGAGGAGGAAGCTGCCGGGGAAGGGAGAAAC CAGCAGAAACTGAGAGGAGAAGATGACTACAACATGGATGAAAATGAAGCAGAATCTGAGACA GACAAGCAAGCAGCCCTGGCAGGGAATGACAGAAACATAGATGTTTTAATGTTGAAGATCAG AAAAGAGACACCATAAATTTACTTGATCAGCGTGAAAAGCGGAATCATACACTC<u>TGA</u>ATTGAA CTGGAATCACATATTTCACAACAGGGCCGAAGAGATGACTATAAAATGTTCATGAGGGACTGA ATACTGAAAACTGTGAAATGTACTAAATAAAATGTACATCTGA

486/550

FIGURE 486

MMGLGNGRRSMKSPPLVLAALVACIIVLGFNYWIASSRSVDLQTRIMELEGRVRRAAAERGAV
ELKKNEFQGELEKQREQLDKIQSSHNFQLESVNKLYQDEKAVLVNNITTGERLIRVLQDQLKT
LQRNYGRLQQDVLQFQKNQTNLERKFSYDLSQCINQMKEVKEQCEERIEEVTKKGNEAVASRD
LSENNDQRQQLQALSEPQPRLQAAGLPHTEVPQGKGNVLGNSKSQTPAPSSEVVLDSKRQVEK
EETNEIQVVNEEPQRDRLPQEPGREQVVEDRPVGGRGFGGAGELGQTPQVQAALSVSQENPEM
EGPERDQLVIPDGQEEEQEAAGEGRNQQKLRGEDDYNMDENEAESETDKQAALAGNDRNIDVF
NVEDQKRDTINLLDQREKRNHTL

Important features:

Signal peptide:

amino acids 1-29

487/550

FIGURE 487

AACTCAAACTCCTCTCTGGGAAAACGCGGTGCTTGCTCCTCCCGGAGTGGCCTTGGCAGGG TGTTGGAGCCCTCGGTCTGCCCCGTCCGGTCTCTGGGGCCAAGGCTGGGTTTCCCTCATC GGCAAGAGCTCTACTCGTGCGGTGCTTCTTCTCCTTGGCATACAGCTCACAGCTCTTTGGCCT ATAGCAGCTGTGGAAATTTATACCTCCCGGGTGCTGGAGGCTGTTAATGGGACAGATGCTCGG TTAAAATGCACTTTCTCCAGCTTTGCCCCTGTGGGTGATGCTCTAACAGTGACCTGGAATTTT CGTCCTCTAGACGGGGGACCTGAGCAGTTTGTATTCTACTACCACATAGATCCCTTCCAACCC ATGAGTGGGCGGTTTAAGGACCGGGTGTCTTGGGATGGGAATCCTGAGCGGTACGATGCCTCC ATCCTTCTCTGGAAACTGCAGTTCGACGACAATGGGACATACACCTGCCAGGTGAAGAACCCA CCTGATGTTGATGGGGTGATAGGGGAGATCCGGCTCAGCGTCGTGCACACTGTACGCTTCTCT GAGATCCACTTCCTGGCTCTGGCCATTGGCTCTGCCTGTGCACTGATGATCATAATAGTAATT GTAGTGGTCCTCTTCCAGCATTACCGGAAAAAGCGATGGGCCGAAAGAGCTCATAAAGTGGTG GACACAGACTAACAATTTTAGATGGAAGCTGAGATGATTTCCAAGAACAAGAACCCTAGTATT TCTTGAAGTTAATGGAAACTTTTCTTTGGCTTTTCCAGTTGTGACCCGTTTTCCAACCAGTTC TGCAGCATATTAGATTCTAGACAAGCAACACCCCTCTGGAGCCAGCACAGTGCTCCTCCATAT CACCAGTCATACACAGCCTCATTATTAAGGTCTTATTTAATTTCAGAGTGTAAATTTTTTCAA GTGCTCATTAGGTTTTATAAACAAGAAGCTACATTTTTGCCCTTAAGACACTACTTACAGTGT TATGACTTGTATACACATATATTGGTATCAAAGGGGATAAAAGCCAATTTGTCTGTTACATTT $\verb|CCTTTCACGTATTTCTTTTAGCAGCACTTCTGCTACTAAAGTTAATGTGTTTTACTCTCTTTTCC| \\$ TTCCCACATTCTCAATTAAAAGGTGAGCTAAGCCTCCTCGGTGTTTCTGATTAACAGTAAATC CTAAATTCAAACTGTTAAATGACATTTTTATTTTTATGTCTCTCCTTAACTATGAGACACATC TTGTTTTACTGAATTTCTTTCAATATTCCAGGTGATAGATTTTTGTCG

488/550

FIGURE 488

MYGKSSTRAVLLLLGIQLTALWPIAAVEIYTSRVLEAVNGTDARLKCTFSSFAPVGDALTVTW
NFRPLDGGPEQFVFYYHIDPFQPMSGRFKDRVSWDGNPERYDASILLWKLQFDDNGTYTCQVK
NPPDVDGVIGEIRLSVVHTVRFSEIHFLALAIGSACALMIIIVIVVVLFQHYRKKRWAERAHK
VVEIKSKEEERLNQEKKVSVYLEDTD

489/550

FIGURE 489

AAGCAACCAAACTGCAAGCTTTGGGAGTTGTTCGCTGTCCCTGCCCTGCTCTGCTAGGGAGAG AACGCCAGAGGGAGGCGGCTGGCCCGGCGCAGGCTCTCAGAACCGCTACCGGCGATGCTACT GCTGTGGGTGTCGCTGCCAGCCTTGGCGCTGCCGTACTGGCCCCCGGAGCAGGGGAGCA GAGGCGGAGAGCAGCCAAAGCGCCCAATGTGGTGCTGGTCGTGAGCGACTCCTTCGATGGAAG GTTAACATTTCATCCAGGAAGTCAGGTAGTGAAACTTCCTTTTATCAACTTTATGAAGACACG TGGGACTTCCTTTCTGAATGCCTACACAAACTCTCCAATTTGTTGCCCATCACGCGCAGCAAT GTGGAGTGGCCTCTTCACTCACTTAACAGAATCTTGGAATAATTTTAAGGGTCTAGATCCAAA TTATACAACATGGATGGATGTCATGGAGAGGCATGGCTACCGAACACAGAAATTTGGGAAACT GGACTATACTTCAGGACATCACTCCATTAGTAATCGTGTGGAAGCGTGGACAAGAGATGTTGC. TTTCTTACTCAGACAAGAAGGCAGGCCCATGGTTAATCTTATCCGTAACAGGACTAAAGTCAG AGTGATGGAAAGGGATTGGCAGAATACAGACAAAGCAGTAAACTGGTTAAGAAAGGAAGCAAT TAATTACACTGAACCATTTGTTATTTACTTGGGATTAAATTTACCACCCCTTACCCTTCACC ATCTTCTGGAGAAAATTTTGGATCTTCAACATTTCACACATCTCTTTATTGGCTTGAAAAAGT GTCTCATGATGCCATCAAAATCCCAAAGTGGTCACCTTTGTCAGAAATGCACCCTGTAGATTA TTACTCTTCTTATACAAAAAACTGCACTGGAAGATTTACAAAAAAAGAAATTAAGAATATTAG AGCATTTTATTATGCTATGTGTGCTGAGACAGATGCCATGCTTGGTGAAATTATTTTGGCCCT TCATCAATTAGATCTTCTTCAGAAAACTATTGTCATATACTCCTCAGACCATGGAGAGCTGGC CATGGAACATCGACAGTTTTATAAAATGAGCATGTACGAGGCTAGTGCACATGTTCCGCTTTT GATGATGGGACCAGGAATTAAAGCCGGCCTACAAGTATCAAATGTGGTTTCTCTTGTGGATAT TTACCCTACCATGCTTGATATTGCTGGAATTCCTCTGCCTCAGAACCTGAGTGGATACTCTTT GTTGCCGTTATCATCAGAAACATTTAAGAATGAACATAAAGTCAAAAACCTGCATCCACCCTG GATTCTGAGTGAATTCCATGGATGTAATGTGAATGCCTCCACCTACATGCTTCGAACTAACCA CTGGAAATATATAGCCTATTCGGATGGTGCATCAATATTGCCTCAACTCTTTGATCTTTCCTC GGATCCAGATGAATTAACAAATGTTGCTGTAAAATTTCCAGAAATTACTTATTCTTTGGATCA GAAGCTTCATTCCATTATAAACTACCCTAAAGTTTCTGCTTCTGTCCACCAGTATAATAAAGA GCAGTTTATCAAGTGGAAACAAAGTATAGGACAGAATTATTCAAACGTTATAGCAAATCTTAG GTGGCACCAAGACTGGCAGAAGGAACCAAGGAAGTATGAAAATGCAATTGATCAGTGGCTTAA AACCCATATGAATCCAAGAGCAGTT<u>TGA</u>ACAAAAAGTTTAAAAAATAGTGTTCTAGAGATACAT ATAAATATATTACAAGATCATAATTATGTATTTTAAATGAAACAGTTTTAAATAATTACCAAGT TTTGGCCGGCCACAGTGGCTCACACCTGTAATCCCAGGACTTTGGGAGGCTGAGGAAAGCAGA TCACAAGGTCAAGAGATTGAGACCATCCTGGCCAACATGGTGAAACCCTGTCTCTACTAAAAA TACAAAAATTAGCTGGGCGCGGTGGTGCACACCTATAGTCTCAGCTACTCAGAGGCTGAGGCA GGAGGATCGCTTGAACCCGGGAGGCAGCAGTTGCAGTGAGCTGAGATTGCGCCACTGTACTCC AGCCTGGCAACAGAGTGAGACTGTGTCGCAAAAAAATAAAATAAAATAATAATAATTACCAA TTTTTCATTATTTTGTAAGAATGTAGTGTATTTTAAGATAAAATGCCAATGATTATAAAATCA CATATTTTCAAAAATGGTTATTATTTAGGCCTTTGTACAATTTCTAACAATTTAGTGGAAGTA TCAAAAGGATTGAAGCAAATACTGTAACAGTTATGTTCCTTTAAATAATAGAGAATATAAAAAT AAAAAAAAAAAAAAAA

490/550

FIGURE 490

MLLLWVSVVAALALAVLAPGAGEQRRRAAKAPNVVLVVSDSFDGRLTFHPGSQVVKLPFINFM
KTRGTSFLNAYTNSPICCPSRAAMWSGLFTHLTESWNNFKGLDPNYTTWMDVMERHGYRTQKF
GKLDYTSGHHSISNRVEAWTRDVAFLLRQEGRPMVNLIRNRTKVRVMERDWQNTDKAVNWLRK
EAINYTEPFVIYLGLNLPHPYPSPSSGENFGSSTFHTSLYWLEKVSHDAIKIPKWSPLSEMHP
VDYYSSYTKNCTGRFTKKEIKNIRAFYYAMCAETDAMLGEIILALHQLDLLQKTIVIYSSDHG
ELAMEHRQFYKMSMYEASAHVPLLMMGPGIKAGLQVSNVVSLVDIYPTMLDIAGIPLPQNLSG
YSLLPLSSETFKNEHKVKNLHPPWILSEFHGCNVNASTYMLRTNHWKYIAYSDGASILPQLFD
LSSDPDELTNVAVKFPEITYSLDQKLHSIINYPKVSASVHQYNKEQFIKWKQSIGQNYSNVIA
NLRWHQDWQKEPRKYENAIDQWLKTHMNPRAV

Important features:

Signal peptide:

amino acids 1-15

N-glycosylation sites.

amino acids 108-111, 166-169, 193-196, 262-265, 375-378, 413-416, 498-501

Sulfatases proteins:

amino acids 286-315, 359-369, 78-97

491/550

FIGURE 491

GAGAGAGTCAGCCTGGCAGAGAGACTCTGAAATGAGGGATTAGAGGTGTTCAAGGAGCAAGA CTCTCTTGGCCTCCAACTTGTGGGCTACATCCTAGGCCTTCTGGGGCTTTTTGGGCACACTGGT TGCCATGCTGCTCCCCAGCTGGAAAACAAGTTCTTATGTCGGTGCCAGCATTGTGACAGCAGT CATCTATAGCACCCTTCTGGGCCTGCCCGCTGACATCCAGGCTGCCCAGGCCATGATGGTGAC ATCCAGTGCAATCTCCTCCCTGGCCTGCATTATCTCTGTGGTGGGCATGAGATGCACAGTCTT CTGCCAGGAATCCCGAGCCAAAGACAGAGTGGCGGTAGCAGGTGGAGTCTTTTTCATCCTTGG AGGCCTCCTGGGATTCATTCCTGTTGCCTGGAATCTTCATGGGATCCTACGGGACTTCTACTC ACCACTGGTGCCTGACAGCATGAAATTTGAGATTGGAGAGGCTCTTTACTTGGGCATTATTTC TTCCCTGTTCTCCCTGATAGCTGGAATCATCCTCTGCTTTTCCTGCTCATCCCAGAGAAATCG CTCCAACTACTACGATGCCTACCAAGCCCAACCTCTTGCCACAAGGAGCTCTCCAAGGCCTGG TCAACCTCCCAAAGTCAAGAGTGAGTTCAATTCCTACAGCCTGACAGGGTATGTGTGAAGAAC CAGGGGCCAGAGCTGGGGGGTGGCTGGGTCTGTGAAAAACAGTGGACAGCACCCCGAGGGCCA CCATTGGATTGAGCAAAGGCAGAAATGGGGGCTAGTGTAACAGCATGCAGGTTGAATTGCCAA GGATGCTCGCCATGCCAGCCTTTCTGTTTTCCTCACCTTGCTGCTCCCCTGCCCTAAGTCCCC AACCCTCAACTTGAAACCCCATTCCCTTAAGCCAGGACTCAGAGGATCCCTTTGCCCTCTGGT AGACCCTCTCTCTGGCTGAGGTTGGCTCTTAGCTCATTGCTGGGGATGGGAAGGAGAAGCAGT GGCTTTTGTGGGCATTGCTCTAACCTACTTCTCAAGCTTCCCTCCAAAGAAACTGATTGGCCC TGGAACCTCCATCCCACTCTTGTTATGACTCCACAGTGTCCAGACTAATTTGTGCATGAACTG AAATAAAACCATCCTACGGTATCCAGGGAACAGAAAGCAGGATGCAGGATGGGAGGACAGGAA GGCAGCCTGGGACATTTAAAAAAATA

492/550

FIGURE 492

MASLGLQLVGYILGLLGLLGTLVAMLLPSWKTSSYVGASIVTAVGFSKGLWMECATHSTGITQ CDIYSTLLGLPADIQAAQAMMVTSSAISSLACIISVVGMRCTVFCQESRAKDRVAVAGGVFFI LGGLLGFIPVAWNLHGILRDFYSPLVPDSMKFEIGEALYLGIISSLFSLIAGIILCFSCSSQR NRSNYYDAYQAQPLATRSSPRPGQPPKVKSEFNSYSLTGYV

Important features:

Signal peptide:

amino acids 1-24

Transmembrane domains:

amino acids 82-102, 117-140, 163-182

N-glycosylation site.

amino acids 190-193

PMP-22 / EMP / MP20 family proteins.

amino acids 46-59

493/550

FIGURE 493

GCACTGCTGCTGTCCCATCAGCTGCTCTGAAGCTCCATGGTGCCCAGAATCTTCGCTCCTGCT
TATGTGTCAGTCTGTCTCCTCCTCTTGTGTCCAAGGGAAGTCATCGCTCCCGCTGGCTCAGAA
CCATGGCTGTGCCAGCCGGCACCCAGGTGTGGAGACAAGATCTACAACCCCTTGGAGCAGTGC
TGTTACAATGACGCCATCGTGTCCCTGAGCGAGACCCGCCAATGTGGTCCCCCCCTGCACCTTC
TGGCCCTGCTTTGAGCTCTGCTGTCTTGATTCCTTTGGCCTCACAAACGATTTTGTTGTAAG
CTGAAGGTTCAGGGTGTGAATTCCCAGTGCCACTCATCTCCCATCTCCAGTAAATGTGAAAGC
AGAAGACGTTTTCCCTGAGAAAGAAAAAATCAACTTTCACTAAGGCATCTCAGAAA
CATAGGCTAAGGTAATATGTGTACCAGTAGAAAGACCTGAGGAATTTACAAAATGATGCAGCT
CCAAGCCATTGTATGGCCCATGTGGGAGACTGATGGAGAATGACAGTAGATTATCA
GGAAATAAATAAAGTGGTTTTTCCAATGTACACACCTGTAAAA

494/550

FIGURE 494

MVPRIFAPAYVSVCLLLLCPREVIAPAGSEPWLCQPAPRCGDKIYNPLEQCCYNDAIVSLSET RQCGPPCTFWPCFELCCLDSFGLTNDFVVKLKVQGVNSQCHSSPISSKCESRRRFP

Important features:

Signal peptide:

amino acids 1-25

495/550

FIGURE 495

CTCCACTGCAACCACCCAGAGCCATGGCTCCCCGAGGCTGCATCGTAGCTGTCTTTGCCATTT

TCTGCATCTCCAGGCTCCTCTGCTCACACGGAGCCCCAGTGGCCCCCATGACTCCTTACCTGA

TGCTGTGCCAGCCACACAAGAGATGTGGGGACAAGTTCTACGACCCCCTGCAGCACTGTTGCT

ATGATGATGCCGTCGTGCCCTTGGCCAGGACCCAGACGTGTGGAAACTGCACCTTCAGAGTCT

GCTTTGAGCAGTGCTGCCCCTGGACCTTCATGGTGAAGCTGATAAACCAGAACTGCGACTCAG

CCCGGACCTCGGATGACAGGCTTTGTCGCAGTGTCAGCTAATGGAACATCAGGGGAACGATGA

CTCCTGGATTCTCCTTCCTGGGTGGGCCTGGAGAAAGAGGCTGGTGTTACCTGAGATCTGGGA

TGCTGAGTGGCTGTTTGGGGGCCCAGAGAAACACACTCAACTGCCCACTTCATTCTGTGACC

TGTCTGAGGCCCACCCTGCAGCTGCCCTGAGGAGGCCCACAGGTCCCCTTCTAGAATTCTGGA

CAGCATGAGATGCGTGTGCTGATGGGGGCCCAGGGACTCTGAACCCTCCTGATGACCCCTATG

GCCAACATCAACCCGGCACCACCCCAAGGCTGGCTGGGGAACCCTTCACCCTTCTTGTGAGTT

TTCCATCATCTCAAGTTCTCTTCTATCCAGGAGCAAAGCACAGGATCATAATAAATTTATGTA

CTTTATAAATGAAAA

496/550

FIGURE 496

 ${\tt MAPRGCIVAVFAIFCISRLLCSHGAPVAPMTPYLMLCQPHKRCGDKFYDPLQHCCYDDAVVPL} \\ {\tt ARTQTCGNCTFRVCFEQCCPWTFMVKLINQNCDSARTSDDRLCRSVS}$

Important features:

Signal peptide:

amino acids 1-24

497/550

FIGURE 497

,TGAAGGACTTTTCCAGGACCCAAGGCCACACTGGAAGTCTTGCAGCTGAAGGGAGGCACTC CTTGGCCTCCGCAGCCGATCACATGAAGGTGGTGCCAAGTCTCCTGCTCTCCGTCCTCCTGGC ACAGGTGTGGCTGGTACCCGGCTTGGCCCCCAGTCCTCAGTCGCCAGAGACCCCAGCCCCTCA GGAGACTTCAAACTTCGGATTCAGCCTGCTGCGAAAGATCTCCATGAGGCACGATGGCAACAT GGTCTTCTCTCCATTTGGCATGTCCTTGGCCATGACAGGCTTGATGCTGGGGGCCACAGGGCC GACTGAAACCCAGATCAAGAGGGGCTCCACTTGCAGGCCCTGAAGCCCACCAAGCCCGGGCT CCTGCCTTCCCTCTTTAAGGGACTCAGAGAGCCCTCTCCCGCAACCTGGAACTGGGCCTCTC ACAGGGGAGTTTTGCCTTCATCCACAAGGATTTTGATGTCAAAGAGACTTTCTTCAATTTATC CAAGAGGTATTTTGATACAGAGTGCGTGCCTATGAATTTTCGCAATGCCTCACAGGCCAAAAG GCTCATGAATCATTACATTAACAAAGAGACTCGGGGGAAAATTCCCAAACTGTTTGATGAGAT TAATCCTGAAACCAAATTAATTCTTGTGGATTACATCTTGTTCAAAGGGAAATGGTTGACCCC ATTTGACCCTGTCTTCACCGAAGTCGACACTTTCCACCTGGACAAGTACAAGACCATTAAGGT GCCCATGATGTACGGTGCAGGCAAGTTTGCCTCCACCTTTGACAAGAATTTTCGTTGTCATGT CCTCAAACTGCCCTACCAAGGAAATGCCACCATGCTGGTGGTCCTCATGGAGAAAATGGGTGA CCACCTCGCCCTTGAAGACTACCTGACCACAGACTTGGTGGAGACATGGCTCAGAAACATGAA AACCAGAAACATGGAAGTTTTCTTTCCGAAGTTCAAGCTAGATCAGAAGTATGAGATGCATGA GCTGCTTAGGCAGATGGGAATCAGAAGAATCTTCTCACCCTTTGCTGACCTTAGTGAACTCTC AGCTACTGGAAGAATCTCCAAGTATCCAGGGTTTTACGAAGAACAGTGATTGAAGTTGATGA AAGGGGCACTGAGGCAGTGGCAGGAATCTTGTCAGAAATTACTGCTTATTCCATGCCTCCTGT CATCAAAGTGGACCGGCCATTTCATTTCATGATCTATGAAGAAACCTCTGGAATGCTTCTGTT TCTGGGCAGGGTGGTGAATCCGACTCTCCTA**TAA**TTCAGGACATGCATAAGCACTTCGTGCTG TCTGAGGGGGATACATTCAAAGACCCCCAGCAGATGCCTGAAACGGTGGACAGTGCTGAACCT TATATATATTTTTTCCTACACATACATACCTATGATAAAGTTTAATTTATAAATTAGGCACAG TAAGAGATTAACAATAATAACAACATTAAGTAAAATGAGTTACTTGAACGCAAGCACTGCAAT ACCATAACAGTCAAACTGATTATAGAGAAGGCTACTAAGTGACTCATGGGCGAGGAGCATAGA AAGATTCCATCCCACTACTCAGAATGGCATGCTGCTTAAGACTTTTAGATTGTTTATTTCTGG AATTTTTCATTTAATGTTTTTGGACCATGGTTGACCATGGTTAACTGAGACTGCAGAAAGCAA AAAAAAAA

498/550

FIGURE 498

MKVVPSLLLSVLLAQVWLVPGLAPSPQSPETPAPQNQTSRVVQAPREEEEDEQEASEEKAGEE
EKAWLMASRQQLAKETSNFGFSLLRKISMRHDGNMVFSPFGMSLAMTGLMLGATGPTETQIKR
GLHLQALKPTKPGLLPSLFKGLRETLSRNLELGLSQGSFAFIHKDFDVKETFFNLSKRYFDTE
CVPMNFRNASQAKRLMNHYINKETRGKIPKLFDEINPETKLILVDYILFKGKWLTPFDPVFTE
VDTFHLDKYKTIKVPMMYGAGKFASTFDKNFRCHVLKLPYQGNATMLVVLMEKMGDHLALEDY
LTTDLVETWLRNMKTRNMEVFFPKFKLDQKYEMHELLRQMGIRRIFSPFADLSELSATGRNLQ
VSRVLRRTVIEVDERGTEAVAGILSEITAYSMPPVIKVDRPFHFMIYEETSGMLLFLGRVVNP
TLL

499/550

FIGURE 499

500/550

FIGURE 500

MDSLRKMLISVAMLGAGAGVGYALLVIVTPGERRKQEMLKEMPLQDPRSREEAARTQQLLLAT LQEAATTQENVAWRKNWMVGGEGGASGRSP

Important features:

Signal peptide:

amino acids 1-18

501/550

FIGURE 501

CAGGAGAGAGGCACCGCCCCCCCCCCCCCCCAAAGCTAACCCTCGGGCTTGAGGGGAAGAG GCTGACTGTACGTTCCTTCTACTCTGGCACCACTCTCCAGGCTGCCATGGGGCCCAGCACCCC TCTCCTCATCTTGTTCCTTTTGTCATGGTCGGGACCCCTCCAAGGACAGCAGCACCACCTTGT GGAGTACATGGAACGCCGACTAGCTGCTTTAGAGGAACGGCTGGCCCAGTGCCAGGACCAGAG TAGTCGGCATGCTGCTGAGCTGCGGGACTTCAAGAACAAGATGCTGCCACTGCTGGAGGTGGC AGAGAAGGAGCGGGAGGCACTCAGAACTGAGGCCGACACCATCTCCGGGAGAGTGGATCGTCT GGAGCGGGAGGTAGACTATCTGGAGACCCAGAACCCAGCTCTGCCCTGTGTAGAGTTTGATGA GAAGGTGACTGGAGGCCCTGGGACCAAAGGCAAGGGAAGAAGGAATGAGAAGTACGATATGGT GACAGACTGTGGCTACACAATCTCTCAAGTGAGATCAATGAAGATTCTGAAGCGATTTGGTGG CCCAGCTGGTCTATGGACCAAGGATCCACTGGGGCAAACAGAGAAGATCTACGTGTTAGATGG GACACAGAATGACACAGCCTTTGTCTTCCCAAGGCTGCGTGACTTCACCCTTGCCATGGCTGC CCGGAAAGCTTCCCGAGTCCGGGTGCCCTTCCCCTGGGTAGGCACAGGGCAGCTGGTATATGG TGGCTTTCTTTATTTTGCTCGGAGGCCTCCTGGAAGACCTGGTGGAGGTGGTGAGATGGAGAA CACTTTGCAGCTAATCAAATTCCACCTGGCAAACCGAACAGTGGTGGACAGCTCAGTATTCCC AGCAGAGGGGCTGATCCCCCCCTACGGCTTGACAGCAGACACCTACATCGACCTGGTAGCTGA TGAGGAAGGTCTTTGGGCTGTCTATGCCACCCGGGAGGATGACAGGCACTTGTGTCTGGCCAA GTTAGATCCACAGACACTGGACACAGAGCAGCAGTGGGACACACCATGTCCCAGAGAGAATGC TGAGGCTGCCTTTGTCATCTGTGGGACCCTCTATGTCGTCTATAACACCCGTCCTGCCAGTCG GGCCCGCATCCAGTGCTCCTTTGATGCCAGCGGCACCCTGACCCCTGAACGGGCAGCACTCCC TTATTTTCCCCGCAGATATGGTGCCCATGCCAGCCTCCGCTATAACCCCCGAGAACGCCAGCT ${\tt GGTT} \underline{\textbf{TGA}} {\tt GGAGCTAGCCTTGTTTTTTGCATCTTTCTCACTCCCATACATTTATATTATATCCC}$ CACTAAATTTCTTGTTCCTCATTCTTCAAATGTGGGCCAGTTGTGGCTCAAATCCTCTATATT TTTAGCCAATGGCAATCAAATTCTTTCAGCTCCTTTGTTTCATACGGAACTCCAGATCCTGAG TAATCCTTTTAGAGCCCGAAGAGTCAAAACCCTCAATGTTCCCTCCTGCTCTCCTGCCCCATG TCAACAAATTTCAGGCTAAGGATGCCCCAGACCCAGGGCTCTAACCTTGTATGCGGGCAGGCC CGTCCAGCTCTGTCCTCTCTCCTCACTCCTTCAGTGTCCTGAGGAACAGGACTTTCTC

502/550

FIGURE 502

MGPSTPLLILFLLSWSGPLQGQQHHLVEYMERRLAALEERLAQCQDQSSRHAAELRDFKNKML
PLLEVAEKEREALRTEADTISGRVDRLEREVDYLETQNPALPCVEFDEKVTGGPGTKGKGRRN
EKYDMVTDCGYTISQVRSMKILKRFGGPAGLWTKDPLGQTEKIYVLDGTQNDTAFVFPRLRDF
TLAMAARKASRVRVPFPWVGTGQLVYGGFLYFARRPPGRPGGGGEMENTLQLIKFHLANRTVV
DSSVFPAEGLIPPYGLTADTYIDLVADEEGLWAVYATREDDRHLCLAKLDPQTLDTEQQWDTP
CPRENAEAAFVICGTLYVVYNTRPASRARIQCSFDASGTLTPERAALPYFPRRYGAHASLRYN
PRERQLYAWDDGYQIVYKLEMRKKEEEV

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 177-180, 248-251

503/550

FIGURE 503

TGCGGCGCAGTGTAGACCTGGGAGGATGGGCCGCCTGCTGCTGCTGCTTTTCTGGCTTTGGT
CTCGGTGCCCAGGGCCCAGGCCGTGTGGTTGGGAAGACTGGACCCTGAGCAGCTTCTTGGGCC
CTGGTACGTGCTTGCGGTGGCCTCCCGGGAAAAGGGCTTTGCCATGGAGAAGGACATGAAGAA
CGTCGTGGGGGTGGTGACCCTCACTCCAGAAAACAACCTGCGGACGCTGTCCTCTCAGCA
CGGGCTGGGAGGGTGTGACCAGAGTGTCATGGACCTGATAAAGCGAAACTCCGGATGGGTGTT
TGAGAATCCCTCAATAGGCGTGCTGGAGCTCTGGGTGCTGCCACCAACTTCAGAGACTATGC
CATCATCTTCACTCAGCTGGAGTTCGGGGACGAGCCCTTCAACACCGTGGAGCTGTACAGTCT
GACGGAGACAGCCAGCCAGGAGGCCCATGGGGCTCTTCACCAAGTGGAGCCTGGGCTT
CCTGTCACAGTAGCAGCCAGCCAGCTGCAGAAGGACCTCACCTGTGCTCACAAGATCCTTCTGTG
AGTGCTGCGTCCCCAGTAGGGATGGCGCCCACAGGGTCCTGTGACCTCGGCCAGTGTCCACCC
ACCTCGCTCAGCGGCTCCCGGGGCCCCAGCACCAGCTCAGAATAAAGCGATTCCACAGCA

504/550

FIGURE 504

MGGLLLAAFLALVSVPRAQAVWLGRLDPEQLLGPWYVLAVASREKGFAMEKDMKNVVGVVVTL TPENNLRTLSSQHGLGGCDQSVMDLIKKNSGWVFENPSIGVLELWVLATNFRDYAIIFTQLEF GDEPFNTVELYSLTETASQEAMGLFTKWSRSLGFLSQ

Important features:

Signal peptide:

amino acids 1-20

505/550

FIGURE 505

GTTCCGCAGATGCAGAGGTTGAGGTGGCTGCGGGACTGGAAGTCATCGGGCAGAGGTCTCACA GCAGCCAAGGAACCTGGGGCCCGCTCCTCCCCCCTCCAGGCCATGAGGATTCTGCAGTTAATC CTGCTTGCTCTGGCAACAGGGCTTGTAGGGGGAGAGACCAGGATCATCAAGGGGTTCGAGTGC AAGCCTCACTCCCAGCCCTGGCAGGCAGCCCTGTTCGAGAAGACGCGGCTACTCTGTGGGGCG ACGCTCATCGCCCCCAGATGGCTCCTGACAGCAGCCCACTGCCTCAAGCCCCGCTACATAGTT CACCTGGGGCAGCACACCTCCAGAAGGAGGGGGGTGTGAGCAGACCCGGACAGCCACTGAG TCCTTCCCCCACCCGGCTTCAACAACAGCCTCCCCAACAAGACCACCGCAATGACATCATG CTGGTGAAGATGGCATCGCCAGTCTCCATCACCTGGGCTGTGCGACCCCTCACCCTCTCCTCA CGCTGTGTCACTGCTGGCACCAGCTGCCTCATTTCCGGCTGGGGCAGCACGTCCAGCCCCAG TTACGCCTGCCTCACACCTTGCGATGCGCCAACATCACCATCATTGAGCACCAGAAGTGTGAG AACGCCTACCCGGCAACATCACAGACACCATGGTGTGTGCCAGCGTGCAGGAAGGGGGCAAG GACTCCTGCCAGGGTGACTCCGGGGGCCCTCTGGTCTGTAACCAGTCTCTTCAAGGCATTATC TCCTGGGGCCAGGATCCGTGTGCGATCACCCGAAAGCCTGGTGTCTACACGAAAGTCTGCAAA TCACCCTCCATTTCCACTTGGTGTTTGGTTCCTGTTCACTCTGTTAATAAGAAACCCTAAGCC AAGACCCTCTACGAACATTCTTTGGGCCTCCTGGACTACAGGAGATGCTGTCACTTAATAATC AACCTGGGGTTCGAAATCAGTGAGACCTGGATTCAAATTCTGCCTTGAAATATTGTGACTCTG GGAATGACACCCTGGTTTGTTCTCTGTTGTATCCCCAGCCCCAAAGACACCTCCTGGCCAT AAAAAA

506/550

FIGURE 506

MRILQLILLALATGLVGGETRIIKGFECKPHSQPWQAALFEKTRLLCGATLIAPRWLLTAAHC LKPRYIVHLGQHNLQKEEGCEQTRTATESFPHPGFNNSLPNKDHRNDIMLVKMASPVSITWAV RPLTLSSRCVTAGTSCLISGWGSTSSPQLRLPHTLRCANITIIEHQKCENAYPGNITDTMVCA SVQEGGKDSCQGDSGGPLVCNQSLQGIISWGQDPCAITRKPGVYTKVCKYVDWIQETMKNN

Important features:

Signal peptide:

amino acids 1-18

Serine proteases, trypsin family, histidine active site.

amino acids 58-63

N-glycosylation sites.

amino acids 99-102, 165-168, 181-184, 210-213

Glycosaminoglycan attachment site.

amino acids 145-148

Kringle domain proteins.

amino acids 197-209, 47-64

Serine proteases, trypsin family, histidine protein

amino acids 199-209, 47-63, 220-243

Apple domain proteins

amino acids 222-249, 189-222

507/550

FIGURE 507

508/550

FIGURE 508

MRRLLLVTSLVVVLLWEAGAVPAPKVPIKMQVKHWPSEQDPEKAWGARVVEPPEKDDQLVVLF PVQKPKLLTTEEKPRGQGRGPILPGTKAWMETEDTLGRVLSPEPDHDSLYHPPPEEDQGEERP RLWVMPNHQVLLGPEEDQDHIYHPQ

509/550

FIGURE 509

ACGAGGCTGCCGCATCCTGCCCTCGGAACA**ATG**GGACTCGGCGCGAGGTGCTTGGGCCGCG CTGCTCCTGGGGACGCTGCAGGTGCTAGCGCTGCTGGGGGCCCCCATGAAAGCGCAGCCATG GCGCCATCTGCAAACATAGAGAATTCTGGGCTTCCACACAACTCCAGTGCTAACTCAACAGAG ACTCTCCAACATGTGCCTTCTGACCATACAAATGAAACTTCCAACAGTACTGTGAAACCACCA ACTTCAGTTGCCTCAGACTCCAGTAATACAACGGTCACCACCATGAAACCTACAGCGGCATCT AATACAACAACACCAGGGATGGTCTCAACAAATATGACTTCTACCACCTTAAAGTCTACACCC AAAACAACAAGTGTTTCACAGAACACATCTCAGATATCAACATCCACAATGACCGTAACCCAC AATAGTTCAGTGACATCTGCTGCTTCATCAGTAACAATCACAACAACTATGCATTCTGAAGCA AAGAAAGGATCAAAATTTGATACTGGGAGCTTTGTTGGTGGTATTGTATTAACGCTGGGAGTT TTATCTATTCTTTACATTGGATGCAAAATGTATTACTCAAGAAGAGGCATTCGGTATCGAACC ATAGATGAACATGATGCCATCATT**TAA**GGAAATCCATGGACCAAGGATGGAATACAGATTGAT GCTGCCCTATCAATTAATTTTGGTTTATTAATAGTTTAAAACAATATTCTCTTTTTGAAAATA GTATAAACAGGCCATGCATATAATGTACAGTGTATTACGTAAATATGTAAAGATTCTTCAAGG TAACAAGGGTTTGGGTTTTGAAATAAACATCTGGATCTTATAGACCGTTCATACAATGGTTTT TCACATATGACCAGTAATTGAAAGACGTCATCACTGAAAGACAGAATGCCATCTGGGCATACA AATAAGAAGTTTGTCACAGCACTCAGGATTTTGGGTATCTTTTGTAGCTCACATAAAGAACTT CAGTGCTTTTCAGAGCTGGATATATCTTAATTACTAATGCCACACAGAAATTATACAATCAAA CTAGATCTGAAGCATAATTTAAGAAAAACATCAACATTTTTTGTGCTTTAAACTGTAGTAGTT GGTCTAGAAACAAAATACTCC

510/550

FIGURE 510

MGLGARGAWAALLLGTLQVLALLGAAHESAAMAASANIENSGLPHNSSANSTETLQHVPSDHT NETSNSTVKPPTSVASDSSNTTVTTMKPTAASNTTTPGMVSTNMTSTTLKSTPKTTSVSQNTS QISTSTMTVTHNSSVTSAASSVTITTTMHSEAKKGSKFDTGSFVGGIVLTLGVLSILYIGCKM´ YYSRRGIRYRTIDEHDAII

511/550

FIGURE 511

GACTTTGCTTGAATGTTTACATTTTCTGCTCGCTGTCCTACATATCACAATATAGTGTTCACGTTTTGTTAAAAC TTTGGGGTGTCAGGAGTTGAGCTTGCTCAGCAAGCCAGCATGGCTAGGATGAGCTTTGTTATAGCAGCTTGCCAA. TGTGAAATTCGTCCCTGGTTTACCCCACAGTCAACTTACAGAGAAGCCACCACTGTTGATTGCAATGACCTCCGC TTAACAAGGATTCCCAGTAACCTCTCTAGTGACACACAAGTGCTTCTCTTACAGAGCAATAACATCGCGAAGACT GTGGATGAGCTGCAGCAGCTTTTCAACTTGACTGAACTAGATTTCTCCCAAAACAACTTTACTAACATTAAGGAG GTCGGGCTGGCAAACCTAACCCAGCTCACAACGCTGCATTTGGAGGAAAATCAGATTACCGAGATGACTGATTAC TGTCTACAAGACCTCAGCAACCTTCAAGAACTCTACATCAACCACAACCAAATTAGCACTATTTCTGCTCATGCT TTTGCAGGCTTAAAAAATCTATTAAGGCTCCACCTGAACTCCAACAAATTGAAAGTTATTGATAGTCGCTGGTTT GATTCTACACCCAACCTGGAAATTCTCATGATCGGAGAAAACCCTGTGATTGGAATTCTGGATATGAACTTCAAA CCCTCGCAAATTTGAGAAGCTTAGTTTTGGCAGGAATGTATCTCACTGATATTCCTGGAAATGCTTTGGTGGGT CTGGATAGCCTTGAGAGCCTGTCTTTTTATGATAACAAACTGGTTAAAGTCCCTCAACTTGCCCTGCAAAAAGTT CCAAATTTGAAATTCTTAGACCTCAACAAAAACCCCATTCACAAAATCCAAGAAGGGGACTTCAAAAATATGCTT CGGTTAAAAGAACTGGGAATCAACAATATGGGCGAGCTCGTTTCTGTCGACCGCTATGCCCTGGATAACTTGCCT GAACTCACAAAGCTGGAAGCCACCAATAACCCTAAACTCTCTTACATCCACCGCTTGGCTTTCCGAAGTGTCCCT CTGCGTGAGATCAGTATCCATAGCAATCCCCTCAGGTGTGACTGTGTGATCCACTGGATTAACTCCAACAAAACC AACATCCGCTTCATGGAGCCCCTGTCCATGTTCTGTGCCATGCCGCCCGAATATAAAGGGCACCAGGTGAAGGAA GTTTTAATCCAGGATTCGAGTGAACAGTGCCTCCCAATGATATCTCACGACAGCTTCCCAAATCGTTTAAACGTG GATATCGGCACGACGGTTTTCCTAGACTGTCGAGCCATGGCTGAGCCAGAACCTGAAATTTACTGGGTCACTCCC ATTGGAAATAAGATAACTGTGGAAACCCTTTCAGATAAATACAAGCTAAGTAGCGAAGGTACCTTGGAAATATCT AACATACAAATTGAAGACTCAGGAAGATACACATGTGTTGCCCAGAATGTCCAAGGGGCAGACACTCGGGTGGCA TCCATCTTAGTGTCCTGGAAAGTTAATTCCAATGTCATGACGTCAAACTTAAAATGGTCGTCTGCCACCATGAAG ATTGATAACCCTCACATAACATATACTGCCAGGGTCCCAGTCGATGTCCATGAATACAACCTAACGCATCTGCAG CCTTCCACAGATTATGAAGTGTGTCTCACAGTGTCCAATATTCATCAGCAGACTCAAAAGTCATGCGTAAATGTC ACAACCAAAAATGCCGCCTTCGCAGTGGACATCTCTGATCAAGAAACCAGTACAGCCCTTGCTGCAGTAATGGGG TCTATGTTTGCCGTCATTAGCCTTGCGTCCATTGCTGTGTACTTTGCCAAAAGATTTAAGAGAAAAAACTACCAC CACTCATTAAAAAAGTATATGCAAAAAACCTCTTCAATCCCACTAAATGAGCTGTACCCACCACTCATTAACCTC TGGGAAGGTGACAGCGAGAAAGACAAAGATGGTTCTGCAGACACCCAAGCCAACCCAGGTCGACACATCCAGAAGC AAAAGTGAACAAGTTGAAGACTTTTGTATTTTTGACTTTGCTAGTTTGTGGCAGAGTGGAGAGGACGGGTGGATA TTTCAAATTTTTTTAGTATAGCGTATCGCAAGGGTTTGACACGGCTGCCAGCGACTCTAGGCTTCCAGTCTGTGT

512/550

FIGURE 512

MARMSFVIAACQLVLGLLMTSLTESSIQNSECPQLCVCEIRPWFTPQSTYREATTVDCNDLRL
TRIPSNLSSDTQVLLLQSNNIAKTVDELQQLFNLTELDFSQNNFTNIKEVGLANLTQLTTLHL
EENQITEMTDYCLQDLSNLQELYINHNQISTISAHAFAGLKNLLRLHLNSNKLKVIDSRWFDS
TPNLEILMIGENPVIGILDMNFKPLANLRSLVLAGMYLTDIPGNALVGLDSLESLSFYDNKLV
KVPQLALQKVPNLKFLDLNKNPIHKIQEGDFKNMLRLKELGINNMGELVSVDRYALDNLPELT
KLEATNNPKLSYIHRLAFRSVPALESLMLNNNALNAIYQKTVESLPNLREISIHSNPLRCDCV
IHWINSNKTNIRFMEPLSMFCAMPPEYKGHQVKEVLIQDSSEQCLPMISHDSFPNRLNVDIGT
TVFLDCRAMAEPEPEIYWVTPIGNKITVETLSDKYKLSSEGTLEISNIQIEDSGRYTCVAQNV
QGADTRVATIKVNGTLLDGTQVLKIYVKQTESHSILVSWKVNSNVMTSNLKWSSATMKIDNPH
ITYTARVPVDVHEYNLTHLQPSTDYEVCLTVSNIHQQTQKSCVNVTTKNAAFAVDISDQETST
ALAAVMGSMFAVISLASIAVYFAKRFKRKNYHHSLKKYMQKTSSIPLNELYPPLINLWEGDSE
KDKDGSADTKPTQVDTSRSYYMW

Important features:

Signal peptide:

Amino acids 1-25

Transmembrane domain:

Amino acids 508-530

N-glycosylation sites:

Amino acids 69-73;96-100;106-110;117-121;385-389;517-521; 582-586;611-615

Tyrosine kinase phosphorylation site:

Amino acids 573-582

N-myristoylation sites:

Amino acids 16-22;224-230;464-470;637-643;698-704



513/550

FIGURE 513

GGGAGAGAGATAAATAGCAGCGTGGCTTCCCTGGCTCCTCTCTGCATCCTTCCCGACCTTCC CAGCAATATGCATCTTGCACGTCTGGTCGGCTCCTGCTCCTTCTTGCTACTGGGGGCCCT GTCTGGATGGCCGCCAGCGATGACCCCATTGAGAAGGTCATTGAAGGGATCAACCGAGGGCT GAGCAATGCAGAGAGAGAGGTGGGCAAGGCCCTGGATGGCATCAACAGTGGAATCACGCATGC CGGAAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACCGGCAAGGA GTTGGACAAAGGCGTCCAGGGGCTCAACCACGGCATGGACAAGGTTGCCCATGAGATCAACCA TGGTATTGGACAAGCAGGAAAGGAAGCAGAGAAGCTTGGCCATGGGGTCAACAACGCTGCTGG ACAGGCCGGGAAGGAAGCAGACAAAGCGGTCCAAGGGTTCCACACTGGGGTCCACCAGGCTGG GAAGGAAGCAGAGAAACTTGGCCAAGGGGTCAACCATGCTGCTGACCAGGCTGGAAAGGAAGT GGAGAAGCTTGGCCAAGGTGCCCACCATGCTGCTGGCCAGGCCGGGAAGGAGCTGCAGAATGC TCATAATGGGGTCAACCAAGCCAGCAAGGAGGCCAACCAGCTGCTGAATGGCAACCATCAAAG CGGATCTTCCAGCCATCAAGGAGGGGCCACAACCACGCCGTTAGCCTCTGGGGCCTCAGTCAA ${\tt CACGCCTTTCATCAACCTTCCCGCCCTGTGGAGGAGCGTCGCCAACATCATGCCC} {\color{red}{\bf TAA}} {\tt ACTGG}$ CATCCGGCCTTGCTGGGAGAATAATGTCGCCGTTGTCACATCAGCTGACATGACCTGGAGGGG TTGGGGGTGGGGGACAGGTTTCTGAAATCCCTGAAGGGGGTTGTACTGGGATTTGTGAATAAA CTTGATACACCA

514/550

FIGURE 514

MHLARLVGSCSLLLLLGALSGWAASDDPIEKVIEGINRGLSNAEREVGKALDGINSGITHAGR EVEKVFNGLSNMGSHTGKELDKGVQGLNHGMDKVAHEINHGIGQAGKEAEKLGHGVNNAAGQA GKEADKAVQGFHTGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAGKELQNAHN GVNQASKEANQLLNGNHQSGSSSHQGGATTTPLASGASVNTPFINLPALWRSVANIMP

Important features:

Signal peptide:

amino acids 1-25

Homologous region to circumsporozoite (CS) repeats:

amino acids 35-225

515/550

FIGURE 515

CCCACGCGTCCGCCCACGCGTCCGGGTGCCACTCGCGCGCCGCGCCGCGCTCCGGGCTTCTCTT TTCCCTCCGACGCCCACGGCTGCCCAGACATTCCGGCTGCCGGGTCTGGAGAGCTCCCCGAA CCCTCCGCGGAGAGGAGCGAGGCGCCCCAGGGTGGCCCCCGGGGCGCGCTTGGTCTCGGAG AAGCGGGGACGAGGCCGGAGGATGAGCGACTGAGGGCGACGCGGGCACTGACGCGAGTTGGGG CCGCGACTACCGGCAGCTGACAGCGCGATGAGCGACTCCCCAGAGACGCCCTAGCCCGGTGTG CGCGCCAGGCGGAGCGCGCAGGTGGGGCTGGGCTGTTAGTGGTCCGCCCCACGCGGGTCGCCG GCCGGCCCAGGATGGGCGCTGGCAACCCGGGCCCGCCGCCGCTGCTACCCCTGCGCCCGC TGCGAGCCCGGCGTCCGGCCCGCGCCCTGCGCTCATGGACGGCGGCTCCCGGCTGGCGGCGCC GACGTGGTAGGGGATGCCCAGCTCCACTGCGATGGCAGTTGGCGCGCTCTCCAGTTCCCTCCT GGTCACCTGCTGCTGATGGTGGCTCTGTGCAGTCCGAGCATCCCGCTGGAGAAGCTGGCCCA GGCACCAGAGCAGCCGGCCAGGAGAAGCGTGAGCACGCCACTCGGGACGGCCCGGGGCGGGT GAACGAGCTCGGGCGCCCGGCGAGGGACGAGGGCGGCAGCGGCCGGGACTGGAAGAGCAAGAG CGGCCGTGGGCTCGCCGGCCGTGAGCCGTGGAGCAAGCTGAAGCAGGCCTGGGTCTCCCAGGG CGGGGGCCCAAGGCCGGGGATCTGCAGGTCCGGCCCCGCGGGGACACCCCGCAGGCGGAAGC CCTGGCCGCAGCCGCCCAGGACGCGATTGGCCCGGAACTCGCGCCCACGCCCGAGCCACCCGA GGAGTACGTGTACCCGGACTACCGTGGCAAGGGCTGCGTGGACGAGGGCGGCTTCGTGTACGC GATCGGGGAGAAGTTCGCGCCGGGCCCCTCGGCCTGCCCGTGCCTGTGCACCGAGGAGGGGCC GCTGTGCGCGCAGCCCGAGTGCCCGAGGCTGCACCCGCGCTGCATCCACGTCGACACGAGCCA GTGCTGCCCGCAGTGCAAGGAGGAAGAACTACTGCGAGTTCCGGGGCAAGACCTATCAGAC TTTGGAGGAGTTCGTGGTGTCTCCATGCGAGAGGTGTCGCTGTGAAGCCAACGGTGAGGTGCT ATGCACAGTGTCAGCGTGTCCCCAGACGGAGTGTGTGGACCCTGTGTACGAGCCTGATCAGTG CTGTCCCATCTGCAAAATGGTCCAAACTGCTTTGCAGAAACCGCGGTGATCCCTGCTGGCAG AGAAGTGAAGACTGACGAGTGCACCATATGCCACTGTACTTATGAGGAAGGCACATGGAGAAT CGAGCGGCAGGCCATGTGCACGAGACATGAATGCAGGCAAATG<u>TAG</u>ACGCTTCCCAGAACACA AACTCTGACTTTTTCTAGAACATTTTACTGATGTGAACATTCTAGATGACTCTGGGAACTATC AGTCAAAGAAGACTTTTGATGAGGAATAATGGAAAATTGTTGGTACTTTTCCTTTTCTTGATA ACAGTTACTACAACAGAAGGAAATGGATATATTTCAAAACATCAACAAGAACTTTGGGCATAA CAAATGTATTTCTATAATCCCTCCATTAGAGAGCTTATATAAGTGTTTTCTATAGATGCAGAT

516/550

FIGURE 516

MPSSTAMAVGALSSSLLVTCCLMVALCSPSIPLEKLAQAPEQPGQEKREHATRDGPGRVNELG RPARDEGGSGRDWKSKSGRGLAGREPWSKLKQAWVSQGGGAKAGDLQVRPRGDTPQAEALAAA AQDAIGPELAPTPEPPEEYVYPDYRGKGCVDESGFVYAIGEKFAPGPSACPCLCTEEGPLCAQ PECPRLHPRCIHVDTSQCCPQCKERKNYCEFRGKTYQTLEEFVVSPCERCRCEANGEVLCTVS ACPQTECVDPVYEPDQCCPICKNGPNCFAETAVIPAGREVKTDECTICHCTYEEGTWRIERQA MCTRHECRQM

Important features:

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 11-30

Glycosaminoglycan attachment site.

amino acids 80-83

N-myristoylation sites.

amino acids 10-15, 102-107, 103-108

Cell attachment sequence.

amino acids 114-117

EGF-like domain cysteine pattern signature.

amino acids 176-187

517/550

FIGURE 517

GGACAACCGTTGCTGGGTGTCCCAGGGCCTGAGGCAGGACGGTACTCCGCTGACACCTTCCCT TTCGGCCTTGAGGTTCCCAGCCTGGTGGCCCCAGGACGTTCCGGTCGCATGGCAGAGTGCTAC GGACGACGCCT**ATG**AAGCCCTTAGTCCTTCTAGTTGCGCTTTTGCTATGGCCTTCGTGTGC CGGCTTATCCGAGCATAACTGTGACACCTGATGAAGAGCAAAACTTGAATCATTATATACAAG TTTTAGAGAACCTAGTACGAAGTGTTCCCTCTGGGGAGCCAGGTCGTGAGAAAAAATCTAACT CTCCAAAACATGTTTATTCTATAGCATCAAAGGGATCAAAATTTAAGGAGCTAGTTACACATG GAGACGCTTCAACTGAGAATGATGTTTTAACCAATCCTATCAGTGAAGAAACTACAACTTTCC CTACAGGAGGCTTCACACCGGAAATAGGAAAGAAAAAACACACGGAAAGTACCCCATTCTGGT CGATCAAACCAAACAATGTTTCCATTGTTTTGCATGCAGAGGAACCTTATATTGAAAATGAAG AGCCAGAGCCAGAGCCGGAGCCAGCTGCAAAACAAACTGAGGCACCAAGAATGTTGCCAGTTG TTACTGAATCATCTACAAGTCCATATGTTACCTCATACAAGTCACCTGTCACCACTTTAGATA AGAGCACTGGCATTGAGATCTCTACAGAATCAGAAGATGTTCCTCAGCTCTCAGGTGAAACTG CGATAGAAAAACCCGAAGAGTTTGGAAAGCACCCAGAGAGTTGGAATAATGATGACATTTTGA AAAAAATTTTAGATATTAATTCACAAGTGCAACAGGCACTTCTTAGTGACACCCAGCAACCCAG CATATAGAGAAGATATTGAAGCCTCTAAAGATCACCTAAAACGAAGCCTTGCTCTAGCAGCAG CAGCAGAACATAAATTAAAAACAATGTATAAGTCCCAGTTATTGCCAGTAGGACGAACAAGTA ATAAAATTGATGACATCGAAACTGTTATTAACATGCTGTGTAATTCTAGATCTAAACTCTATG AATATTTAGATATTAAATGTGTTCCACCAGAGATGAGAAAAAGCTGCTACAGTATTCAATA CATTAAAAAATATGTGTAGATCAAGGAGAGTCACAGCCTTATTAAAAGTTTAT**TAA**ACAATAA TATAAAAATTTTAAACCTACTTGATATTCCATAACAAAGCTGATTTAAGCAAACTGCATTTTT TCACAGGAGAAATAATCATATTCGTAATTTCAAAAGTTGTATAAAAATATTTTCTATTGTAGT TCAAATGTGCCAACATCTTTATGTGTCATGTGTTATGAACAATTTTCATATGCACTAAAAACC TAATTTAAAATAAAATTTTGGTTCAGGAAAAAA

518/550

FIGURE 518

MKPLVLLVALLLWPSSVPAYPSITVTPDEEQNLNHYIQVLENLVRSVPSGEPGREKKSNSPKH
VYSIASKGSKFKELVTHGDASTENDVLTNPISEETTTFPTGGFTPEIGKKKHTESTPFWSIKP
NNVSIVLHAEEPYIENEEPEPEPEPAAKQTEAPRMLPVVTESSTSPYVTSYKSPVTTLDKSTG
IEISTESEDVPQLSGETAIEKPEEFGKHPESWNNDDILKKILDINSQVQQALLSDTSNPAYRE
DIEASKDHLKRSLALAAAAEHKLKTMYKSQLLPVGRTSNKIDDIETVINMLCNSRSKLYEYLD
IKCVPPEMREKAATVFNTLKNMCRSRRVTALLKVY

Important features:

Signal peptide:

amino acids 1-19

519/550

FIGURE 519

CGGCTCGAGTGCAGCTGTGGGGAGATTTCAGTGCATTGCCTCCCCTGGGTGCTCTTCATCTTG GATTTGAAAGTTGAGAGCAGC<u>ATC</u>TTTTGCCCACTGAAACTCATCCTGCTGCCAGTGTTACTG GATTATTCCTTGGGCCTGAATGACTTGAATGTTTCCCCGCCTGAGCTAACAGTCCATGTGGGT GATTCAGCTCTGATGGGATGTGTTTTCCAGAGCACAGAAGACAAATGTATATTCAAGATAGAC TGGACTCTGTCACCAGGAGAGCACGCCAAGGACGAATATGTGCTATACTATTACTCCAATCTC AGTGTGCCTATTGGGCGCTTCCAGAACCGCGTACACTTGATGGGGGACATCTTATGCAATGAT GGCTCTCTCCTGCTCCAAGATGTGCAAGAGGCTGACCAGGGAACCTATATCTGTGAAATCCGC CTCAAAGGGGAGAGCCAGGTGTTCAAGAAGGCGGTGGTACTGCATGTGCTTCCAGAGGAGCCC AAAGAGCTCATGGTCCATGTGGGTGGATTGATTCAGATGGGATGTGTTTTCCAGAGCACAGAA GTGAAACACGTGACCAAGGTAGAATGGATATTTTCAGGACGGCGCGCAAAGGAGGAGATTGTA TTTCGTTACTACCACAAACTCAGGATGTCTGTGGAGTACTCCCAGAGCTGGGGCCACTTCCAG AATCGTGTGAACCTGGTGGGGGACATTTTCCGCAATGACGGTTCCATCATGCTTCAAGGAGTG AGGGAGTCAGATGGAGGAAACTACACCTGCAGTATCCACCTAGGGAACCTGGTGTTCAAGAAA ACCATTGTGCTGCATGTCAGCCCGGAAGAGCCTCGAACACTGGTGACCCCGGCAGCCCTGAGG CCTCTGGTCTTGGGTGATCAGTTGGTGATCATTGTGGGAATTGTCTGTGCCACAATCCTG CTGCTCCCTGTTCTGATATTGATCGTGAAGAAGACCTGTGGAAATAAGAGTTCAGTGAATTCT ACAGTCTTGGTGAAGAACACGAAGAAGACTAATCCAGAGATAAAAGAAAAACCCTGCCATTTT GAAAGATGTGAAGGGGAGAAACACATTTACTCCCCAATAATTGTACGGGAGGTGATCGAGGAA GAAGAACCAAGTGAAAAATCAGAGGCCACCTACATGACCATGCACCCAGTTTGGCCTTCTCTG AGGTCAGATCGGAACAACTCACTTGAAAAAAAGTCAGGTGGGGGAATGCCAAAAACACAGCAA GCCTTTTGAGAAGAATGGAGAGTCCCTTCATCTCAGCAGCGGTGGAGACTCTCTCCTGTGTGT GTCCTGGGCCACTCTACCAGTGATTTCAGACTCCCGCTCTCCCAGCTGTCCTCCTGTCTCATT GTTTGGTCAATACACTGAAGATGGAGAATTTGGAGCCTGGCAGAGAGACTGGACAGCTCTGGA GGAACAGGCCTGCTGAGGGGAGGGGAGCATGGACTTGGCCTCTGGAGTGGGACACTGGCCCTG GGAACCAGGCTGAGCTGAGTGGCCTCAAACCCCCCGTTGGATCAGACCCTCCTGTGGGCAGGG

520/550

FIGURE 520

MFCPLKLILLPVLLDYSLGLNDLNVSPPELTVHVGDSALMGCVFQSTEDKCIFKIDWTLSPGE
HAKDEYVLYYYSNLSVPIGRFQNRVHLMGDILCNDGSLLLQDVQEADQGTYICEIRLKGESQV
FKKAVVLHVLPEEPKELMVHVGGLIQMGCVFQSTEVKHVTKVEWIFSGRRAKEEIVFRYYHKL
RMSVEYSQSWGHFQNRVNLVGDIFRNDGSIMLQGVRESDGGNYTCSIHLGNLVFKKTIVLHVS
PEEPRTLVTPAALRPLVLGGNQLVIIVGIVCATILLLPVLILIVKKTCGNKSSVNSTVLVKNT
KKTNPEIKEKPCHFERCEGEKHIYSPIIVREVIEEEEPSEKSEATYMTMHPVWPSLRSDRNNS
LEKKSGGGMPKTQQAF

521/550

FIGURE 521

CTATGAAGAAGCTTCCTGGAAAACAATAAGCAAAGGAAAACAAATGTGTCCCATCTCACATGG TTCTACCCTACTAAAGACAGGAAGATCATAAACTGACAGATACTGAAATTGTAAGAGTTGGAA ACTACATTTTGCAAAGTCATTGAACTCTGAGCTCAGTTGCAGTACTCGGGAAGCCATCCAGGA TGAAGATGGATACATCACCTTAAATATTAAAACTCGGAAACCAGCTCTCGTCTCCGTTGGCCC TGCATCCTCCTGGTGGCGTGTGATGGCTTTGATTCTGCTGATCCTGTGCGTGGGGATGGT TGTCGGGCTGGTGGCTCTGGGGATTTGGTCTGTCATGCAGCGCAATTACCTACAAGATGAGAA TGAAAATCGCACAGGAACTCTGCAACAATTAGCAAAGCGCTTCTGTCAATATGTGGTAAAACA ATCAGAACTAAAGGCACTTTCAAAGGTCATAAATGCAGCCCCTGTGACACAAACTGGAGATA TTATGGAGATAGCTGCTATGGGTTCTTCAGGCACAACTTAACATGGGAAGAGAGTAAGCAGTA CTGCACTGACATGAATGCTACTCTCCTGAAGATTGACAACCGGAACATTGTGGAGTACATCAA AGCCAGGACTCATTTAATTCGTTGGGTCGGATTATCTCGCCAGAAGTCGAATGAGGTCTGGAA GTGGGAGGATGGCTCGGTTATCTCAGAAAATATGTTTGAGTTTTTGGAAGATGGAAAAGGAAA TTTAATGTGTGAGAGGAAGGCTGGCATGACCAAGGTGGACCAACTACCT<u>TAA</u>TGCAAAGAGGT GCTGAAAAAAAAAAAAAA

522/550

FIGURE 522

MQDEDGYITLNIKTRKPALVSVGPASSSWWRVMALILLILCVGMVVGLVALGIWSVMQRNYLQ
DENENRTGTLQQLAKRFCQYVVKQSELKGTFKGHKCSPCDTNWRYYGDSCYGFFRHNLTWEES
KQYCTDMNATLLKIDNRNIVEYIKARTHLIRWVGLSRQKSNEVWKWEDGSVISENMFEFLEDG
KGNMNCAYFHNGKMHPTFCENKHYLMCERKAGMTKVDQLP

523/550

FIGURE 523

CAGCAGTGGTCTCTCAGTCCTCTCAAAGCAAGGAAAGAGTACTGTGTGCTGAGAGACC<u>ATG</u>GC AAAGAATCCTCCAGAGAATTGTGAAGACTGTCACATTCTAAATGCAGAAGCTTTTAAATCCAA GAAAATATGTAAATCACTTAAGATTTGTGGACTGGTGTTTTGGTATCCTGGCCCTAACTCTAAT TGTCCTGTTTTGGGGGGAGCAAGCACTTCTGGCCGGAGGTACCCAAAAAAGCCTATGACATGGA GCACACTTTCTACAGCAATGGAGAGAAGAAGAAGATTTACATGGAAATTGATCCTGTGACCAG AACTGAAATATTCAGAAGCGGAAATGGCACTGATGAAACATTGGAAGTGCACGACTTTAAAAA CGGATACACTGGCATCTACTTCGTGGGTCTTCAAAAATGTTTTATCAAAACTCAGATTAAAGT GATTCCTGAATTTTCTGAACCAGAAGAGGAAATAGATGAGAATGAAGAAATTACCACAACTTT CTTTGAACAGTCAGTGATTTGGGTCCCAGCAGAAAAGCCTATTGAAAACCGAGATTTTCTTAA AAATTCCAAAATTCTGGAGATTTGTGATAACGTGACCATGTATTGGATCAATCCCACTCTAAT ATCAGTTTCTGAGTTACAAGACTTTGAGGAGGAGGAGAAGATCTTCACTTTCCTGCCAACGA AAAAAAGGGATTGAACAAAATGAACAGTGGGTGGTCCCTCAAGTGAAAGTAGAGAAGACCCG TCACGCCAGACAAGCAAGTGAGGAAGAACTTCCAATAAATGACTATACTGAAAATGGAATAGA ATTTGATCCCATGCTGGATGAGAGAGGTTATTGTTGTATTTACTGCCGTCGAGGCAACCGCTA TTGCCGCCGCGTCTGTGAACCTTTACTAGGCTACTACCCATATCCATACTGCTACCAAGGAGG CAATGAATTTCTGCCTATGAGGCATCTGGCCCCTGGTAGCCAGCTCTCCAGAATTACTTGTAG

524/550

FIGURE 524

MAKNPPENCEDCHILNAEAFKSKKICKSLKICGLVFGILALTLIVLFWGSKHFWPEVPKKAYD
MEHTFYSNGEKKKIYMEIDPVTRTEIFRSGNGTDETLEVHDFKNGYTGIYFVGLQKCFIKTQI
KVIPEFSEPEEEIDENEEITTTFFEQSVIWVPAEKPIENRDFLKNSKILEICDNVTMYWINPT
LISVSELQDFEEEGEDLHFPANEKKGIEQNEQWVVPQVKVEKTRHARQASEEELPINDYTENG
IEFDPMLDERGYCCIYCRRGNRYCRRVCEPLLGYYPYPYCYQGGRVICRVIMPCNWWVARMLGRV

Important features:

Signal peptide:

amino acids 1-40

Transmembrane domain:

amino acids 25-47 (type II)

N-glycosylation sites.

amino acids 94-97, 180-183

Glycosaminoglycan attachment sites.

amino acids 92-95, 70-73, 85-88, 133-136, 148-151, 192-195, 239-242

N-myristoylation sites.

amino acids 33-38, 95-100, 116-121, 215-220, 272-277

Microbodies C-terminal targeting signal.

amino acids 315-317

Cytochrome c family heme-binding site signature.

amino acids 9-14

525/550

FIGURE 525

526/550

FIGURE 526

MKITGGLLLLCTVVYFCSSSEAASLSPKKVDCSIYKKYPVVAIPCPITYLPVCGSDYITYGNE CHLCTESLKSNGRVQFLHDGSC

Important features:

Signal peptide:

amino acids 1-19

527/550

FIGURE 527

CGTCGCTCAGCCCCTATTTCGGCACCAAGACTCGCTACGAGGATGTCAACCCCGTGCTATTGT CGGGCCCGAGGCTCCGTGGCGGACCCTGAGCTGCTGGAGGGGACCTGCACCCCGGTGCAGC TGGTCGCCTCATTCGCCACGGCACCCGCTACCCCACGGTCAAACAGATCCGCAAGCTGAGGC AGCTGCACGGGTTGCTGCAGGCCCGCGGGTCCAGGGATGGCGGGGCTAGTAGTACCGGCAGCC TAGTAGAGAAGGGACGGCAGGATATGCGACAGCTGGCGTCTGCGTCTGGCCTCTCCCGG CCCTTTTCAGCCGTGAGAACTACGGCCGCCTGCGGCTCATCACCAGTTCCAAGCACCGCTGCA TGGATAGCAGCGCCGTTCCTGCAGGGGCTGTGGCAGCACTACCACCTGGCTTGCCGCCGC CGGACGTCGCAGATATGGAGTTTGGACCTCCAACAGTTAATGATAAACTAATGAGATTTTTTG ATCACTGTGAGAAGTTTTTAACTGAAGTAGAAAAAAATGCTACAGCTCTTTATCACGTGGAAG CAGTAAATGATTTAAATGCAGATTTAATTCAAGTAGCCTTTTTCACCTGTTCATTTGACCTGG CAATTAAAGGTGTTAAATCTCCTTGGTGTGATGTTTTTGACATAGATGATGCAAAGGTATTAG AATATTTAAATGATCTGAAACAATATTGGAAAAGAGGATATGGGTATACTATTAACAGTCGAT CCAGCTGCACCTTGTTTCAGGATATCTTTCAGCACTTGGACAAAGCAGTTGAACAGAAACAAA GGTCTCAGCCAATTTCTTCTCCAGTCATCCTCCAGTTTGGTCATGCAGAGACTCTTCTTCCAC TGCTTTCTCTCATGGGCTACTTCAAAGACAAGGAACCCCTAACAGCGTACAATTACAAAAAAAC AAATGCATCGGAAGTTCCGAAGTGGTCTCATTGTACCTTATGCCTCGAACCTGATATTTGTGC TTTACCACTGTGAAAATGCTAAGACTCCTAAAGAACAATTCCGAGTGCAGATGTTATTAAATG AAAAGGTGTTACCTTTGGCTTACTCACAAGAAACTGTTTCATTTTATGAAGATCTGAAGAACC **ACTACAAGGACATCCTTCAGAGTTGTCAAACCAGTGAAGAATGTGAATTAGCAAGGGCTAACA** GTACATCTGATGAACTA**TGA**GTAACTGAAGAACATTTTTAATTCTTTAGGAATCTGCAATGAG TGATTACATGCTTGTAATAGGTAGGCAATTCCTTGATTACAGGAAGCTTTTATATTACTTGAG TATTTCTGTCTTTTCACAGAAAAACATTGGGTTTCTCTCTGGGTTTGGACATGAAATGTAAGA AAAGATTTTTCACTGGAGCAGCTCTCTTAAGGAGAAACAAATCTATTTAGAGAAACAGCTGGC CCTGCAAATGTTTACAGAAATGAAATTCTTCCTACTTATATAAGAAATCTCACACTGAGATAG **AATTGTGATTTCATAATAACACTTGAAAAGTGCTGGAGTAACAAAATATCTCAGTTGGACCAT** CCTTAACTTGATTGAACTGTCTAGGAACTTTACAGATTGTTCTGCAGTTCTCTCTTTTTTCC TCAGGTAGGACAGCTCTAGCATTTTCTTAATCAGGAATATTGTGGTAAGCTGGGAGTATCACT CTGGAAGAAGTAACATCTCCAGATGAGAATTTGAAACAAGAAACAGAGTGTTGTAAAAGGAC ATATTTGAACATTTTTTCAATAATTCCTTTTTACTTCTAGGAAGTCTCAAAAGACCATCTTAA ATTATTATATGTTTGGACAATTAGCAACAAGTCAGATAGTTAGAATCGAAGTTTTTCAAATCC ATTGCTTAGCTAACTTTTTCATTCTGTCACTTGGCTTCGATTTTTATATTTTCCTATTATATG

528/550

FIGURE 528

MLRAPGCLLRTSVAPAAALAAALLSSLARCSLLEPRDPVASSLSPYFGTKTRYEDVNPVLLSG
PEAPWRDPELLEGTCTPVQLVALIRHGTRYPTVKQIRKLRQLHGLLQARGSRDGGASSTGSRD
LGAALADWPLWYADWMDGQLVEKGRQDMRQLALRLASLFPALFSRENYGRLRLITSSKHRCMD
SSAAFLQGLWQHYHPGLPPPDVADMEFGPPTVNDKLMRFFDHCEKFLTEVEKNATALYHVEAF
KTGPEMQNILKKVAATLQVPVNDLNADLIQVAFFTCSFDLAIKGVKSPWCDVFDIDDAKVLEY
LNDLKQYWKRGYGYTINSRSSCTLFQDIFQHLDKAVEQKQRSQPISSPVILQFGHAETLLPLL
SLMGYFKDKEPLTAYNYKKQMHRKFRSGLIVPYASNLIFVLYHCENAKTPKEQFRVQMLLNEK
VLPLAYSQETVSFYEDLKNHYKDILQSCQTSEECELARANSTSDEL

Important features:

Signal sequence

amino acids 1-30

N-glycosylation sites.

amino acids 242-246, 481-485

N-myristoylation sites.

amino acids 107-113, 113-119, 117-123, 118-124, 128-134

Endoplasmic reticulum targeting sequence.

amino acids 484-489

529/550

FIGURE 529

GGAGAGCCGCGGCTGGGACCGGAGTGGGGAGCGCGGCGTGGAGGTGCCACCCGGCGCGGGTGG CGGAGAGATCAGAAGCCTCTTCCCCAAGCCGAGCCAACCTCAGCGGGACCCGGGCTCAGGGA CGCGGCGGCGGCGGCGACTGCAGTGGCTGGACGATGGCAGCGTCCGCCGGAGCCGGGGCG TTGACAGCTGGAGTATCAGCCTTGGAAGTATATACGCCAAAAGAAATCTTCGTGGCAAATGGT ACACAAGGGAAGCTGACCTGCAAGTTCAAGTCTACTAGTACGACTGGCGGGTTGACCTCAGTC TCCTGGAGCTTCCAGCCAGAGGGGGCCGACACTACTGTGTCGTTTTTCCACTACTCCCAAGGG CAAGTGTACCTTGGGAATTATCCACCATTTAAAGACAGAATCAGCTGGGCTGGAGACCTTGAC AAGAAAGATGCATCAATCAACATAGAAAATATGCAGTTTATACACAATGGCACCTATATCTGT GATGTCAAAAACCCTCCTGACATCGTTGTCCAGCCTGGACACATTAGGCTCTATGTCGTAGAA AAAGAGAATTTGCCTGTGTTTCCAGTTTGGGTAGTGGTGGGCATAGTTACTGCTGTGGTCCTA GGTCTCACTCTGCTCATCAGCATGATTCTGGCTGTCCTCTATAGAAGGAAAAACTCTAAACGG GATTACACTGGCTGCAGTACATCAGAGAGTTTGTCACCAGTTAAGCAGGCTCCTCGGAAGTCC CCCTCCGACACTGAGGGTCTTGTAAAGAGTCTGCCTTCTGGATCTCACCAGGGCCCAGTCATA TATGCACAGTTAGACCACTCCGGCGGACATCACAGTGACAAGATTAACAAGTCAGAGTCTGTG GTGTATGCGGATATCCGAAAGAATTAAGAGAATACCTAGAACATATCCTCAGCAAGAAACAAA ACCAAACTGGACTCTCGTGCAGAAAATGTAGCCCATTACCACATGTAGCCTTGGAGACCCAGG CAAGGACAAGTACACGTGTACTCACAGAGGGAGAGAAAGATGTGTACAAAGGATATGTATAAA TATTCTATTTAGTCATCCTGATATGAGGAGCCAGTGTTGCATGATGAAAAGATGGTATGATTC TACATATGTACCCATTGTCTTGCTGTTTTTTGTACTTTTTTCAGGTCATTTACAATTGGGAG ATTTCAGAAACATTCCTTTCACCATCATTTAGAAATGGTTTGCCTTAATGGAGACAATAGCAG ATCCTGTAGTATTTCCAGTAGACATGGCCTTTTAATCTAAGGGCTTAAGACTGATTAGTCTTA GCATTTACTGTAGTTGGAGGATGGAGATGCTATGATGGAAGCATACCCAGGGTGGCCTTTAGC ACAGTATCAGTACCATTTATTTGTCTGCCGCTTTTAAAAAATACCCATTGGCTATGCCACTTG AAAACAATTTGAGAAGTTTTTTTGAAGTTTTTCTCACTAAAATATGGGGCAATTGTTAGCCTT ACATGTTGTGTAGACTTACTTTAAGTTTGCACCCTTGAAATGTGTCATATCAATTTCTGGATT CATAATAGCAAGATTAGCAAAGGATAAATGCCGAAGGTCACTTCATTCTGGACACAGTTGGAT CAATACTGATTAAGTAGAAAATCCAAGCTTTGCTTGAGAACTTTTGTAACGTGGAGAGTAAAA **AGTATCGGTTTTA**

530/550

FIGURE 530

MAASAGAGAVIAAPDSRRWLWSVLAAALGLLTAGVSALEVYTPKEIFVANGTQGKLTCKFKST STTGGLTSVSWSFQPEGADTTVSFFHYSQGQVYLGNYPPFKDRISWAGDLDKKDASINIENMQ FIHNGTYICDVKNPPDIVVQPGHIRLYVVEKENLPVFPVWVVVGIVTAVVLGLTLLISMILAV LYRRKNSKRDYTGCSTSESLSPVKQAPRKSPSDTEGLVKSLPSGSHQGPVIYAQLDHSGGHHS DKINKSESVVYADIRKN

Important features:

Signal peptide:

amino acids 1-37

Transmembrane domain:

amino acids 161-183

531/550

FIGURE 531

GGCTGGTGGGAAGAGCCGAG**ATG**GCGGCAGCCAGCGCTGGGGCAACCCGGCTGCTCCTGCTC TTGCTGATGGCGGTAGCAGCGCCCAGTCGAGCCCGGGCCAGCGGCTGCCGGGCCGGGACTGGT GCGCGAGGGGCTGGGGCGGAAGGTCGAGAGGCCGAGGCCTGTGGCACGGTGGGGCTGCTGCTG GAGCACTCATTTGAGATCGATGACAGTGCCAACTTCCGGAAGCGGGGCTCACTGCTCTGGAAC CAGCAGGATGGTACCTTGTCCCTGTCACAGCGGCAGCTCAGCGAGGAGGAGCGGGGCCGACTC CGGGATGTGGCAGCCCTGAATGGCCTGTACCGGGTCCGGATCCCAAGGCGACCCGGGGCCCTG GATGGCCTGGAAGCTGGTGGCTATGTCTCCTCCTTTGTCCCTGCGTGCTCCCTGGTGGAGTCG CACCTGTCGGACCAGCTGCACGTGGATGTGGCCGGCAACGTGGTGGGCGTGTCGGTG GTGACGCACCCGGGGGCTGCCGGGGCCATGAGGTGGAGCGTGGACCTGGAGCTGTTCAAC ACCTCGGTGCAGCTGCAGCCGCCCACCACAGCCCCAGGCCCTGAGACGGCGGCCTTCATTGAG CGCCTGGAGATGGAACAGGCCCAGAAGGCCAAGAACCCCCAGGAGCAGAAGTCCTTCTTCGCC AAATACTGGATGTACATCATTCCCGTCGTCCTGTTCCTCATGATGTCAGGAGCGCCAGACACC GGGGCCAGGGTGGGGGTGGGGGTGGTGGTGGGGGTAGTGGCCTTTGCTGTGTGCCA CCCTCCCTGTAAGTCTATTTAAAAACATCGACGATACATTGAAATGTGTGAACGTTTTGAAAA GCTACAGCTTCCAGCAGCCAAAAGCAACTGTTGTTTTTGGCAAGACGGTCCTGATGTACAAGCT TGATTGAAATTCACTGCTCACTTGATACGTTATTCAGAAACCCAAGGAATGGCTGTCCCCATC $\verb|CTCATGTGGCTGTTGTGGGCAGTTTATTAAACTGTCCCCCAGATC| \\$ GACACGCAAAAAAAAA

532/550

FIGURE 532

MAAASAGATRLLLLLLMAVAAPSRARGSGCRAGTGARGAGAEGREGEACGTVGLLLEHSFEID DSANFRKRGSLLWNQQDGTLSLSQRQLSEEERGRLRDVAALNGLYRVRIPRRPGALDGLEAGG YVSSFVPACSLVESHLSDQLTLHVDVAGNVVGVSVVTHPGGCRGHEVEDVDLELFNTSVQLQP PTTAPGPETAAFIERLEMEQAQKAKNPQEQKSFFAKYWMYIIPVVLFLMMSGAPDTGGQGGGGGGGGGGGGGGGGGGGCCCVPPSL

Important features:

Signal peptide:

amino acids 1-24

Transmembrane domain:

amino acids 226-243

533/550

FIGURE 533

534/550

FIGURE 534

MELALLCGLVVMAGVIPIQGGILNLNKMVKQVTGKMPILSYWPYGCHCGLGGRGQPKDATDWC CQTHDCCYDHLKTQGCGIYKDNNKSSIHCMDLSQRYCLMAVFNVIYLENEDSE

Important features:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 1-24

N-glycosylation site.

amino acids 86-89

N-myristoylation sites.

amino acids 20-25, 45-50

Phospholipase A2 histidine active site.

amino acids 63-70

535/550

FIGURE 535

GCTGAGCGTGTGCGCGGTACGGGGCTCTCCTGCCTTCTGGGCTCCAACGCAGCTCTGTGGCTG AACTGGGTGCTCATCACGGGAACTGCTGGGCTATGGAATACAGATGTGGCAGCTCAGGTAGCC CCAAATTGCCTGGAAGAATACATCATGTTTTTCGATAAGAAGAAATTGTAGGATCCAGTTTTT TTTTTAACCGCCCCTCCCCACCCCCAAAAAAACTGTAAAGATGCAAAAACGTAATATCCAT GTTCTTGGAGTGTTCTGCGTGGCTGGCAAAGAATAATGTTCCAAAATCGGTCCATCTCCCAAG GGGTCCAATTTTCTTCCTGGGTGTCAGCGAGCCCTGACTCACTACAGTGCAGCTGACAGGGG CTGTCATGCAACTGGCCCCTAAGCCAAAGCAAAAGACCTAAGGACGACCTTTGAACAATACAA AGGATGGGTTTCAATGTAATTAGGCTACTGAGCGGATCAGCTGTAGCACTGGTTATAGCCCCC ACTGTCTTACTGACAATGCTTTCTTCTGCCGAACGAGGATGCCCTAAGGGCTGTAGGTGTGAA GGCAAAATGGTATATTGTGAATCTCAGAAATTACAGGAGATACCCTCAAGTATATCTGCTGGT TGCTTAGGTTTGTCCCTTCGCTATAACAGCCTTCAAAAACTTAAGTATAATCAATTTAAAGGG CTCAACCAGCTCACCTGGCTATACCTTGACCATAACCATATCAGCAATATTGACGAAAATGCT TTTAATGGAATACGCAGACTCAAAGAGCTGATTCTTAGTTCCAATAGAATCTCCTATTTTCTT AACAATACCTTCAGACCTGTGACAAATTTACGGAACTTGGATCTGTCCTATAATCAGCTGCAT TCTCTGGGATCTGAACAGTTTCGGGGCTTGCGGAAGCTGCTGAGTTTACATTTACGGTCTAAC TCCCTGAGAACCATCCCTGTGCGAATATTCCAAGACTGCCGCAACCTGGAACTTTTGGACCTG GGATATAACCGGATCCGAAGTTTAGCCAGGAATGTCTTTGCTGGCATGATCAGACTCAAAGAA CTTCACCTGGAGCACAATCAATTTTCCAAGCTCAACCTGGCCCTTTTTCCAAGGTTGGTCAGC CTTCAGAACCTTTACTTGCAGTGGAATAAAATCAGTGTCATAGGACAGACCATGTCCTGGACC TGGAGCTCCTTACAAAGGCTTGATTTATCAGGCAATGAGATCGAAGCTTTCAGTGGACCCAGT GTTTTCCAGTGTGTCCCGAATCTGCAGCGCCTCAACCTGGATTCCAACAAGCTCACATTTATT GGTCAAGAGATTTTGGATTCTTGGATATCCCTCAATGACATCAGTCTTGCTGGGAATATATGG GAATGCAGCAGAAATATTTGCTCCCTTGTAAACTGGCTGAAAAGTTTTAAAGGTCTAAGGGAG AATACAATTATCTGTGCCAGTCCCAAAGAGCTGCAAGGAGTAAATGTGATCGATGCAGTGAAG AACTACAGCATCTGTGGCAAAAGTACTACAGAGAGGTTTGATCTGGCCAGGGCTCTCCCAAAG CCGACGTTTAAGCCCAAGCTCCCCAGGCCGAAGCATGAGAGCAAACCCCCTTTGCCCCCGACG GTGGGAGCCACAGAGCCCGGCCCAGAGACCGATGCTGACGCCGAGCACATCTCTTTCCATAAA ATCATCGCGGGCAGCGTGGCGCTTTTCCTGTCCGTGCTCGTCATCCTGCTGGTTATCTACGTG TCATGGAAGCGGTACCCTGCGAGCATGAAGCAGCTGCAGCAGCGCTCCCTCATGCGAAGGCAC AGGAAAAAGAAAAGACAGTCCCTAAAGCAAATGACTCCCAGCACCCAGGAATTTTATGTAGAT TATAAACCCACCAACACGGAGACCAGCGAGATGCTGCTGAATGGGACGGGACCCTGCACCTAT ${\tt AACAAATCGGGCTCCAGGGAGTGTGAGGTA} \underline{{\tt TGA}} {\tt ACCATTGTGATAAAAAGAGCTCTTAAAAGC}$ TGGGAAATAAGTGGTGCTTTATTGAACTCTGGTGACTATCAAGGGAACGCGATGCCCCCCCTC GAAGCTTGAACTCCGGTTTAATATATACCTATTGTATAAGACCCTTTACTGATTCCATTAAT

536/550

FIGURE 536

MGFNVIRLLSGSAVALVIAPTVLLTMLSSAERGCPKGCRCEGKMVYCESQKLQEIPSSISAGC LGLSLRYNSLQKLKYNQFKGLNQLTWLYLDHNHISNIDENAFNGIRRLKELILSSNRISYFLN NTFRPVTNLRNLDLSYNQLHSLGSEQFRGLRKLLSLHLRSNSLRTIPVRIFQDCRNLELLDLG YNRIRSLARNVFAGMIRLKELHLEHNQFSKLNLALFPRLVSLQNLYLQWNKISVIGQTMSWTW SSLQRLDLSGNEIEAFSGPSVFQCVPNLQRLNLDSNKLTFIGQEILDSWISLNDISLAGNIWE CSRNICSLVNWLKSFKGLRENTIICASPKELQGVNVIDAVKNYSICGKSTTERFDLARALPKP TFKPKLPRPKHESKPPLPPTVGATEPGPETDADAEHISFHKIIAGSVALFLSVLVILLVIYVS WKRYPASMKQLQQRSLMRRHRKKKRQSLKQMTPSTQEFYVDYKPTNTETSEMLLNGTGPCTYN KSGSRECEV

Important features:

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 420-442

N-glycosylation sites.

amino acids 126-129, 357-360, 496-499, 504-507

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 465-468

Tyrosine kinase phosphorylation site.

amino acids 136-142

N-myristoylation sites.

amino acids 11-16, 33-38, 245-250, 332-337, 497-502, 507-512

537/550

FIGURE 537

GGGACTACAAGCCGCGCGCGCGCTGCCGCTGGCCCCTCAGCAACCCTCGAC<u>ATG</u>GCGCTGAGGCGGCCACCGCGAC TCCGGCTCTGCCTCGCTGCTTCTTCCTGCTGCTTCTTTCAGGGGCTGCCTGATAGGGGCTGTAAATC TCAAATCCAGCAATCGAACCCCAGTGGTACAGGAATTTGAAAGTGTGGAACTGTCTTGCATCATTACGGATTCGC AGACAAGTGACCCCAGGATCGAGTGGAAGAAAATTCAAGATGAACAAACCACATATGTGTTTTTTGACAACAAAA TTCAGGGAGACTTGGCGGGTCGTGCAGAAATACTGGGGAAGACATCCCTGAAGATCTGGAATGTGACACGGAGAG ACTCAGCCCTTTATCGCTGTGAGGTCGTTGCTCGAAATGACCGCAAGGAAATTGATGAGATTGTGATCGAGTTAA CTGTGCAAGTGAAGCCAGTGACCCCTGTCTGTAGAGTGCCGAAGGCTGTACCAGTAGGCAAGATGGCAACACTGC ACTGCCAGGAGAGTGAGGGCCACCCCGGCCTCACTACAGCTGGTATCGCAATGATGTACCACTGCCCACGGATT CCAGAGCCAATCCCAGATTTCGCAATTCTTTCCACTTAAACTCTGAAACAGGCACTTTGGTGTTCACTGCTG TTCACAAGGACGACTCTGGGCAGTACTACTGCATTGCTTCCAATGACGCAGGCTCAGCCAGGTGTGAGGAGCAGG TCACGTTGGGCATCTGCTGTGCATACAGACGTGGCTACTTCATCAACAATAAACAGGATGGAGAAAGTTACAAGA $\texttt{TGATC} \underline{\textbf{TGA}} \texttt{GACCCGCGGTGTGGCTGAGAGCGCACAGAGCGCACGTGCACATACCTCTGCTAGAAACTCCTGTCAA}$ GGCAGCGAGAGCTGATGCACTCGGACAGAGCTAGACACTCATTCAGAAGCTTTTCGTTTTGGCCAAAGTTGACCA CTACTCTTCTTACTCTAACAAGCCACATGAATAGAAGAATTTTCCTCAAGATGGACCCGGTAAATATAACCACAA GGAAGCGAAACTGGGTGCGTTCACTGAGTTGGGTTCCTAATCTGTTTCTGGCCTGATTCCCGCATGAGTATTAGG GTGATCTTAAAGAGTTTGCTCACGTAAACGCCCGTGCTGGGGCCCTGTGAAGCCAGCATGTTCACCACTGGTCGTT GAAAAGGCTTCTTACACAGCAGCCTTACTTCATCGGCCCACAGACACCACCGCAGTTTCTTCTTAAAGGCTCTGC GTAAATTGGTTGCTGGAAGAGGGATCTTGCCTGAGGAACCCTGCTTGTCCAACAGGGTGTCAGGATTTAAGGAAA ACCTTCGTCTTAGGCTAAGTCTGAAATGGTACTGAAATATGCTTTTCTATGGGTCTTGTTTATTTTATAAAATTT TACATCTAAATTTTTGCTAAGGATGTATTTTGATTATTGAAAAGAAAATTTCTATTTAAACTGTAAATATATTGT CATACAATGTTAAATAACCTATTTTTTTAAAAAAGTTCAACTTAAGGTAGAAGTTCCAAGCTACTAGTGTTAAAT TGGAAAATATCAATAATTAAGAGTATTTTACCCAAGGAATCCTCTCATGGAAGTTTACTGTGATGTTCCTTTTCT CACACAAGTTTTAGCCTTTTTCACAAGGGAACTCATACTGTCTACACATCAGACCATAGTTGCTTAGGAAACCTT TAAAAATTCCAGTTAAGCAATGTTGAAATCAGTTTGCATCTCTTCAAAAGAAACCTCTCAGGTTAGCTTTGAACT $\verb|CCAGTCAGCTCCTGGGGTTGCGCCAGGCGCCCCGCTCTAGCTCACTGTTGCCTCGCTGTCTGCCAGGAGGCCCT|\\$ GCCATCCTTGGGCCCTGGCAGTGGCTGTGTCCCAGTGAGCTTTACTCACGTGGCCCTTGCTTCATCCAGCACAGC TCTCAGGTGGGCACTGCAGGGACACTGGTGTCTTCCATGTAGCGTCCCAGCTTTGGGCTCCTGTAACAGACCTCT AAGATTGTCTAAGGCCAAAGGCAATTGCGAAATCAAGTCTGTCAAGTACAATAACATTTTTAAAAGAAAATGGAT CCCACTGTTCCTCTTTGCCACAGAGAAAGCACCCAGACGCCACAGGCTCTGTCGCATTTCAAAACCAAACCATGAT GGAGTGGCGGCCAGTCCAGCCTTTTAAAGAACGTCAGGTGGAGCAGCCAGGTGAAAGGCCTGGCGGGGAGAAAG TGAAACGCCTGAATCAAAAGCAGTTTTCTAATTTTGACTTTAAATTTTTCATCCGCCGGAGACACTGCTCCCATT TGTGGGGGGACATTAGCAACATCACTCAGAAGCCTGTGTTCTTCAAGAGCAGGTGTTCTCAGCCTCACATGCCCT GCCGTGCTGGACTCAGGACTGAAGTGCTGTAAAGCAAGGAGCTGCTGAGAAGGAGCACTCCACTGTGTGCCTGGA AATTGCATACATGAGACTGTTGTTGACTTTTTTTAGTTATGTGAAACACTTTGCCGCAGGCCGCCTGGCAGAGGCA CCTCCATCATTGCCACCTTGGTAGAGAGGGATGGCTCCCCACCCTCAGCGTTGGGGATTCACGCTCCAGCCTCCT TCTTGGTTGTCATAGTGATAGGGTAGCCTTATTGCCCCCTCTTCTTATACCCTAAAACCTTCTACACTAGTGCCA TGGGAACCAGGTCTGAAAAAGTAGAGAGAGTGAAAGTAGAGTCTGGGAAGTAGCTGCCTATAACTGAGACTAGA CGGAAAAGGAATACTCGTGTATTTTAAGATATGAATGTGACTCAAGACTCGAGGCCGATACGAGGCTGTGATTCT ${\tt GCCTTTGGATGGATGTTGCTGTACACAGATGCTACAGACTTGTACTAACACACCGTAATTTGGCATTTGTTTAAC}$ CTCATTTATAAAAGCTTCAAAAAAACCCA

538/550

FIGURE 538

MALRRPPRLRLCARLPDFFLLLLFRGCLIGAVNLKSSNRTPVVQEFESVELSCIITDSQTSDP RIEWKKIQDEQTTYVFFDNKIQGDLAGRAEILGKTSLKIWNVTRRDSALYRCEVVARNDRKEI DEIVIELTVQVKPVTPVCRVPKAVPVGKMATLHCQESEGHPRPHYSWYRNDVPLPTDSRANPR FRNSSFHLNSETGTLVFTAVHKDDSGQYYCIASNDAGSARCEEQEMEVYDLNIGGIIGGVLVV LAVLALITLGICCAYRRGYFINNKQDGESYKNPGKPDGVNYIRTDEEGDFRHKSSFVI

Important features:

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 243-263

N-glycosylation sites.

amino acids 104-107, 192-195

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 107-110

Casein kinase II phosphorylation site.

amino acids 106-109, 296-299

Tyrosine kinase phosphorylation site.

amino acids 69-77

N-myristoylation sites.

amino acids 26-31, 215-220, 226-231, 243-248, 244-249, 262-267

539/550

FIGURE 539

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTCAGAGGCCGGGGAAGAAGCAAAGC GCAACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCTCTAGGACATACACGGGACCCCCTAA CTTCAGTCCCCCAAACGCGCACCCTCGAAGTCTTGAACTCCAGCCCCGCACATCCACGCGCGG CACAGGCGCGGCAGGCCGCCGAAGGCGATGCGCGCAGGGGGTCGGGCAGCTGG GCTCGGGCGGGGGGTAGGGCCCGGCAGGGAGGCAGGGAGGCTGCATATTCAGAGTCGCGGG TGAGCCGCGTGGTCTCGCTGCTGCTGGGCGCCGCGCTCTCTGCGGCCACGGAGCCTTCTGCC GCCGCGTGGTCAGCGGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTACAAAATGG CCTACTTCCATGAACTGTCCAGCCGAGTGAGCTTTCAGGAGGCACGCCTGGCTTGTGAGAGTG AGGGAGGAGTCCTCCTCAGCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAGAGCATGTTGC **AAAACCTGACAAAACCCGGGACAGGGATTTCTGATGGTGATTTCTGGATAGGGCTTTGGAGGA** ATGGAGATGGGCAAACATCTGGTGCCTGCCCAGATCTCTACCAGTGGTCTGATGGAAGCAATT CCCAGTACCGAAACTGGTACACAGATGAACCTTCCTGCGGAAGTGAAAAGTGTGTTGTGATGT ATCACCAACCACTGCCAATCCTGGCCTTGGGGGTCCCTACCTTTACCAGTGGAATGATGACA GGTGTAACATGAAGCACAATTATATTTGCAAGTATGAACCAGAGATTAATCCAACAGCCCCTG TAGAAAAGCCTTATCTTACAAATCAACCAGGAGACACCCATCAGAATGTGGTTGTTACTGAAG CAGGTATAATTCCCAATCTAATTTATGTTGTTATACCAACAATACCCCTGCTCTTACTGATAC TGGTTGCTTTTGGAACCTGTTGTTTCCAGATGCTGCATAAAAGTAAAGGAAGAACAAAAACTA **AA**TAACTCATTGACTTGGTTCCAGAATTTTGTAATTCTGGATCTGTATAAGGAATGGCATCAG AACAATAGCTTGGAATGGCTTGAAATCACAAAGGATCTGCAAGATGAACTGTAAGCTCCCCCT TGAGGCAAATATTAAAGTAATTTTTATATGTCTATTATTTCATTTAAAGAATATGCTGTGCTA ATAATGGAGTGAGACATGCTTATTTTGCTAAAGGATGCACCCAAACTTCAAACTTCAAGCAAA TGAAATGGACAATGCAGATAAAGTTGTTATCAACACGTCGGGAGTATGTGTGTTAGAAGCAAT TCCTTTTATTTCTTTCACCTTTCATAAGTTGTTATCTAGTCAATGTAATGTATATTGTATTGA AATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAAGTGTTTGATAAAAATGAACTGTTCTA ATATTTATTTTATGGCATCTCATTTTTCAATACATGCTCTTTTGATTAAAGAAACTTATTAC ATAATTCATCTTTCAGCTTCTCTGCTTTTGGTCAATGTCTAGGAAATCTCTTCAGAAATAAGA AGCTATTTCATTAAGTGTGATATAAACCTCCTCAAACATTTTACTTAGAGGCAAGGATTGTCT AATTTCAATTGTGCAAGACATGTGCCTTATAATTATTTTTAGCTTAAAATTAAACAGATTTTG TAATAATGTAACTTTGTTAATAGGTGCATAAACACTAATGCAGTCAATTTGAACAAAAGAAGT GACATACACAATATAAATCATATGTCTTCACACGTTGCCTATATAATGAGAAGCAGCTCTCTG AGGGTTCTGAAATCAATGTGGTCCCTCTCTTGCCCACTAAACAAAGATGGTTGTTCGGGGTTT GGGATTGACACTGGAGGCAGATAGTTGCAAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGC CTCTGACTATATTAGTATACAAAGAGGTCATGTGGTTGAGACCAGGTGAATAGTCACTATCAG TGTGGAGACAAGCACACACACACATTTTAGGAAGGAAAGGAACTACGAAATCGTGTGAAA ATGGGTTGGAACCCATCAGTGATCGCATATTCATTGATGAGGGTTTGCTTGAGATAGAAAATG GTGGCTCCTTTCTGTCTTATCTCCTAGTTTCTTCAATGCTTACGCCTTGTTCTTCAAGAGA AAGTTGTAACTCTCTGGTCTTCATATGTCCCTGTGCTCCTTTTAACCAAATAAAGAGTTCTTG

540/550

FIGURE 540

MSRVVSLLLGAALLCGHGAFCRRVVSGQKVCFADFKHPCYKMAYFHELSSRVSFQEARLACES EGGVLLSLENEAEQKLIESMLQNLTKPGTGISDGDFWIGLWRNGDGQTSGACPDLYQWSDGSN SQYRNWYTDEPSCGSEKCVVMYHQPTANPGLGGPYLYQWNDDRCNMKHNYICKYEPEINPTAP VEKPYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSKGRTKT SPNQSTLWISKSTRKESGMEV

Important features:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89 and 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-145 and 212-217

541/550

FIGURE 541

 $\verb|CCACAGCCACTGGGCCCGAAGTTGCTCAGCCTGAAGTAGACACCACCCTGGGTCGTGCGAGGCCGGCAGGTGG|\\$ GGTTCTCAGCCCCACACCCAGCACAGCCCTGGGAGGGTGTGCGGGATGCCAGCACTGCGCCCCCAATGTGCCTAC AAGACGTGGAGAGCATGAACAGCAGCAGATTTGTCCTCAACGGAAAACAGCAGATCTTCTCCGTTTCAGAGGACT GCCTGGTCCTCAACGTCTATAGCCCAGCTGAGGTCCCGCAGGGTCCGGTAGGCCGGTCATGGTATGGGTCCATG GAGGCGCTCTGATAACTGGCGCTGCCACCTCCTACGATGGATCAGCTCTGGCTGCCTATGGGGATGTGGTCGTGG TTACAGTCCAGTACCGCCTTGGGGTCCTTGGCTTCTTCAGCACTGGAGATGAGCATGCACCTGGCAACCAGGGCT TCCTAGATGTGGTAGCTGCTTTGCGCTGGGTGCAAGAAAACATCGCCCCCTTCGGGGGTGACCTCAACTGTGTCA ACAGAGCCATCACACAGAGTGGGGTCATCACCACCCCAGGGATCATCGACTCTCACCCTTGGCCCCTAGCTCAGA GCCCCAAGGAACTCCTGAAGGAGAAGCCCTTCCACTCTGTGCCCTTCCTCATGGGTGTCAACAACCATGAGTTCA GCTGGCTCATCCCCAGGGGCTGGGGTCTCCTGGATACAATGGAGCAGATGAGCCGGGAGGACATGCTGGCCATCT CAACACCCGTCTTGACCAGTCTGGATGTGCCCCCTGAGATGATGCCCACCGTCATAGATGAATACCTAGGAAGCA ACTCGGACGCACAAGCCAAATGCCAGGCGTTCCAGGAATTCATGGGTGACGTATTCATCAATGTTCCCACCGTCA GTTTTTCAAGATACCTTCGAGATTCTGGAAGCCCTGTCTTTTTCTATGAGTTCCAGCATCGACCCAGTTCTTTTG TGGACGAGAGCTCCCGCCTGGCCTTTCCAGAGGCCACAGAGGAGGAGAAGCAGCTAAGCCTCACCATGATGGCCC AGTGGACCCACTTTGCCCGGACAGGGGACCCCAATAGCAAGGCTCTGCCTCCTTGGCCCCAATTCAACCAGGCGG AACAATATCTGGAGATCAACCCAGTGCCACGGGCCGGACAGAAGTTCAGGGAGGCCTGGATGCAGTTCTGGTCAG ${\tt AGACGCTCCCCAGCAAGATACAACAGTGGCACCAGAAGCAGAAGAACAGGAAGGCCCAGGAGGACCTC} {\tt TGA}{\tt GGCC}$ AGGCCTGAACCTTCTTGGCTGGGGCAAACCACTCTTCAAGTGGTGGCAGAGTCCCAGCACGGCAGCCCCCTCTC CCCCTGCTGAGACTTTAATCTCCACCAGCCCTTAAAGTGTCGGCCGCTCTGTGACTGGAGTTATGCTCTTTTGAA ${\tt ATGTCACAAGGCCGCCTCCCACCTCTGGGGCATTGTACAAGTTCTTCCCTCTCCCTGAAGTGCCTTTCCTGCTTT}$ CCCCCTCAGAGGAGCTCTCTCAAAATGGGGATTAGCCTAACCCCACTCTGTCACCCACACCAGGATCGGGTGGGA CCTGGAGCTAGGGGGTGTTTGCTGAGTGAGTGAAACACAGAATATGGGAATGGCAGCTGCTGAACTTGAAC CCAGAGCCTTCAGGTGCCAAAGCCATACTCAGGCCCCCACCGACATTGTCCACCCTGGCCAGAAGGGTGCATGCC ${\tt AATGGCAGAGACCTGGGATGGGAGAGTCCTGGGGCGCCCAGGGGATCCAGCCTAGAGCAGACCTTAGCCCCTGAC}$ TAAGGCCTCAGACTAGGGCGGGAGGGGTCTCCTCTCTCTGCTGCCCAGTCCTGGCCCCTGCACAAGACAACAGA ATCCATCAGGGCCATGAGTGTCACCCAGACCTGACCCTCACCAATTCCAGCCCCTGACCCTCAGGACGCTGGATG ${\tt CCAGCTCCCAGCCCCAGTGCCGGGTCCTCCCTCCTTCCTGGCTTGGGGAGACCAGTTTCTGGGGAGCTTCCAAG}$ AGCACCCACCAAGACACCAGGGACAGGCCAGGGGAGGGCATCTGGACCAGGGCATCCGTCGGGCTATTGTCACAGAGAAAGAAGAAGACCCACCCACTCGGGCTGCAAAAGGTGAAAAGCACCAAGAGGTTTTCAGATGGAAGTGAGAG $\tt GTGACAGTGTGCTGGCAGCCCTCACAGCCCTCGCTTGCTCTCCCTGCCGCCTCTGCCTGGGCTCCCACTTTGGCA$ GCACTTGAGGAGCCCTTCAACCCGCCGCTGCACTGTAGGAGCCCCTTTCTGGGCTGGCCAAGGCCGGAGCCAGCT TAGCACCTGGGCCAGCAGCTGCTGTGCTCGATTTCTCGCTGGGCCTTAGCTGCCTCCCCGCGGGGCAGGGCTCGG GACCTGCAGCCCTCCATGCCTGACCCTCCCCCCACCCCCGTGGGCTCCTGTGCGGCCGGAGCCTCCCCAAGGAG CGCCGCCCCTGCTCCACAGCGCCCAGTCCCATCGACCACCCAAGGGCTGAGGAGTGCGGGTGCACAGCGCGGGA CTGGCAGGCAGCTCCACCTGCTGCCCCAGTGCTGGATCCACTGGGTGAAGCCAGCTGGGCTCCTGAGTCTGGTGG GGACTTGGAGAACCTTTATGTCTAGCTAAGGGATTGTAAATACACCGATGGGCACTCTGTATCTAGCTCAAGGTT TGTAAACACCAATCAGCACCCTGTGTCTAGCTCAGTGTTTGTGAATGCACCAATCCACACTCTGTATCTGGCT ACTCTGGTGGGGACTTGGAGAACCTTTGTGTCCACACTCTGTATCTAGCTAATCTAGTGGGGGATGTGGAGAACCT TTGTGTCTAGCTCAGGGATCGTAAACGCACCAATCAGCACCCTGTCAAAACAGACCACTTGACTCTCTGTAAAAT GGACCAATCAGCAGGATGTGGGTGGGGCGAGACAAGAGAATAAAAGCAGGCTGCCTGAGCCAGCAGTGACAACCC $\verb|CCCTCGGGTCCCCTCCCACGCCGTGGAAGCTTTGTTCTTTCGCTCTTTTGCAATAAATCTTGCTACTGCCCAAAA| \\$

542/550

FIGURE 542

MERAVRVESGVLVGVVCLLLACPATATGPEVAQPEVDTTLGRVRGRQVGVKGTDRLVNVFLGI
PFAQPPLGPDRFSAPHPAQPWEGVRDASTAPPMCLQDVESMNSSRFVLNGKQQIFSVSEDCLV
LNVYSPAEVPAGSGRPVMVWVHGGALITGAATSYDGSALAAYGDVVVVTVQYRLGVLGFFSTG
DEHAPGNQGFLDVVAALRWVQENIAPFGGDLNCVTVFGGSAGGSIISGLVLSPVAAGLFHRAI
TQSGVITTPGIIDSHPWPLAQKIANTLACSSSSPAEMVQCLQQKEGEELVLSKKLKNTIYPLT
VDGTVFPKSPKELLKEKPFHSVPFLMGVNNHEFSWLIPRGWGLLDTMEQMSREDMLAISTPVL
TSLDVPPEMMPTVIDEYLGSNSDAQAKCQAFQEFMGDVFINVPTVSFSRYLRDSGSPVFFYEF
QHRPSSFAKIKPAWVKADHGAEGAFVFGGPFLMDESSRLAFPEATEEEKQLSLTMMAQWTHFA
RTGDPNSKALPPWPQFNQAEQYLEINPVPRAGQKFREAWMQFWSETLPSKIQQWHQKQKNRKA
QEDL

Important features:

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 226-245

N-glycosylation site.

amino acids 105-109

N-myristoylation sites.

amino acids 10-16, 49-55, 62-68, 86-92, 150-156, 155-161, 162-168, 217-223, 227-233, 228-234, 232-238, 262-268, 357-363, 461-467

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 12-23

Carboxylesterases type-B serine active site.

amino acids 216-232

543/550

FIGURE 543

 $\mathtt{TGTCGCCTGGCCTCGCC}$ \mathtt{ATG} CAGACCCCGCGAGCGTCCCCTCCCCGCCCGGCCCTCCTGCTTCTGCTGCTA CTGGGGGGGCCCCACGGCCTCTTTCCTGAGGAGCCGCCGCCGCTTAGCGTGGCCCCCAGGGACTACCTGAACCAC TATCCCGTGTTTGTGGGCAGCGGGCCCGGACGCCTGACCCCGCAGAAGGTGCTGACGACCTCAACATCCAGCGA GTCCTGCGGGTCAACAGGACGCTGTTCATTGGGGACAGGGACAACCTCTACCGCGTAGAGCTGGAGCCCCCCACG TCCACGGAGCTGCGGTACCAGAGGAAGCTGACCTGGAGATCTAACCCCAGCGACATAAACGTGTGTCGGATGAAG GGCAAACAGGAGGGCGAGTGTCGAAACTTCGTAAAGGTGCTGCTCCTTCGGGACGAGTCCACGCTCTTTGTGTGC GGTTCCAACGCCTTCAACCCGGTGTGCGCCAACTACAGCATAGACACCCTGCAGCCCGTCGGAGACAACATCAGC GGTATGGCCCGCTGCCCGTACGACCCCAAGCACGCCAATGTTGCCCTCTTCTCTGACGGGATGCTCTTCACAGCT ACTGTTACCGACTTCCTAGCCATTGATGCTGTCATCTACCGCAGCCTCGGGGACAGGCCCACCCTGCGCACCGTG AAACATGACTCCAAGTGGTTCAAAGAGCCTTACTTTGTCCATGCGGTGGAGTGGGGCAGCCATGTCTACTTCTTC TTCCGGGAGATTGCGATGGAGTTTAACTACCTGGAGAAGGTGGTGGTGTCCCGCGTGGCCCGAGTGTGCAAGAAC GTCCTGGCCGTTTTTTCCACGCCCAGCAACAGCATCCCTGGCTCGGCTGTCTGCGCCTTTGACCTGACACAGGTG GCAGCTGTGTTTGAAGGCCGCTTCCGAGAGCAGAAGTCCCCCGAGTCCATCTGGACGCCGGTGCCGGAGGATCAG GTGCCTCGACCCCGGCCCGGGTGCTGCGCAGCCCCCGGGATGCAGTACAATGCCTCCAGCGCCTTGCCGGATGAC ATCCTCAACTTTGTCAAGACCCACCCTCTGATGGACGAGGCGGTGCCCTCGCTGGGCCATGCGCCCTGGATCCTG CGGACCCTGATGAGGCACCAGCTGACTCGAGTGGCTGTGGACGTGGGAGCCGGCCCCTGGGGCAACCAGACCGTT GTCTTCCTGGGTTCTGAGGCGGGGACGGTCCTCAAGTTCCTCGTCCGGCCCAATGCCAGCACCTCAGGGACGTCT GGGCAGCGGCTGCTGAGCTTGGAGCTGGACGCAGCTTCGGGGGGCCTGCTGCCTTCCCCCGCTGCGTGGTC CGAGTGCCTGTGGCTGCCAGCAGTACTCGGGGTGTATGAAGAACTGTATCGGCAGTCAGGACCCCTACTGC GGGTGGGCCCCGACGGCTCCTGCATCTTCCTCAGCCCGGGCACCAGAGCCGCCTTTGAGCAGGACGTGTCCGGG GCCAGCACCTCAGGCTTAGGGGACTGCACAGGACTCCTGCGGGCCAGCCTCTCCGAGGACCGCGCGGGGCTGGTG TCGGTGAACCTGCTGGTAACGTCGTCGGTGGCGGCCTTCGTGGTGGGAGCCGTGGTGTCCGGCTTCAGCGTGGGC TGGTTCGTGGGCCTCCGTGAGCGGCGGGAGCTGGCCCGGCGCAAGGACAAGGACCATCCTGGCGCACGGGGCG GGCGAGGCGGTGCTGAGCGTCAGCCGCCTGGGCGAGCGCAGGGCGCAGGGTCCCGGGGGCCGGGGCGGAGGCGGT GGCGGTGGCGCCGGGGTTCCCCCGGAGGCCCTGCTGGCGCCCCTGATGCAGAACGGCTGGGCCAAGGCCACGCTG $\tt CTGCAGGGGGGCCCCACGACCTGGACTCGGGGCTGCTGCCCACGCCCGAGCAGACGCCGCTGCCGCAGAAGCGC$ CTGCCCACTCCGCACCCCCACGCCCTGGGCCCCCGCGCCTGGGACCACGGCCACCCCCTGCTCCCGGCC ATGCCTTGGCAGTGCCAGCCACGGGAACCAGGAGCGAGAGACGTGCCAGAACGCCGGGGCCCGGGGCAACTCCG AGTGGGTGCTCAAGTCCCCCCGCGACCCACCCGCGGAGTGGGGGGCCCCCTCCGCCACAAGGAAGCACAACCAG TGGGCGTGTGTCAAGTGGGCCACGCGTGCAGGGTGTGTCCACGAGCGACGATCGTGGTGGCCCCAGCGGCC TGGGCGTTGGCTGAGCCGACGCTGGGGCTTCCAGAAGGCCCGGGGGTCTCCGAGGTGCCGGTTAGGAGTTTGAAC ATACGGCCCCAGGGTGGTGAGAGAGTCCCATGCCACCCGTCCCCTTGTGACCTCCCCCCTATGACCTCCAGCTGA CCATGCATGCCACGTGGCTGGCTCGCCTCTTTGGAGTTTGCCTCCCCAGCCCCCTCCCATCAAT

544/550

FIGURE 544

MQTPRASPPRPALLLLLLLGGAHGLFPEEPPPLSVAPRDYLNHYPVFVGSGPGRLTPAEGAD DLNIQRVLRVNRTLFIGDRDNLYRVELEPPTSTELRYQRKLTWRSNPSDINVCRMKGKQEGEC RNFVKVLLLRDESTLFVCGSNAFNPVCANYSIDTLQPVGDNISGMARCPYDPKHANVALFSDG MLFTATVTDFLAIDAVIYRSLGDRPTLRTVKHDSKWFKEPYFVHAVEWGSHVYFFFREIAMEF NYLEKVVVSRVARVCKNDVGGSPRVLEKQWTSFLKARLNCSVPGDSHFYFNVLQAVTGVVSLG GRPVVLAVFSTPSNSIPGSAVCAFDLTQVAAVFEGRFREQKSPESIWTPVPEDQVPRPRPGCC AAPGMQYNASSALPDDILNFVKTHPLMDEAVPSLGHAPWILRTLMRHQLTRVAVDVGAGPWGN QTVVFLGSEAGTVLKFLVRPNASTSGTSGLSVFLEEFETYRPDRCGRPGGGETGQRLLSLELD AASGGLLAAFPRCVVRVPVARCQQYSGCMKNCIGSQDPYCGWAPDGSCIFLSPGTRAAFEQDV SGASTSGLGDCTGLLRASLSEDRAGLVSVNLLVTSSVAAFVVGAVVSGFSVGWFVGLRERREL ARRKDKEAILAHGAGEAVLSVSRLGERRAQGPGGRGGGGGGGGGGVPPEALLAPLMQNGWAKAT LLQGGPHDLDSGLLPTPEQTPLPQKRLPTPHPHPHALGPRAWDHGHPLLPASASSSLLLLAPA RAPEQPPAPGEPTPDGRLYAARPGRASHGDFPLTPHASPDRRRVVSAPTGPLDPASAADGLPR PWSPPPTGSLRRPLGPHAPPAATLRRTHTFNSGEARPGDRHRGCHARPGTDLAHLLPYGGADR TAPPVP

Important features:

Signal peptide:

amino acids 1-25

Transmembrane domains:

amino acids 318-339, 598-617

N-glycosylation sites.

amino acids 74-78, 155-159, 167-171, 291-295, 386-390, 441-445, 462-466

Glycosaminoglycan attachment sites.

amino acids 51-55, 5.73-577

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 102-106

N-myristoylation sites.

amino acids 21-27, 50-56, 189-195, 333-339, 382-388, 448-454, 490-496, 491-497, 508-514, 509-515, 531-537, 558-564, 569-575, 574-580, 580-586, 610-616, 643-649, 663-669, 666-672, 667-673, 668-674, 669-675, 670-676, 868-874, 879-885

545/550

FIGURE 545

GATGGCGCAGCCACAGCTTCTGTGAGATTCGATTTCTCCCCAGTTCCCCTGTGGGTCTGAGGG GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTAT<u>ATG</u>CGTCAATTCCCCAAA CCAGGCCTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAG GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTCAGGCCTAAGATGAAAGCCTCTAGT CTTGCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT GAGATACGGGGCAGTGTGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACT GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTC TATCTGGACAGGGTATTTAAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCATGCCCACATGACA TGCCATTGTGGGGAGGAAGCAATGAAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTG GAGACAGAA**TAG**GAGGAAAGTGATGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTTACTGTACTAGTCTTGTGCT GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGCATGATTGTCTTTATGCATCCCC AATCTTAATTGAGACCATACTTGTATAAGATTTTTGTAATATCTTTCTGCTATTGGATATATT AAACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTTAT ACAGTAAAAAAAAAAACCTTGTAAATTCTAGAAGAGTGGCTAGGGGGGTTATTCATTTGTAT TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC TACTTAGGATGGGTTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG

546/550

FIGURE 546

MRQFPKTSFDISPEMSFSIYSLQVPAVPGLTCWALTAEPGWGQNKGATTCATNSHSDSELRPE IFSSREAWQFFLLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQE IRNGFSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHY TLRKISSLANSFLTIKKDLRLSHAHMTCHCGEEAMKKYSQILSHFEKLEPQAAVVKALGELDI LLQWMEETE

Important features:

Signal peptide:

amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 192-195, 225-228

N-myristoylation sites.

amino acids 42-47, 46-51, 136-141

547/550

FIGURE 547

AGCAACTCAAGTTCATCATTGTCCTGAGAGAGAGGAGCAGCGCGGTTCTCGGCCGGGACAGCA GAACGCCAGGGGACCCTCACCTGGGCGCCGGGGCACGGGCTTTGATTGTCCTGGGGTCGCG GAGACCCGCGCGCCTGCCCTGCACGCCGGGCGGCAACCTTTGCAGTCGCGTTGGCTGCCGA TCGGCCGGCGGGTCCCTGCCGAAGGCTCGGCTGCTTCTGTCCACCTCTTACACTTCTTCATTT ATCGGTGGATCATTTCGAGAGTCCGTCTTGTAAATGTTTGGCACTTTGCTACTTTATTGCTTC TTTCTGGCGACAGTTCCAGCACTCGCCGAGACCGGCGGAGAAAGGCAGCTGAGCCCGGAGAAG CAGGCAGTGGATACATCAGGGAATAAATTCACATCTTCTCCAGGCGAAAAGGTCTTCCAGGTG AAAGTCTCAGCACCAGAGGAGCAATTCACTAGAGTTGGAGTCCAGGTTTTAGACCGAAAAGAT GGGTCCTTCATAGTAAGATACAGAATGTATGCAAGCTACAAAAATCTGAAGGTGGAAATTAAA TTCCAAGGGCAACATGTGGCCAAATCCCCATATATTTTAAAAGGGCCGGTTTACCATGAGAAC TGTGACTGTCCTCTGCAAGATAGTGCAGCCTGGCTACGGGAGATGAACTGCCCTGAAACCATT GCTCAGATTCAGAGAGATCTGGCACATTTCCCTGCTGTGGATCCAGAAAAGATTGCAGTAGAA ATCCCAAAAAGATTTGGACAGAGGCAGAGCCTATGTCACTACACCTTAAAGGATAACAAGGTT TATATCAAGACTCATGGTGAACATGTAGGTTTTAGAATTTTCATGGATGCCATACTACTTTCT TTGACTAGAAAGGTGAAGATGCCAGATGTGGAGCTCTTTGTTAATTTGGGAGACTGGCCTTTG GAAAAAAGAAATCCAATTCAAACATCCATCCGATCTTTTCCTGGTGGCTCCACAGATTCC AAGGATATCGTGATGCCTACGTACGATTTGACTGATTCTGTTCTGGAAACCATGGGCCGGGTA AGTCTGGATATGATGTCCGTGCAAGCTAACACGGGTCCTCCCTGGGAAAGCAAAAATTCCACT GCCGTCTGGAGAGGGCGAGACAGCCGCAAAGAGAGACTCGAGCTGGTTAAACTCAGTAGAAAA CACCCAGAACTCATAGACGCTGCTTTCACCAACTTTTTCTTCTTTAAACACGATGAAAACCTG ATCGATGGCACTGTAGCAGCTTATCGCCTGCCATATTTGCTAGTTGGTGACAGTGTTGTGCTG AAGCAGGATTCCATCTACTATGAACATTTTTACAATGAGCTGCAGCCCTGGAAACACTACATT CCAGTTAAGAGCAACCTGAGCGATCTGCTAGAAAAACTTAAATGGGCGAAAGATCACGATGAA GAGGCCAAAAAGATAGCAAAAGCAGGACAAGAATTTGCAAGAAATAATCTCATGGGCGATGAC ATCCGAGAGGGCATGAAAAGGGTAGAACCACAGACTGAGGACGACCTCTTCCCTTGTACTTGC CATAGGAAAAAGACCAAAGATGAACTC**TGA**TATGCAAAATAACTTCTATTAGAATAATGGTGC TCTGAAGACTCTTCTTAACTAAAAAGAAGAATTTTTTTAAGTATTAATTCCATGGACAATATA AAATCTGTGTGATTGTTTGCAGTATGAAGACACATTTCTACTTATGCAGTATTCTCATGACTG TACTTTAAAGTACATTTTTAGAATTTTATAATAAAACCACCTTTATTTTAAAGGAAAAAAA

548/550

FIGURE 548

MFGTLLLYCFFLATVPALAETGGERQLSPEKSEIWGPGLKADVVLPARYFYIQAVDTSGNKFT
SSPGEKVFQVKVSAPEEQFTRVGVQVLDRKDGSFIVRYRMYASYKNLKVEIKFQGQHVAKSPY
ILKGPVYHENCDCPLQDSAAWLREMNCPETIAQIQRDLAHFPAVDPEKIAVEIPKRFGQRQSL
CHYTLKDNKVYIKTHGEHVGFRIFMDAILLSLTRKVKMPDVELFVNLGDWPLEKKKSNSNIHP
IFSWCGSTDSKDIVMPTYDLTDSVLETMGRVSLDMMSVQANTGPPWESKNSTAVWRGRDSRKE
RLELVKLSRKHPELIDAAFTNFFFFKHDENLYGPIVKHISFFDFFKHKYQINIDGTVAAYRLP
YLLVGDSVVLKQDSIYYEHFYNELQPWKHYIPVKSNLSDLLEKLKWAKDHDEEAKKIAKAGQE
FARNNLMGDDIFCYYFKLFQEYANLQVSEPQIREGMKRVEPQTEDDLFPCTCHRKKTKDEL

Important features:

Signal peptide:

amino acids 1-17

N-glycosylation sites.

amino acids 302-306, 414-418

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 243-247, 495-499

Tyrosine kinase phosphorylation site.

amino acids 341-348

N-myristoylation sites.

amino acids 59-65, 118-124, 184-190, 258-264, 370-376, 439-445

Endoplasmic reticulum targeting sequence.

amino acids 499-504

549/550

FIGURE 549

GGGTGATTGAACTAAACCTTCGCCGCACCGAGTTTGCAGTACGGCCGTCACCCGCACCGCTGC CTGCTTGCGGTTGGAGAAATCAAGGCCCTACCGGGCCTCCGTAGTCACCTCTCTATAGTGGGC GTGGCCGAGGCCGGGGTGACCCTGCCGGAGCCTCCGCTGCCAGCGACATGTTCAAGGTAATTC AGAGGTCCGTGGGGCCAGCCTGAGCTTGCTCACCTTCAAAGTCTATGCAGCACCAAAAA AGGACTCACCTCCCAAAAATTCCGTGAAGGTTGATGAGCTTTCACTCTACTCAGTTCCTGAGG GTCAATCGAAGTATGTGGAGGAGGCAAGGAGCCAGCTTGAAGAAAGCATCTCACAGCTCCGAC ACTATTGCGAGCCATACACAACCTGGTGTCAGGAAACGTACTCCCAAACTAAGCCCAAGATGC AAAGTTTGGTTCAATGGGGGTTAGACAGCTATGACTATCTCCAAAATGCACCTCCTGGATTTT TTCCGAGACTTGGTGTTATTGGTTTTGCTGGCCTTATTGGACTCCTTTTGGCTAGAGGTTCAA AACAAGCCATCGTGTTTGCCCAGGTCAGTGGGGAGAGATTATATGACTGGGGTTTACGAGGAT ATATAGTCATAGAAGATTTGTGGAAGGAGAACTTTCAAAAGCCAGGAAATGTGAAGAATTCAC CTGGAACTAAGTAGAAAACTCCATGCTCTGCCATCTTAATCAGTTATAGGTAAACATTGGAAA CTCCATAGAATAAATCAGTATTTCTACAGAAAAATGGCATAGAAGTCAGTATTGAATGTATTA AATTGGCTTTCTTCAGGAAAAACTAGACCAGACCTCTGTTATCTTCTGTGAAATCATCCT ACAAGCAAACTAACCTGGAATCCCTTCACCTAGAGATAATGTACAAGCCTTAGAACTCCTCAT AAAAAAAAAAAAAA

550/550

FIGURE 550

MFKVIQRSVGPASLSLLTFKVYAAPKKDSPPKNSVKVDELSLYSVPEGQSKYVEEARSQLEES ISQLRHYCEPYTTWCQETYSQTKPKMQSLVQWGLDSYDYLQNAPPGFFPRLGVIGFAGLIGLL LARGSKIKKLVYPPGFMGLAASLYYPQQAIVFAQVSGERLYDWGLRGYIVIEDLWKENFQKPG NVKNSPGTK

Important features:

Signal peptide:

Amino acids 1-23

Transmembrane domain:

Amino acids 111-130

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 26-30

Tyrosine kinase phosphorylation site:

Amino acids 36-44

N-myristoylation sites:

Amino acids 124-130;144-150;189-195

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 7 June 2001 (07.06.2001)

PCT

(10) International Publication Number WO 01/40466 A3

(51)		tent Classification7: C12N 1:		PCT/US99/30911		
	•	05, C12N 15/62, C07K 16/18, 16/2	28.		20 December 1999 (20.12.1999)	US
	GUIN 33/33, A61	K 38/17, C12Q 1/68		PCT/US99/30999	20 December 1000 (20 12 1000)	LIC
(21)	International Ap	plication Number: PCT/US00/3	2678	PCT/US99/31243	20 December 1999 (20.12.1999)	US
. ,	•			10110077131243	30 December 1999 (30,12,1999)	US
(22)	International Fili	ng Date: 1 December 2000 (01.12.3	2000)	PCT/US99/31274	(00
(25)	Filing I ongues	r	.11.1		30 December 1999 (30.12.1999)	US
(23)	Filing Language:	En	ıglish	PCT/US00/00219	5 January 2000 (05.01.2000)	US
(26)	Publication Lang	maga: C.	aliak	PCT/US00/00277	6 January 2000 (06.01.2000)	US
(20)	I doncation Dang	uage.	ıglish	PCT/US00/00376	6 January 2000 (06.01.2000)	US
(30)	Priority Data:			PCT/US00/03565		
(00)	PCT/US99/28301				11 February 2000 (11.02.2000)	US
		1 December 1999 (01.12.1999)	US	PCT/US00/04341		
	PCT/US99/28634	1 December 1999 (01.12.1999)	00		18 February 2000 (18.02.2000)	US
		1 December 1999 (01.12.1999)	US	PCT/US00/04342		
	PCT/US99/28551	(= = = = = = = = = = = = = = = = = = =	Ų.		18 February 2000 (18.02.2000)	US
		2 December 1999 (02.12.1999)	US	PCT/US00/04414		
	PCT/US99/28564	·			22 February 2000 (22.02.2000)	US
		2 December 1999 (02.12.1999)	US	PCT/US00/04914	44.71	
	PCT/US99/28565	,		DOTE I GOO IO COO A	24 February 2000 (24.02.2000)	US
	•	2 December 1999 (02.12.1999)	US	PCT/US00/05004	24 5 1 2000 (24 02 2000)	
	60/170,262	9 December 1999 (09.12.1999)	US	DCT##COO/OCCO1	24 February 2000 (24.02.2000)	US
	PCT/US99/30095			PCT/US00/05601	1 March 2000 (01.03.2000)	US
i :		16 December 1999 (16.12.1999)	US	PCT/US00/05841	2 March 2000 (02.03.2000)	US
<u>;</u>	•					

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

MSTMFADTLLIVFISVCTALLAEGITWVLVYRTDKYKRLKAEVEKQSKKLEKKKETITESAGR QQKKKIERQEEKLKNNNRDLSMVRMKSMFAIGFCFTALMGMFNSIFDGRVVAKLPFTPLSYIQ GLSHRNLLGDDTTDCSFIFLYILCTMSIRQNIQKILGLAPSRAATKQAGGFLGPPPPSGKFS

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites.

amino acids 103-109, 163-169

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 53-57

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which hind to the polypeptides of the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

60/187,202	3 March 2000 (03.03.2000)	US
PCT/US00/06319	10 March 2000 (10.03.2000)	US
PCT/US00/06884	15 March 2000 (15.03.2000)	US
PCT/US00/07377	20 March 2000 (20.03.2000)	US
PCT/US00/07532	21 March 2000 (21.03.2000)	US
PCT/US00/08439	30 March 2000 (30.03.2000)	US
PCT/US00/13705	17 May 2000 (17.05.2000)	US
PCT/US00/14042	22 May 2000 (22.05.2000)	US
PCT/US00/14941	30 May 2000 (30.05.2000)	US
PCT/US00/15264	2 June 2000 (02.06.2000)	US
60/209,832	5 June 2000 (05.06.2000)	US
PCT/US00/20710	28 July 2000 (28.07,2000)	US
PCT/US00/22031	11 August 2000 (11.08.2000)	US
PCT/US00/23522	23 August 2000 (23.08.2000)	US
PCT/US00/23328	24 August 2000 (24.08.2000)	US
60/000,000	15 September 2000 (15.09.2000)	US
PCT/US00/30952		
	8 November 2000 (08.11.2000)	US
PCT/US00/30873		
	10 November 2000 (10.11.2000)	US

- (71) Applicant (for all designated States except US): GENEN-TECH, INC. [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BAKER, Kevin, P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). BERESINI, Maureen [US/US]; 611 Stetson Street. Moss Beach, CA 94038 (US). DEFORGE, Laura [US/US]; 1175 Manzanita Drive, Pacifica, CA 94044 (US). DESNOYERS, Luc [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). FILVAROFF, Ellen [US/US]; 538 18th Avenue, San Francisco, CA 94121 (US). GAO, Wei-Qiang [CN/US]; 641 Pilgrim Drive, Foster City, CA 94404 (US). GERRITSEN, Mary, E. [CA/US]; 541 Parrott Drive, San Mateo, CA 94402 (US). GODDARD, Audrey [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). GODOWSKI, Paul, J. [US/US]; 2627 Easton Drive. Burlingame, CA 94010 (US). GURNEY, Austin, L. [US/US]; 1 Debbie Lane, Belmont, CA 94002

- (US). SHERWOOD, Steven [US/US]: 995 Lundy Lane, Los Altos, CA 94024 (US). SMITH, Victoria [AU/US]: 19 Dwight Road, Burlingame. CA 94010 (US). STEWART, Timothy, A. [US/US]: 465 Douglass Street. San Francisco, CA 94114 (US). TUMAS, Daniel [US/US]; 3 Rae Avenue, Orinda, CA 94563 (US). WATANABE, Colin, K. [US/US]: 128 Corliss Drive. Moraga. CA 94556 (US). WOOD, William, I. [US/US]: 35 Southdown Court, Hillsborough. CA 94010 (US). ZHANG, Zemin [CN/US]: 876 Taurus Drive, Foster City. CA 94404 (US).
- (74) Agents: KRESNAK, Mark, T. et al.: Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US)
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- (88) Date of publication of the international search report: 10 May 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

inte nal Application No US 00/32678

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C07K14/47

C07K16/28

G01N33/53

C07K14/705 A61K38/17

C12N15/62 C12Q1/68

C07K16/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

C12N C07K G01N A61K C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
Х	WO 98 21328 A (KATO SEISHI ;PROTEGENE INC (JP); SEKINE SHINGO (JP); SAGAMI CHEM R) 22 May 1998 (1998-05-22) * see seq.ID's.12, 37 and 62: clone HP10122 *	1-20, 69-71		
X	WO 99 09061 A (GENETICS INST) 25 February 1999 (1999-02-25) * see clone am910_li * -/	1-20		

I	X	Further documents are listed in the	continuation of box C.

Patent family members are listed in annex.

- Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the International filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or
- document published prior to the international filing date but later than the priority date claimed
- later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled
- "&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

8 August 2001

Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2

NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016

Authorized officer

Smalt, R

1 2. 11. or

nal Application No PC1/US 00/32678

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Dalariant to attack At
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	IWAMURO SHAWICHI ET AL: "Multi-ubiquitination of a nascent membrane protein produced in a rabbit reticulocyte lysate." JOURNAL OF BIOCHEMISTRY (TOKYO), vol. 126, no. 1, July 1999 (1999-07), pages 48-53, XP002174228 ISSN: 0021-924X the whole document	1-20
X	DATABASE EMBL [Online] Entry/Acc.no. AF070626, 2 July 1998 (1998-07-02) ANDERSON, B ET AL.: "Homo sapiens clone 24483 unknown mRNA, parital cds." XP002174229 the whole document	1-20
A	EP 0 834 563 A (SMITHKLINE BEECHAM CORP) 8 April 1998 (1998-04-08) the whole document	
A	WO 97 07198 A (GENETICS INST) 27 February 1997 (1997-02-27) the whole document	
A	KLEIN R D ET AL: "Selection for genes encoding secreted proteins and receptors" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, US, NATIONAL ACADEMY OF SCIENCE. WASHINGTON, no. 93, 1 July 1996 (1996-07-01), pages 7108-7113, XP002077277 ISSN: 0027-8424 the whole document	
A	YOKOYAMA-KOBAYASHI M ET AL: "A signal sequence detection system using secreted protease activity as an indicator" GENE,NL,ELSEVIER BIOMEDICAL PRESS. AMSTERDAM, vol. 163, no. 2, 3 October 1995 (1995-10-03), pages 193-196, XP004041983 ISSN: 0378-1119 the whole document	
Ρ,Χ	WO 00 37630 A (GENETICS INST) 29 June 2000 (2000-06-29) * see clone AM910_li *	1-13, 17-20

4

INTERNATIONAL SEARCH REPORT



Box I Observations where certain claims were found unsearchable (Continuation 1 item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
see additional sheet
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-20 and 69-71, all partially
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1: claims 1-20 and 69-71, all partially

PR0177: nucleic acid with seq.ID.1, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.2 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.2 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide.

Inventions 2-242: claims 1-20 and 69-71,
 all partially

Subject matter as defined for invention 1, but related to the respective nucleic acid/polypeptide sequences of: Invention 2: PR03574, represented by seq.ID.s 3 and 4, Invention 3: PR01280, represented by seq.ID.s 5 and 6, Invention 4: PRO4984, represented by seq.ID's 7 and 8, Invention 15: PRO1471, represented by seq.ID.s 29 and 30. (PR01114 skipped; follows below) Invention 16: PRO1076, represented by seq.ID.s 33 and 34, ... Invention 92: PRO4345, represented by seq.ID.s 185 and 186, (PRO4978 skipped; follows below) Invention 93: PRO4327, represented by seq.ID.s 221 and 222, Invention 107: PR06028, represented by seq.ID.s 217 and 218, (PR0100 skipped; follows below) Invention 108: PRO4327, represented by seq.ID.s 221 and 222. Invention 132: PR0197, represented by seq.ID.s 269 and 270. (PR0195 skipped; follows below) Invention 133: PRO187, represented by seq.ID.s 273 and 274, (PR0182 skipped: follows below) Invention 134: PRO188, represented by seq.ID.s 277 and 278, Invention 136: PR0184, represented by seq.ID.s 281 and 282. (PR0185 skipped: follows below) Invention 137: PRO200, represented by seq.ID.s 285 and 286, (PR0202 skipped: follows below) Invention 138: PRO214, represented by seq.ID.s 289 and 290. (PR0215 skipped: follows below) Invention 139: PRO219, represented by seq.ID.s 293 and 294, (PRO211 skipped: follows below) Invention 140: PRO220, represented by seq.ID.s 297 and 298, (PRO366, PRO216, PRO221 skipped: follows below) Invention 141: PR0228, represented by seq.ID.s 305 and 306.

```
(PRO217, PRO222, PRO224 skipped: follows below)
Invention 142: PRO230, represented by seq.ID.s 313 and 314,
(PR0198 skipped: follows below)
Invention 143: PRO226, represented by seq.ID.s 317 and 318.
Invention 151: PRO323, represented by seq.ID.s 333 and 334,
(PRO245 skipped: follows below)
Invention 152: PRO246, represented by seq.ID.s 337 and 338.
Invention 155: PRO257, represented by seq.ID.s 343 and 344,
(PRO172 skipped: follows below)
Invention 156: PRO258, represented by seq.ID.s 347 and 348,
(PRO265 skipped: follows below)
Invention 157: PRO326, represented by seq.ID.s 351 and 352,
(PRO266 skipped: follows below)
Invention 158: PRO269, represented by seq.ID.s 355 and 356.
Invention 160: PR0328, represented by seq.ID.s 359 and 360,
(PRO344 skipped: follows below)
Invention 161: PRO272, represented by seq.ID.s 363 and 364.
(PRO301 skipped: follows below)
Invention 162: PRO331, represented by seq.ID.s 367 and 368.
Invention 165: PRO310, represented by seq.ID.s 373 and 374,
(PRO337 skipped: follows below)
Invention 166: PRO346, represented by seq.ID.s 377 and 378,
Invention 167: PRO350, represented by seq.ID.s 379 and 380,
(PRO526 skipped: follows below)
Invention 168: PRO381, represented by seq.ID.s 383 and 384,
Invention 173: PRO731, represented by seq.ID.s 393 and 394,
(PRO322 skipped: follows below)
Invention 174: PR0536, represented by seq.ID.s 397 and 398.
(PR0719 skipped: follows below)
Invention 175: PR0619, represented by seq.ID.s 401 and 402.
Invention 214: PR01475, represented by seq.ID.s 479 and 480,
(PR01312 skipped: follows below)
Invention 215: PR01308, represented by seq.ID.s 483 and 484,
Invention 222: PR01358, represented by seq.ID.s 497 and 498.
(PR01286 skipped: follows below)
Invention 223: PR01294, represented by seq.ID.s 501 and 502,
Invention 224: PR01273, represented by seq.ID.s 503 and 504,
(PR01279 skipped: follows below)
Invention 225: PR01195, represented by seq.ID.s 507 and 508.
Invention 226: PR01271, represented by seq.ID.s 509 and 510,
(PR01338, PR01343 skipped: follows below)
Invention 227: PR01434, represented by seq.ID.s 513 and 514,
Invention 237: PR01693, represented by seq.ID.s 536 and 537,
```

(PR01868 skipped: follows below)

Invention 238: PR01890, represented by seq.ID.s 539 and 540,

Invention 240: PRO4353, represented by seq.ID.s 543 and 544, (PRO1801 skipped: follows below)

Invention 241: PRO4357, represented by seq.ID.s 547 and 548, Invention 242: PRO4302, represented by seq.ID.s 549 and 550.

For the sake of conciseness, the first subject matter is explicitly defined, the subject matter of inventions 2-241 are defined by analogy thereto, whereby the numbering of the sequences is followed, except for sequences which are mentioned in one of claims 21-68; inventions relating thereto follow below.

Invention 243: claims 43-49, 53, 54 completely, and claims 1-24, 29-31, 35, 36, 69-71, all partially

PRO1114: nucleic acid with seq.ID.31, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.32 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.32 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also a method of detecting PRO1801 and/or PRO100 using their interactions with PRO1114, method for linking a bioactive molecule to a cell expressing PRO1801 and/or PRO100 through the use of PRO1114, and method of modulating at least one activity of said cell thereby.

Invention 244: claims 1-24, 29-31, 35, 36, 53, 54, 69-71, all partially

PRO4978: nucleic acid with seq.ID.187, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.188 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.188 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also a method of detecting PRO1801 using its interaction with PRO4978, method for linking a bioactive molecule to a cell expressing PRO1801 through the use of

PRO4978, and method of modulating at least one activity of said cell thereby.

Invention 245: claims 39-42, 50-52, 55, 56 completely, and claims 1-20, 69-71, all partially

PRO100: nucleic acid with seq.ID.219, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.220 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.220 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also a method of detecting PRO1801 and/or PRO1114 using their interactions with PRO100, method for linking a bioactive molecule to a cell expressing PRO1801 and/or PRO1114 through the use of PRO100, and method of modulating at least one activity of said cell thereby.

Invention 246: claims 1-20, 57, 69-71, all partially

PR0195: nucleic acid with seq.ID.271, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.272 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.272 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PR0195 protein.

Invention 247: claim 66 completely, and claims 1-20, 58, 59, 69-71, all partially

PRO182: nucleic acid with seq.ID.275, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.276 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.276 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of

said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for modulating the uptake of glucose or FFA by skeletal cells, method for stimulating the proliferation or differentiation of chondrocytes, and method for inhibiting the binding of A-peptide to factor VIIA using the PR0182 protein.

Invention 248: claims 1-20, 67, 69-71, all partially

PRO185: nucleic acid with seq.ID.283, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.284 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.284 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for inhibiting the differentiation of adipocytes using the PRO185 protein.

Invention 249: claims 1-20, 57, 59, 60, 69-71,
 all partially

PRO202: nucleic acid with seq.ID.287, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.288 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.288 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, method for stimulating the proliferation or differentiation of chondrocytes, and method for modulating the uptake of glucose or FFA by adipocytes using the PRO202 protein.

Invention 250: claims 1-20, 57, 69-71,
 all partially

PRO215: nucleic acid with seq.ID.291, encoding a polypeptide comprising the amino acid sequence as represented in

seq.ID.292 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.292 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO215 protein.

Invention 251: claims 1-20, 60, 69-71, all partially

PRO211: nucleic acid with seq.ID.295, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.296 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.296 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for modulating the uptake of glucose or FFA by adipocytes using the PRO211 protein.

Invention 252: claim 61 completely,
 and claims 1-20, 58, 59, 69-71, all partially

PRO366: nucleic acid with seq.ID.299, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.300 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.300 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for modulating the uptake of glucose or FFA by skeletal cells, method for stimulating the proliferation or differentiation of chondrocytes, and method for stimulating the proliferation of gene expression in pericytes using the PRO366 protein.

Invention 253: claim 62 completely,
 and claims 1-20, 69-71, all partially

PRO216: nucleic acid with seq.ID.301, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.302 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.302 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stilulating the release of proteoglycans from cartilage using the PRO216 protein.

Invention 254: claims 1-20, 57, 69-71,
 all partially

PRO221: nucleic acid with seq.ID.303, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.304 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.304 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO221 protein.

Invention 255: claims 1-20, 69-71, all partially

PRO217: nucleic acid with seq.ID.307, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.308 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.308 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO217 protein.

Invention 256: claim 68 completeley,
 and claims 1-20, 69-71, all partially

PRO222: nucleic acid with seq.ID.309, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.310 or a nucleic acid having at least 80% homology

thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.310 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, and method for stimulating the proliferation of endothelial cells using the PRO222 protein.

Invention 257: claims 1-20, 59, 69-71,
 all partially

PRO224: nucleic acid with seq.ID.311, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.312 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.312 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, and method for stimukating the proliferation or differentiation of chondrocytes using the PRO224 protein.

Invention 258: claims 1-20, 57-59, 67, 69-71, all partially

PR0198: nucleic acid with seq.ID.315, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.316 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.316 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, method for modulating the uptake of glucose or FFA by skeletal cells, method for stimulating the proliferation or differentiation of chondrocytes, and method for inhibiting the differentiation of adipocytes using the PR0198 protein.

Invention 259: claims 1-20, 57, 69-71,

all partially

PRO245: nucleic acid with seq.ID.335, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.336 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.336 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO245 protein.

Invention 260: claim 63 completely,
 and claims 1-20, 57-59 69-71, all partially

PR0172: nucleic acid with seq.ID.345, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.346 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seg.ID.346 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, method for modulating the uptake of glucose or FFA by skeletal cells, method for stimulating the proliferation or differentiation of chondrocytes, and method for stimulating the proliferation of inner ear utricular supporting cells using the PRO172 protein.

Invention 261: claims 1-20, 57, 69-71,
 all partially

PRO265: nucleic acid with seq.ID.349, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.350 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.350 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO265 protein.

Invention 262: claims 1-20, 57, 69-71, all partially

PRO266: nucleic acid with seq.ID.353, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.354 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.354 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO266 protein.

Invention 263: claim 64 completely, and claims 1-20, 57, 60, 69-71, all partially

PRO344: nucleic acid with seq.ID.361, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.362 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.362 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, method for modulating the uptake of glucose or FFA by adipocytes, and method for stimulating the proliferation of T-lymphocytes using the PRO344 protein.

Invention 264: claims 1-20, 59, 69-71, all partially

PRO301: nucleic acid with seq.ID.365, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.366 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.366 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the proliferation

or differentiation of chondrocytes using the PRO301 protein.

Invention 265: claims 1-20, 57, 69-71,
 all partially

PRO337: nucleic acid with seq.ID.375, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.376 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.376 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO337 protein.

Invention 266: claims 1-20, 65, 69-71,
 all partially

PR0526: nucleic acid with seq.ID.381, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.382 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.382 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of a cytokine from PBMC cells using the PR0526 protein.

Invention 267: claims 1-20, 57, 69-71, all partially

PRO322: nucleic acid with seq.ID.395, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.396 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.396 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PRO322 protein.

Invention 268: claims 1-20, 58, 69-71, all partially

PR0719: nucleic acid with seq.ID.399, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.400 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.400 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for modulating the uptake of glucose or FFA by skeletal cells using the PR0719 protein.

Invention 269: claims 1-20, 59, 69-71, all partially

PR01312: nucleic acid with seq.ID.481, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.482 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.482 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the proliferation or differentiation of chondrocytes using the PR01312 protein.

Invention 270: claims 1-20, 57, 69-71, all partially

PRO1286: nucleic acid with seq.ID.499, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.501 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.501 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PR01286 protein.

Invention 271: claims 1-20, 57, 69-71, all partially

PR01279: nucleic acid with seq.ID.505, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.506 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.506 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood using the PR01279 protein.

Invention 272: claims 1-20, 57, 60, 69-71,
 all partially

PRO1338: nucleic acid with seq.ID.511, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.512 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.512 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of TNF-alpha from human blood, and method for modulating the uptake of glucose or FFA by adipocytes using the PRO1338 protein.

Invention 273: claims 1-20, 57, 65, 69-71,
 all partially

PRO1343: nucleic acid with seq.ID.513, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.514 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.514 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the release of

TNF-alpha from human blood, and method for stimulating the release of a cytokine from PBMC cells using the PR01343 protein.

Invention 274: claims 1-20, 59, 69-71, all partially

PRO1868: nucleic acid with seq.ID.537, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.538 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.538 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also method for stimulating the proliferation or differentiation of chondrocytes using the PRO1868 protein.

Invention 275: claims 25-28, 32-34, 37, 38 completely, and claims 1-20, 69-71, all partially

PR01801: nucleic acid with seq.ID.545, encoding a polypeptide comprising the amino acid sequence as represented in seq.ID.546 or a nucleic acid having at least 80% homology thereto, vector comprising said nucleic acid, host cell comprising said vector, process for producing the protein of seq.ID.546 using said host, the isolated protein or one having at least 80% homology thereto, a chimeric protein of said peptide fused to a heterologous sequence, isolated extracellular domain of said protein or said protein lacking its signal peptide, and an antibody against said polypeptide. Also a method of detecting PR01114 and/or PR04978 using its interaction with PR01801, method for linking a bioactive molecule to a cell expressing PR04978 and/or PR01114 through the use of PR01801, and method of modulating at least one activity of said cell thereby.

INTERMINIONAL SEARCH REPORT

tom mon on patent family members

Inte: nail Application No PCV/US 00/32678

WO 9821328								
EP 0941320 A2 15-0 W0 9821328 A2 22-0 W0 9909061 A 25-02-1999 AU 9115898 A 08-0 EP 0971955 A1 19-0 W0 9909061 A1 25-0 EP 0834563 A 08-04-1998 EP 0834563 A2 08-0 JP 10179178 A 07-0 US 5824504 A 20-1 W0 9707198 A 27-02-1997 US 5707829 A 13-0 AU 727480 B2 14-1 AU 6712396 A 18-0 AU 727489 B2 14-1 AU 6768596 A 12-0 CA 2227220 A1 06-06 CA 2229208 A1 27-06 EP 0839196 A2 06-06	Pu						Publication date	on
EP 0971955 A1 19-0 W0 9909061 A1 25-0 EP 0834563 A 08-04-1998 EP 0834563 A2 08-0 JP 10179178 A 07-0 US 5824504 A 20-1 W0 9707198 A 27-02-1997 US 5707829 A 13-0 AU 727480 B2 14-1 AU 6712396 A 18-0 AU 727489 B2 14-1 AU 6768596 A 12-0 CA 2227220 A1 06-0 CA 2229208 A1 27-02 EP 0839196 A2 06-0	22	A	22-05-1998	EP	0941320	A2	03-06- 15-09- 22-05-	1999
JP 10179178 A 07-0 US 5824504 A 20-1 WO 9707198 A 27-02-1997 US 5707829 A 13-0 AU 727480 B2 14-1 AU 6712396 A 18-0 AU 727489 B2 14-1 AU 6768596 A 12-0 CA 2227220 A1 06-0 CA 2229208 A1 27-0 EP 0839196 A2 06-0	A 25	A	25-02-1999	EP	0971955	A1	08-03- 19-01- 25-02-	2000
AU 727480 B2 14-1 AU 6712396 A 18-0 AU 727489 B2 14-1 AU 6768596 A 12-0 CA 2227220 A1 06-0 CA 2229208 A1 27-0 EP 0839196 A2 06-0	80	Α	08-04-1998	JP	10179178	Α	08-04- 07-07- 20-10-	1998
JP 11510045 T 07-09 US 6043344 A 28-09 WO 9704097 A2 06-09 WO 9707198 A2 27-09 US 6074849 A 13-09	27	Α	27-02-1997	AU AU AU CA CA EP EP JP US WO US	727480 6712396 727489 6768596 2227220 2229208 0839196 0851875 11510045 6043344 9704097 9707198 6074849	B2 A B2 A A1 A1 A2 A2 T A A2 A2 A2 A	13-01- 14-12- 18-02- 14-12- 12-03- 06-02- 27-02- 06-05- 08-07- 07-09- 28-03- 06-02- 27-02- 13-06- 19-10-	2000 1997 2000 1997 1997 1998 1998 1999 2000 1997 1997
EP 1141267 A1 10-10	A 29	Α	29-06-2000	EP	1141267	A1	12-07- 10-10- 29-06-	2001